



**GIGANT — YOUR PARTNER FOR TASKS
OF ANY SCALE**

PRODUCT CATALOGUE

GIGANT is a professional tools and equipment brand for construction, manufacturing, and renovation — one of the widest in-stock ranges in the category, backed by 5-stage quality control and dependable service.

**JIANGSU SKYLINE INDUSTRIAL CO.,
LTD.**

Development District, Danyang City,
Jiangsu Province, China
skyline-tools.com
+0086-511-86225266
info@skyline-tools.com

GIGANT

THE BRAND

WHO WE ARE

GIGANT stands for one simple idea: a wide selection means huge opportunities. The range covers construction, manufacturing, and renovation, built as a partner for tasks of any scale. Every product passes a 5-stage quality control process — from sample testing to spec verification — and stays in stock so the right tool is available when it's needed.



WIDE SELECTION

One of the widest in-stock ranges in the category — the right tool is available now, not on backorder.

CONSISTENT QUALITY

Every product passes a 5-stage quality control process, from sample testing to spec verification against analogues.

A RELIABLE PARTNER

95% of the range is always in stock, backed by warranty coverage and dedicated parts and service support.

11

PRODUCT CATEGORIES

1,013

PRODUCT LINES IN THE RANGE

2026

EXPANDED EDITION

GIGANT

THE BRAND

WHY GIGANT

GIGANT — YOUR PARTNER FOR TASKS OF ANY SCALE

AVAILABILITY & RANGE

One of the widest in-stock assortments in the category — the tool you need, when you need it, not on backorder.

NOTHING EXTRA

Laconic, purpose-built construction. No unnecessary parts, no inflated specs — just honest engineering.

HONEST SPECIFICATIONS

What's on the spec sheet is what's in the tool. No marketing padding, just tested, real-world numbers.

A RELIABLE PARTNER

Fast parts and service built to keep tools working — support across the full lifetime of the partnership.



SCALE

BUILT FOR EVERY SITE

One tool brand, engineered for tasks of any scale — from the first foundation to the last coat of paint.



CONSTRUCTION & DEVELOPMENT



LANDSCAPING & GROUNDS CARE



AUTOMOTIVE SERVICE

CONTENTS

GIGANT — a full-range tool brand: air compressors, pneumatic tools, generators, welding equipment, hand tools, measuring tools, consumables & fasteners, machinery, automotive, garden, electrical, warehouse and climate equipment.

01	AIR COMPRESSORS AND PNEUMATIC TOOLS	65 SKU	6
02	GENERATORS & WELDING EQUIPMENT	69 SKU	21
03	MEASURING TOOLS	58 SKU	37
04	HAND TOOLS	192 SKU	49
05	AUTOMOTIVE & GARAGE EQUIPMENT	163 SKU	77
06	MACHINERY & CONSTRUCTION EQUIPMENT	115 SKU	112
07	GARDEN & OUTDOOR	160 SKU	139
08	WAREHOUSE & CLEANING EQUIPMENT	78 SKU	172
09	CLIMATE & PLUMBING EQUIPMENT	54 SKU	187
10	ELECTRICAL & LIGHTING	194 SKU	201
11	CONSUMABLES & FASTENERS	268 SKU	249
	Product index	1394 SKU	274

A detailed view of a Gigant air compressor. It features a large, bright orange cylindrical tank with the brand name 'GIGANT' in bold black letters. On top of the tank is a black and silver motor unit with a fan grille. To the right of the motor, there are two pressure gauges and a red-handled control valve. An orange air hose with a black handle is connected to the top. Safety warning labels are visible on the motor housing. The entire unit is mounted on a black wheel and a metal frame.

GIGANT

SECTION / 01

AIR COMPRESSORS AND PNEUMATIC TOOLS

Piston, oil-free and belt-driven compressors plus a full pneumatic tool line-up for the workshop, garage and jobsite.



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor 24l. LAS 24/1500

LAS 24/1500

Model 1 of 6 in the lineup

Voltage	220
Performance	240
Working pressure	8.000
Speed	2850
Connection diameter	1/4F
Performance on input	240.000
Performance on output	160.000
Receiver tank volume	24
Frequency	50
Compressor type	Piston, coaxial (direct drive)



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor+air tool kit 24l. LAS 24/1500K

LAS 24/1500K

Model 2 of 6 in the lineup

Voltage	220
Performance	240
Working pressure	8.000
Speed	2850
Connection diameter	3/8
Performance on input	240.000
Performance on output	156.000
Receiver tank volume	24
Frequency	50
Compressor type	Piston, coaxial (direct drive)



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor 50l. LAS 50/1800

LAS 50/1800

Model 3 of 6 in the lineup

Voltage	220
Performance	260
Working pressure	8.000
Speed	2850
Connection diameter	1/4"
Performance on input	260.000
Performance on output	170.000
Receiver tank volume	50
Frequency	50
Compressor type	Piston, coaxial (direct drive)



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor+air tool kit 50l. LAS 50/1800K

LAS 50/1800K

Model 4 of 6 in the lineup

Voltage	220
Performance	260
Working pressure	8.000
Speed	2850
Connection diameter	1/4
Performance on input	260.000
Performance on output	169.000
Receiver tank volume	50
Frequency	50
Compressor type	Piston, coaxial (direct drive)



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor 2,2 kW, 50 l
V2200/50

V2200/50

Model 5 of 6 in the lineup

Voltage	220
Performance	400
Working pressure	8.000
Speed	2850
Connection diameter	1/4
Performance on input	400.000
Performance on output	260.000
Receiver tank volume	50
Frequency	50
Compressor type	Piston, coaxial (direct drive)



PISTON OIL-LUBRICATED COMPRESSOR

Piston oil-lubricated compressor 2,2 kW, 100 l
V2200/100

V2200/100

Model 6 of 6 in the lineup

Voltage	220
Performance	400.000
Working pressure	8.000
Speed	2850
Connection diameter	1/4"
Performance on input	400.000
Performance on output	260.000
Receiver tank volume	100
Frequency	50
Compressor type	Piston, coaxial (direct drive)



OIL-FREE LOW-NOISE COMPRESSOR

Oil-free low-noise compressor GSWK-6/180

GSWK-6/180

Model 1 of 8 in the lineup

Net weight	11.000
Voltage	220
Performance	180
Working pressure	8.000
Dimensions (unpacked)	320x300x300
Speed	3550
Performance on input	180.000
Performance on output	108.000
Receiver tank volume	6
Frequency	50



OIL-FREE LOW-NOISE COMPRESSOR

Oil-free low-noise compressor GSWK-8/750

GSWK-8/750

Model 2 of 8 in the lineup

Net weight	14.000
Voltage	220
Performance	160
Working pressure	8.000
Dimensions (unpacked)	530x290x500
Speed	2800
Connection diameter	1/4F
Performance on input	160.000
Performance on output	110.000
Receiver tank volume	8



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-9/1400

GSWK-9/1400
Model 3 of 8 in the lineup

Net weight	14.000
Voltage	220
Performance	195
Working pressure	8.000
Dimensions (unpacked)	530x290x500
Speed	2800
Connection diameter	1/4F
Performance on input	195.000
Performance on output	130.000
Receiver tank volume	9



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-25/1400

GSWK-25/1400
Model 4 of 8 in the lineup

Net weight	19.500
Voltage	220
Performance	210
Working pressure	8.000
Dimensions (unpacked)	300x600x400
Speed	2800
Connection diameter	1/4F
Performance on input	225.000
Performance on output	140.000
Receiver tank volume	25



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-50/1400

GSWK-50/1400
Model 5 of 8 in the lineup

Net weight	42.000
Voltage	220
Performance	225
Working pressure	8.000
Dimensions (unpacked)	720x380x740
Speed	2800
Connection diameter	1/4M
Performance on input	225.000
Performance on output	150.000
Receiver tank volume	50



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-50/2800

GSWK-50/2800
Model 6 of 8 in the lineup

Net weight	45.000
Voltage	220
Performance	365
Working pressure	8.000
Dimensions (unpacked)	720x380x740
Speed	2800
Connection diameter	1/4M
Performance on input	365.000
Performance on output	240.000
Receiver tank volume	50

Labels and markings on the products shown may differ from those on units supplied to your market.



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-100/440
GSWK-100/440
Model 7 of 8 in the lineup

Net weight	61.000
Voltage	220
Performance	440
Working pressure	8.000
Dimensions (unpacked)	1200x300x700
Speed	1380
Performance on input	440.000
Performance on output	264.000
Receiver tank volume	100
Frequency	50



OIL-FREE LOW-NOISE COMPRESSOR
Oil-free low-noise compressor GSWK-120/4200
GSWK-120/4200
Model 8 of 8 in the lineup

Net weight	86.000
Voltage	220
Performance	460
Working pressure	8.000
Dimensions (unpacked)	1200x400x800
Speed	2800
Connection diameter	1 1/4
Performance on input	460.000
Performance on output	300.000
Receiver tank volume	120



BELT-DRIVEN COMPRESSOR
Belt-driven compressor BCV-50/200
BCV-50/200
Model 1 of 4 in the lineup

Voltage	220
Performance	202
Working pressure	8.000
Speed	2900
Connection diameter	1/4F
Performance on input	202.000
Performance on output	160.000
Receiver tank volume	50
Frequency	50
Compressor type	Belt-driven



BELT-DRIVEN COMPRESSOR
Belt-driven compressor BCL-50
BCL-50
Model 2 of 4 in the lineup

Voltage	220
Performance	430
Working pressure	10.000
Speed	2850
Connection diameter	1/4"
Performance on input	430.000
Performance on output	330.000
Receiver tank volume	50
Frequency	50
Compressor type	Belt-driven



BELT-DRIVEN COMPRESSOR

Belt-driven compressor BCL-100

BCL-100

Model 3 of 4 in the lineup

Voltage	220
Performance	430
Working pressure	10.000
Speed	2800
Connection diameter	1/4"
Performance on input	430.000
Performance on output	330.000
Receiver tank volume	100
Frequency	50
Compressor type	Belt-driven



BELT-DRIVEN COMPRESSOR

Belt-driven compressor BCW-100/670

BCW-100/670

Model 4 of 4 in the lineup

Voltage	380
Performance	670
Working pressure	10.000
Speed	1100
Connection diameter	1/4"
Performance on input	670.000
Performance on output	435.000
Receiver tank volume	100
Frequency	50
Compressor type	Belt-driven



HOSE SPIRAL RAPID

Hose Spiral Rapid

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	5 m 12x8 mm, 10 m 12x8 mm +3 more
Item codes	G-1149, G-1150, G-1151, G-1152, G-1153
Connection type	rapid (EURO)
Material	Polyurethane
Max pressure	12.000
On reel	No
Pressure gauge	No
Shape	Twist (spiral)



AIR HOSE WITH FITTINGS

Air hose with fittings 10 m 12x8 mm RH 1008

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	10 m 12x8 mm, 20 m 12x8 mm +2 more
Item codes	RH 1008, RH 2008, RH 1012, RH 2012
Connection type	rapid (EURO)
Material	Polyurethane
Max pressure	10.000 - 20.000
On reel	No
Pressure gauge	No
Shape	Straight
Min/Max operating temperature	-20°C / +60°C



PNEUMATIC HOSE ON AUTOMATIC REEL

Pneumatic hose on automatic reel 15 m G-PG85250

G-PG85250

Standalone item in the Gigant range

Connection type	Threaded
Material	PVC
Length	15 m
External diameter	16 mm
Internal diameter	10 mm
Max pressure	20.000
On reel	Yes
Pressure gauge	No
Shape	Straight
Size connection	1/4F
Min/Max operating temperature	-20°C / +60°C



PAINT SPRAYER

Paint sprayer SP 180

SP 180

Model 1 of 4 in the lineup

Tool type	pneumatic spray gun
Kind	paint sprayer
Pressure	3.500
Air consumption	200.000
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Diameter nozzle	1.400
Width spraying	180-250
Method spraying Paints and coatings	HVLP (High Volume Low Pressure)
Position tank	upper



PAINT SPRAYER

Paint sprayer SP 160

SP 160

Model 2 of 4 in the lineup

Tool type	pneumatic spray gun
Kind	paint sprayer
Pressure	4.000
Air consumption	200.000
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Diameter nozzle	1.800
Width spraying	200-250
Method spraying Paints and coatings	HVLP (High Volume Low Pressure)
Position tank	lower



PAINT SPRAYER

Paint sprayer SP 178

SP 178

Model 3 of 4 in the lineup

Tool type	pneumatic spray gun
Kind	paint sprayer
Pressure	4.000
Air consumption	200.000
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Diameter nozzle	1.500
Width spraying	180-250
Method spraying Paints and coatings	HVLP (High Volume Low Pressure)
Position tank	upper



PAINT SPRAYER

Paint sprayer SPR500

SPR500

Model 4 of 4 in the lineup

Tool type	pneumatic spray gun
Kind	paint sprayer
Pressure	3.500
Air consumption	109.000
Connection type	Threaded
Air fitting diameter	1/4M
Diameter nozzle	1.300
Width spraying	180-280
Method spraying Paints and coatings	LVLP (Low Volume Low Pressure)
Position tank	upper



IMPACT PNEUMATIC IMPACT WRENCH

Impact pneumatic impact wrench PW 600

PW 600

Model 1 of 6 in the lineup

Tool type	impact wrench
Application	passenger car vehicle
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	142.500
Pressure	6.300
Max torque	600.000



IMPACT PNEUMATIC IMPACT WRENCH

Impact pneumatic impact wrench PW 600L

PW 600L

Model 2 of 6 in the lineup

Tool type	impact wrench
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	204.000
Pressure	6.300
Max torque	600.000
Spindle speed	7000



IMPACT PNEUMATIC IMPACT WRENCH

Impact pneumatic impact wrench PW 720 + socket set

PW 720

Model 3 of 6 in the lineup

Tool type	impact wrench
Application	passenger car vehicle
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	142.500
Pressure	6.300
Max torque	720.000



IMPACT PNEUMATIC IMPACT WRENCH

Impact pneumatic impact wrench PW 880

PW 880

Model 4 of 6 in the lineup

Tool type	impact wrench
Application	passenger car vehicle
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	142.500
Pressure	6.300
Max torque	880.000



IMPACT PNEUMATIC IMPACT WRENCH

Impact pneumatic impact wrench PW 1280

PW 1280

Model 6 of 6 in the lineup

Tool type	impact wrench
Application	passenger car vehicle
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	198.000
Pressure	6.300
Max torque	1200.000



IMPACT PNEUMATIC IMPACT WRENCH

Professional impact pneumatic impact wrench PW 880RKS + socket set

PW 880RKS

Model 5 of 6 in the lineup

Tool type	impact wrench
Application	all vehicle types
Angled	No
Chuck type	square drive with friction ring
Chuck size	1/2"
Connection type	rapid (EURO)
Air fitting diameter	1/4F
Air consumption	200.000
Pressure	6.300
Max torque	880.000



ORBITAL PNEUMATIC SANDER

Orbital pneumatic sander OG125P

OG125P

Model 1 of 2 in the lineup

Tool type	sander
Connection type	rapid (EURO)
Disc diameter	125
Amplitude oscillation	4.000
Speed	11000
Max speed	11000.000
Number of holes	6
Packaging	Box
Pressure	6.300
Air consumption	160.000



ORBITAL PNEUMATIC SANDER

Orbital pneumatic sander OG150P

OG150P

Model 2 of 2 in the lineup

Tool type	sander
Connection type	rapid (EURO)
Disc diameter	150
Amplitude oscillation	4.000
Speed	11000
Max speed	11000.000
Number of holes	6
Packaging	Box
Pressure	6.300
Air consumption	160.000



DEMOLITION HAMMER

Demolition hammer MOP3

MOP3

Model 1 of 2 in the lineup

Tool type	demolition hammer
Size shank	24x70
Shank type	Cylindrical
Hex size	No
Hex drive	with groove/with skirt
Pressure	5.000
Air consumption	1500.000
Frequency impacts	1140.000
Impact energy	48.000
Grade	Semi-professional



DEMOLITION HAMMER

Demolition hammer MOP4

MOP4

Model 2 of 2 in the lineup

Tool type	demolition hammer
Size shank	24x70
Shank type	Cylindrical
Hex size	No
Hex drive	with groove/with skirt
Pressure	5.000
Air consumption	1350.000
Frequency impacts	1020.000
Impact energy	55.000
Grade	Household



PNEUMATIC BLOW GUN

Pneumatic blow gun BG140

BG140

Model 1 of 3 in the lineup

Spout length	25 mm
Handle material	Metal
Adjustable air flow	Yes
Pressure	8.5 atm
Air consumption	200 l/min
Connection type	Rapid (EURO)
Net weight	0.18 kg



PNEUMATIC BLOW GUN

Pneumatic blow gun, extended nozzle
BG140WIN

BG140WIN

Model 2 of 3 in the lineup

Spout length	170 mm
Handle material	Metal
Adjustable air flow	Yes
Pressure	8.5 atm
Air consumption	200 l/min
Connection type	Rapid (EURO)
Net weight	0.22 kg



PNEUMATIC BLOW GUN

Pneumatic blow gun, 3-nozzle kit BG140KIT

BG140KIT

Model 3 of 3 in the lineup

Spout length	3 nozzles: 25 / 170 / 200 mm
Handle material	Metal
Adjustable air flow	Yes
Pressure	9.9 atm
Air consumption	200 l/min
Connection type	Rapid (EURO)
Net weight	0.20 kg



PNEUMATIC DRILL

Pneumatic drill PD550

PD550

Standalone item in the Gigant range

Chuck size	13 mm
Chuck type	Key
Spindle speed	700 rpm
Max drilling diameter (metal)	13 mm
Air consumption	114 l/min
Pressure	6.3 atm
Connection type	Rapid (EURO)
Net weight	1.65 kg



PNEUMATIC RATCHET

Pneumatic ratchet PR68

PR68

Standalone item in the Gigant range

Drive square	1/2"
Max torque	68 Nm
Speed	160 rpm
Air consumption	140 l/min
Pressure	6.3 atm
Max fastener size	M10
Net weight	1.4 kg



PNEUMATIC CHISEL

Pneumatic chisel RP4500 + 5 attachments

RP4500

Standalone item in the Gigant range

Shank type	Hexagonal, 10 mm
Impact rate	4500 bpm
Impact energy	5 J
Air consumption	80 l/min
Pressure	6.3 atm
Connection type	Rapid (EURO)
Net weight	1.05 kg



PNEUMATIC RIVET GUN

Pneumatic rivet gun P70

P70

Standalone item in the Gigant range

Grade	Semi-professional
Rivet type	Blind (pull)
Rivet diameter range	2.4 - 4.8 mm
Rivet material	Steel, aluminium, copper, stainless
Air consumption	29 l/min
Pressure	6.2 atm
Net weight	1.4 kg



PNEUMATIC NAILER / STAPLER

Pneumatic nailer & stapler guns

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	NG50, NC15/50, SG15
Types	Nailer, combi nailer/stapler, stapler
Nail length range	15 - 50 mm
Staple size range	6 - 40 mm
Pressure	7.0 - 7.5 atm
Air consumption	25.5 - 50 l/min
Connection type	Rapid (EURO)



PNEUMATIC HOPPER GUN

Pneumatic hopper gun HBR01

HBR01

Standalone item in the Gigant range

Grade	Semi-professional
Hopper volume	4 l
Air consumption	350 l/min
Pressure	6.0 atm
Connection type	Rapid (EURO)
Net weight	4.2 kg



PNEUMATIC DIE GRINDER

Pneumatic die grinders

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	DG27000, PSM125
Types	Straight (collet), angle (125 mm disc)
Speed	up to 27,000 rpm
Air consumption	130 - 140 l/min
Pressure	6.3 atm
Net weight	0.8 - 1.3 kg



PNEUMATIC TOOL SET

Pneumatic tool set, 5pc SPT5

SPT5

Standalone item in the Gigant range

Pieces	5
Included	Tire inflator gun, blow gun +2 more
Connection type	Rapid (EURO)
Pressure	8.5 atm
Air consumption	200 l/min
Packaging	Box
Net weight	1.96 kg



TIRE INFLATOR GUN

Tire inflator gun IT140/10

IT140/10

Standalone item in the Gigant range

Hose length	350 mm
Connection	Rapid (EURO)
Gauge	Analog pressure gauge, bar/psi
Application	Tire inflation from shop air line



AIR LINE FILTER / FRL UNIT

Filter-regulator-lubricator for compressor 1/2" GAC4010-04

9 item codes — see table

Merged card - 9 models in one line (see item codes below)

Item codes	GAC3010-02, GAC4010-04 +2 more
Configurations	Filter only / filter+regulator / filter...
Port sizes	1/4" - 1/2"
Application	Air-line prep - moisture removal +1 more



AUTOMOTIVE COMPRESSOR

Automotive compressor GAC-30

GAC-30

Model 1 of 5 in the lineup

Performance	30.000
Max pressure	10.000
Type	piston
Connection	to cigarette lighter socket
Voltage	12
Max consumed current	15.000
Number batteries in kit	No
Type battery	No
Capacity battery	No
Presence of lamp	No



AUTOMOTIVE COMPRESSOR

Automotive compressor GCA-50

GCA-50

Model 2 of 5 in the lineup

Performance	50 l/min
Max pressure	10 atm
Type	piston
Voltage	12 V
Max consumed current	23 A
Presence of lamp	Yes
Protection from overheating	Yes
Autonomous operation	No
Pressure gauge	analog
Length air hose	5 m



AUTOMOTIVE COMPRESSOR

Automotive compressor GAC-60

GAC-60

Model 3 of 5 in the lineup

Performance	60 l/min
Max pressure	10 atm
Type	piston
Voltage	12 V
Max consumed current	15 A
Presence of lamp	Yes
Protection from overheating	Yes
Autonomous operation	No
Pressure gauge	analog
Length air hose	smaller 2 m



AUTOMOTIVE COMPRESSOR

Automotive compressor GCA-85

GCA-85

Model 4 of 5 in the lineup

Performance	85 l/min
Max pressure	10 atm
Type	piston
Voltage	12 V
Max consumed current	30 A
Presence of lamp	No
Protection from overheating	Yes
Autonomous operation	No
Pressure gauge	analog
Length air hose	8 m



AUTOMOTIVE COMPRESSOR

Automotive compressor GCA-165

GCA-165

Model 5 of 5 in the lineup

Performance	165 l/min
Max pressure	10 atm
Type	piston
Voltage	12 V
Max consumed current	45 A
Presence of lamp	No
Protection from overheating	Yes
Autonomous operation	No
Pressure gauge	analog
Length air hose	8 m

GIGANT



SECTION / 02

GENERATORS & WELDING EQUIPMENT

Petrol, diesel and inverter generators plus inverter, semi-automatic and plasma welding equipment for site and workshop.



INVERTER GENERATOR
Inverter generator GPIGL-800

GPIGL-800
Model 1 of 7 in the lineup

Type generator	travel/camping
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	0.900
Max power at 220 V	0.900
Rated power at 220 V	0.700
Rated power at 380 V	0.000
Electrical outlets 380/220/12 V	0/1/1
Alternator	asynchronous



INVERTER GENERATOR
Inverter generator GPIGL-10000

GPIGL-10000
Model 2 of 7 in the lineup

Type generator	travel/camping
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	1.200
Max power at 220 V	1.200
Rated power at 220 V	1.000
Electrical outlets 380/220/12 V	0/1/0
Alternator	asynchronous
Battery in kit	No



PROFESSIONAL INVERTER GENERATOR
Professional Inverter generator GPIGL-2000

GPIGL-2000
Model 1 of 4 in the lineup

Type generator	inverter
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	2.000
Max power at 220 V	2.000
Rated power at 220 V	1.800
Rated power at 380 V	0.000
Electrical outlets 380/220/12 V	-/2/1
Alternator	synchronous



PROFESSIONAL INVERTER GENERATOR
Professional Inverter generator GPIGL-30000

GPIGL-30000
Model 2 of 4 in the lineup

Type generator	inverter
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	3.000
Max power at 220 V	3.000
Rated power at 220 V	2.800
Rated power at 380 V	0.000
Electrical outlets 380/220/12 V	-/1/-
Alternator	synchronous



PROFESSIONAL INVERTER GENERATOR
Professional Inverter generator GPIGL-3800EO

GPIGL-3800EO
Model 3 of 4 in the lineup

Voltage	220 V
Starter	manual starter/electric starter
Max power	3.6 kW
Max power at 220 V	3.6 kW
Rated power at 220 V	3.3 kW
Alternator	synchronous
Motor/engine type	4-x stroke
Model engine	LT208
Manufacturer engine	Lutian
Container-type	No



PROFESSIONAL INVERTER GENERATOR
Professional Inverter generator GPIGL-3800E

GPIGL-3800E
Model 4 of 4 in the lineup

Type generator	inverter
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	3.800
Max power at 220 V	3.800
Rated power at 220 V	3.500
Electrical outlets 380/220/12 V	-/2/1
Alternator	synchronous
Battery in kit	Yes



PETROL GENERATOR
Petrol generator GGL-950

GGL-950
Model 1 of 11 in the lineup

Type generator	travel/camping
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	0.950
Max power at 220 V	0.950
Rated power at 220 V	0.650
Electrical outlets 380/220/12 V	-/1/1
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR
Petrol generator GGL-1100

GGL-1100
Model 2 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	1.100
Max power at 220 V	1.100
Rated power at 220 V	1.000
Electrical outlets 380/220/12 V	-/1/-
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR

Petrol generator GGL-2900

GGL-2900

Model 3 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	2.900
Max power at 220 V	2.900
Rated power at 220 V	2.700
Electrical outlets 380/220/12 V	0/2/1
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR

Petrol generator GGL-3300

GGL-3300

Model 4 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	3.300
Max power at 220 V	3.300
Rated power at 220 V	3.100
Electrical outlets 380/220/12 V	0/2/1
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR

Petrol generator GGL-3300E

GGL-3300E

Model 5 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	3.300
Max power at 220 V	3.300
Rated power at 220 V	3.000
Electrical outlets 380/220/12 V	-/1/-
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR

Petrol generator GGL-5500

GGL-5500

Model 6 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	5.500
Max power at 220 V	5.500
Rated power at 220 V	5.000
Electrical outlets 380/220/12 V	0/2/1
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR
Petrol generator GGL-5500ES

GGL-5500ES
Model 7 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	5.500
Max power at 220 V	5.500
Rated power at 220 V	5.000
Electrical outlets 380/220/12 V	-/2/-
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR
Petrol generator GGL-6500E

GGL-6500E
Model 8 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	6.500
Max power at 220 V	6.500
Rated power at 220 V	6.000
Electrical outlets 380/220/12 V	0/2/1
Alternator	synchronous
Battery in kit	Yes



PETROL GENERATOR
Petrol generator GGL-7000ES

GGL-7000ES
Model 9 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	7.000
Max power at 220 V	7.000
Rated power at 220 V	6.500
Electrical outlets 380/220/12 V	-/2/-
Alternator	synchronous
Battery in kit	No



PETROL GENERATOR
Petrol generator GGL-8000ES

GGL-8000ES
Model 10 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter/electric starter
Max power	8.000
Max power at 220 V	8.000
Rated power at 220 V	7.500
Electrical outlets 380/220/12 V	-/3/-
Alternator	synchronous
Battery in kit	No

Labels and markings on the products shown may differ from those on units supplied to your market.



PETROL GENERATOR

Petrol generator GGL-8000S

GGL-8000S

Model 11 of 11 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220
Starter	manual starter
Max power	8.000
Max power at 220 V	8.000
Rated power at 220 V	7.500
Electrical outlets 380/220/12 V	-/3/-
Alternator	synchronous
Battery in kit	No



DIESEL GENERATOR

Diesel generator GDGL-5500

GDGL-5500

Model 1 of 2 in the lineup

Type generator	mobile
Type fuel	diesel
Voltage	220
Starter	manual starter/electric starter
Max power	5.500
Fuel tank capacity	12.500
Max power at 220 V	5.500
Rated power at 220 V	5.000
Alternator	synchronous
Battery in kit	Yes



DIESEL GENERATOR

Diesel generator GDGL-7000E

GDGL-7000E

Model 2 of 2 in the lineup

Type generator	mobile
Type fuel	diesel
Voltage	220
Starter	manual starter/electric starter
Max power	7.200
Fuel tank capacity	15.000
Max power at 220 V	7.500
Rated power at 220 V	6.500
Alternator	synchronous
Battery in kit	Yes



DIESEL THREE-PHASE GENERATOR

Diesel three-phase generator GDGL-7000-3E

GDGL-7000-3E

Standalone item in the Gigant range

Type generator	mobile
Type fuel	diesel
Voltage	220/380
Starter	manual starter/electric starter
Max power	7.200
Fuel tank capacity	12.500
Rated power at 220 V	2.500
Rated power at 380 V	6.500
Electrical outlets 380/220/12 V	1/1/1
Alternator	synchronous



PETROL THREE-PHASE GENERATOR

Petrol three-phase generator GGL-7000ES-3

GGL-7000ES-3

Model 1 of 2 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220/380
Starter	manual starter/electric starter
Max power	7.000
Fuel tank capacity	25.000
Rated power at 220 V	3.500
Rated power at 380 V	6.500
Electrical outlets 380/220/12 V	1/1/1
Alternator	synchronous



PETROL THREE-PHASE GENERATOR

Petrol three-phase generator GGL-8000E-3

GGL-8000E-3

Model 2 of 2 in the lineup

Type generator	mobile
Type fuel	petrol
Voltage	220/380
Starter	manual starter/electric starter
Max power	8.100
Fuel tank capacity	25.000
Rated power at 220 V	2.500
Rated power at 380 V	7.500
Electrical outlets 380/220/12 V	1/1/1
Alternator	synchronous



PARALLEL CONNECTION CABLE

Professional Parallel connection cable GPIGK-01

GPIGK-01

Standalone item in the Gigant range

Type	parallel connection cable
Length	1000 mm
Max current	80 A
Compatible with	inverter generators with parallel-conne...



PARALLEL CONNECTION BLOCK

Professional Parallel connection block GPIGK-02

GPIGK-02

Standalone item in the Gigant range

Type	parallel operation block
Length	1000 mm
Max current	150 A
Outlets	1x 16A + 1x 30A (230 V)



GENERATOR TRANSPORT KIT

Transportation kit for generators GTKG-01

GTKG-01

Standalone item in the Gigant range

Type	wheel & handle transport kit
Includes	2 wheels, 2 support legs +2 more
Fits	GGL-5500 / 5500ES / 6500E / 7000ES / 80...
Net weight	3.5 kg



AUTOMATIC TRANSFER SWITCH (ATS)

Automatic transfer switch block GATS-50230

GATS-50230

Standalone item in the Gigant range

Type	automatic transfer switch (ATS)
Voltage	230 V
Max power	10 kW
Max current	50 A
Rated current	50 A
Operating temperature	-20 to +40 °C
Net weight	5 kg



INVERTER WELDING MACHINE

Inverter welding machine GWM-160

GWM-160

Model 1 of 9 in the lineup

Type	Inverter
Grade	Semi-professional
Voltage	220
Max power	3.000
Min current	30.000
Max current	160.000
Operating mode	DC
Min electrode diameter	1
Max electrode diameter	4
Duty cycle	70.000



INVERTER WELDING MACHINE

Inverter welding machine GWM-190

GWM-190

Model 2 of 9 in the lineup

Type	Inverter
Grade	Semi-professional
Voltage	220 V
Max power	3.6 kW
Min current	30 A
Max current	190 A
Operating mode	DC
Min electrode diameter	1 mm
Max electrode diameter	5 mm
Duty cycle	70 %



INVERTER WELDING MACHINE

Inverter welding machine GWM-220

GWM-220

Model 3 of 9 in the lineup

Type	Inverter
Grade	Semi-professional
Voltage	220 V
Max power	4.2 kW
Min current	30 A
Max current	220 A
Operating mode	DC
Min electrode diameter	1 mm
Max electrode diameter	5 mm
Duty cycle	70 %



INVERTER WELDING MACHINE

Inverter welding machine GWM-250

GWM-250

Model 4 of 9 in the lineup

Type	Inverter
Grade	Professional
Voltage	220
Max power	5.600
Min current	30.000
Max current	250.000
Operating mode	DC
Min electrode diameter	1
Max electrode diameter	6
Duty cycle	70.000



INVERTER WELDING MACHINE

Inverter welding machine GWM-160AS

GWM-160AS

Model 5 of 9 in the lineup

Grade	Household
Voltage	220 V
Max power	5.1 kW
Min current	30 A
Max current	160 A
Operating mode	DC
Min electrode diameter	1 mm
Max electrode diameter	4 mm
Duty cycle	70 %
IP rating	IP21



INVERTER WELDING MACHINE

Inverter welding machine GWM-190AS

GWM-190AS

Model 6 of 9 in the lineup

Grade	Semi-professional
Voltage	220 V
Max power	6.1 kW
Min current	30 A
Max current	190 A
Operating mode	DC
Min electrode diameter	1.6 mm
Max electrode diameter	5 mm
Duty cycle	70 %
IP rating	IP21



INVERTER WELDING MACHINE

Inverter welding machine GWM-220AS

GWM-220AS

Model 7 of 9 in the lineup

Grade	Semi-professional
Voltage	220 V
Max power	7.2 kW
Min current	30 A
Max current	220 A
Operating mode	DC
Min electrode diameter	1.6 mm
Max electrode diameter	5 mm
Duty cycle	70 %
IP rating	IP21



INVERTER WELDING MACHINE

Inverter welding machine GWM-250AS

GWM-250AS

Model 8 of 9 in the lineup

Grade	Semi-professional
Voltage	220 V
Max power	9.6 kW
Min current	10 A
Max current	250 A
Operating mode	DC
Min electrode diameter	1 mm
Max electrode diameter	5 mm
Duty cycle	70 %
IP rating	IP21



INVERTER WELDING MACHINE

Inverter welding machine GWM-315A

GWM-315A

Model 9 of 9 in the lineup

Grade	Professional
Voltage	380 V
Max power	12.7 kW
Min current	20 A
Max current	315 A
Operating mode	DC
Min electrode diameter	2 mm
Max electrode diameter	6 mm
Duty cycle	70 %
IP rating	IP21



COMPACT MMA WELDING INVERTER

MMA Compact welding inverter MINI GOS-160

MINI GOS-160

Model 1 of 2 in the lineup

Grade	Household
Voltage	220 V
Max power	3.8 kW
Min current	20 A
Max current	160 A
Operating mode	DC
Min electrode diameter	1.6 mm
Max electrode diameter	4 mm
Duty cycle	60 %
IP rating	IP21S



COMPACT MMA WELDING INVERTER
MMA Compact welding inverter MINI GOS-180
MINI GOS-180
Model 2 of 2 in the lineup

Grade	Household
Voltage	220 V
Max power	4.7 kW
Min current	20 A
Max current	180 A
Operating mode	DC
Min electrode diameter	1.6 mm
Max electrode diameter	3.2 mm
Duty cycle	60 %
IP rating	IP21S



WELDING SEMI-AUTOMATIC INVERTER
Welding semi-automatic - inverter MIG-170SC
MIG-170SC
Model 1 of 4 in the lineup

Type	Inverter
Grade	Semi-professional
Welding mode	without gas
Max current	170.000
Min current	30.000
Max welding current MMA	170.000
Min welding current MMA	30.000
Max welding current MIG-MAG	170.000
Min welding current MIG-MAG	30.000
Max power	6.400



WELDING SEMI-AUTOMATIC INVERTER
Welding semi-automatic - inverter MIG-200S
MIG-200S
Model 3 of 4 in the lineup

Type	Inverter
Grade	Semi-professional
Welding mode	Gas/gasless
Max current	200.000
Min current	50.000
Max welding current MMA	190.000
Max welding current MIG-MAG	200.000
Min welding current MIG-MAG	50.000
Max power	7.800
Duty cycle at max current	40



WELDING SEMI-AUTOMATIC INVERTER
Welding semi-automatic - inverter MIG-250
MIG-250
Model 4 of 4 in the lineup

Type	Inverter
Grade	Professional
Welding mode	Gas/gasless
Max current	250.000
Min current	20.000
Max welding current MMA	200.000
Max welding current MIG-MAG	250.000
Max power	8.000
Duty cycle at max current	60
No-load voltage	52

Labels and markings on the products shown may differ from those on units supplied to your market.



INVERTER PLASMA CUTTING

Inverter plasma cutting GCUT-50

GCUT-50

Model 1 of 2 in the lineup

Type	Inverter
Torch/cutter type	31
Voltage	220(230)
Max power	8.600
Max air flow	60.000
Max pressure	5.000
Max cutting thickness	15.000
Min current	15.000
Max current	50.000
Duty cycle at max current	60.000



INVERTER PLASMA CUTTING

Inverter plasma cutting GCUT-100

GCUT-100

Model 2 of 2 in the lineup

Type	Inverter
Torch/cutter type	100
Voltage	380(400)
Max power	16.500
Max air flow	220.000
Max pressure	6.000
Max cutting thickness	40.000
Min current	20.000
Max current	100.000
Duty cycle at max current	70.000




TIG WELDING INVERTER

Welding inverter TIG-200

TIG-200

Standalone item in the Gigant range

Grade	Professional
Current range	10 - 200 A
Voltage	220 V
No-load voltage	55 V
Duty cycle at max current	60%
TIG ignition	HF (contactless)
IP rating	IP21S
Net weight	10 kg



GAS CUTTING TORCH

Gas cutting torches (propane)

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	PC-300, PC-100
Grade	Professional
Max cutting thickness	100 - 300 mm
Working fuel	Propane / propane-acetylene
Connection thread	M16x1.5
Gas mixing	Injector type



CO2 GAS REDUCER

CO2 gas reducer UR-6 GT-118GS

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GT-118GS, GT-119GS
Type gas	carbon dioxide (CO2)
Grade	Household
Max working pressure	0.300 - 0.600 MPa
Max throughput capacity	2.500 - 15.000 m3/h
Input connection	G3/4
Output connection	M16x1.5; 6.3 mm; 9 mm
Material	Aluminium
Number pressure gauges	1 - 2



PROPANE GAS REDUCER

Propane gas reducer BPO-5 GT-116GS

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GT-116GS, GT-083GS
Type gas	propane
Grade	Household / Professional
Input pressure	0.7 - 25 bar
Output pressure	0.03 - 4 bar
Input connection	W21.8x1/14LH
Material	brass / Aluminium
Net weight	0.500 - 0.650 kg



OXYGEN GAS REDUCER

Oxygen gas reducer BKO-50 GT-117GS

GT-117GS

Standalone item in the Gigant range

Type gas	oxygen
Output pressure	12.5 bar
Input pressure	200 bar
Max working pressure	1.250 MPa
Max throughput capacity	50.000 m3/h
Input connection	G3/4
Output connection	M16x1.5; 6.3 mm; 9 mm
Material	Aluminium
Number pressure gauges	2
Net weight	0.930 kg



ARGON / UNIVERSAL GAS REGULATOR

Argon gas regulator AR-40-KR1-R GT-082GS

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GT-082GS, GT-115GS
Type gas	argon / argon + CO2
Grade	Household
Input pressure	150 - 200 bar
Max working pressure	0.400 - 0.800 MPa
Max throughput capacity	2.400 m3/h
Input connection	G3/4
Material	Aluminium



CYLINDER VALVE

Cylinder valve VK-1 GT-106GS

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GT-106GS, GT-107GS
Working gas	oxygen, nitrogen, argon +1 more
Connection cylinder	W27.8 (VK-1) / W19.2 (VK-2)
Thread on output	G3/4
Material	brass
Net weight	0.450 - 0.520 kg



FLAME ARRESTOR VALVE

Flame arrestor valve KOG M16x1.5 GT-099GS

GT-099GS

Standalone item in the Gigant range

Type gas	propane / acetylene
Input connection	M16x1.5
Output connection	M16x1.5
Mounting	cutter / torch
Net weight	0.100 kg



TIG WELDING TORCH

TIG welding torch WP-17 FXV GRF-85GS

GRF-85GS

Standalone item in the Gigant range

Type cooling	Air-cooled
Torch type	17
Max welding current AC	125 A
Max welding current DC	120 A
Connector type	M16x1.5
Control torch	valve-controlled
Length	4 m



MIG WELDING TORCH

MIG welding torch 15AK GG-155GS

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GG-153GS, GG-155GS, GG-243GS +2 more
Series	15AK / 24AK / 25AK / 36AK
Max welding current	180 - 280 A
Length	3 - 5 m
Connector	EURO



TUNGSTEN ELECTRODE

Tungsten electrode WL-20-175 2.0mm G-X-602

25 item codes — see table

Merged card - 25 models in one line (see item codes below)

Item codes	G-X-601, G-X-602, G-X-604 +22 more
Grades	WC20, WL15, WL20, WP, WT20, WY20, WZ08
Diameter range	1.6 - 4.0 mm
Length	175 mm
Current mode	AC / DC / AC-DC (by grade)
Pack quantity	10 pcs
Net weight	0.150 kg



WELDING HELMET (AUTO-DARKENING)

Welding helmet "Chameleon" 11 350F G-110501

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	G-110501, G-110502, G-110503 +1 more
Type	Auto-darkening "chameleon" lens
Shade range	Fixed 11 DIN or variable 4/9-13 +1 more
Sensors	2 - 4
Viewing window	90x35 - 98x43 mm



FLUX-CORED WELDING WIRE

Flux-cored welding wire E71T-GS GRFS-84

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GRFS-83, GRFS-84
Equivalents	PP-AN7; PS-44-A2G
Diameter	0.8 mm
Net weight	1 kg / 5 kg
Welding mode	without gas (self-shielded)
Grade	Professional



SLAG HAMMER

Welder's slag hammer GT-111GS

GT-111GS

Standalone item in the Gigant range

Type	wedge / pick chipping hammer
Net weight	0.53 kg



WELDER'S TEMPLATE

Universal welder's template GT-098GS

GT-098GS

Standalone item in the Gigant range

Type	universal weld gauge
Dimensions (unpackaged)	91x4x22 mm
Net weight	0.080 kg

GIGANT



SECTION / 03

MEASURING TOOLS

Tape measures, levels and precision instruments for accurate work, every time.



MEASURING TAPE MEASURE WITH

Measuring tape measure 5x19mm with magnetic hook GW519

Model 1 of 2 in the lineup

Type	Tape measure
Length	5.000
Belt width	19
Auto-stop	No
Belt size	5m x 19mm
Housing material	rubber-coated plastic
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Belt material	Steel



MEASURING TAPE MEASURE WITH

Measuring tape measure 5x25mm with magnetic hook GWM525

Model 2 of 2 in the lineup

Type	Tape measure
Length	5.000
Belt width	25
Auto-stop	No
Belt size	5m x 25mm
Housing material	rubber-coated plastic
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Belt material	Steel



MEASURING TAPE MEASURE WITH

Measuring Tape Measure With Magnetic Grip

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	3x16mm, 3x19mm, 5x19mm, 5x25mm, 10x25mm
Item codes	GMT 316, GMT 319, GMT 519 +2 more
Type	Tape measure
Auto-stop	No
Housing material	rubber-coated plastic
Measuring scale	Centimetres
Viewing window	No
Belt material	Steel
Magnetic hook	Yes
Double-sided hook	No



PROFESSIONAL TAPE MEASURE X

Professional Tape Measure X With Magnetic Hook

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	3m 19mm, 3m 19mm, 5m 25mm +2 more
Item codes	GPGW-06, GPGW-10, GPGW-11 +2 more
Type	Tape measure
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Belt material	steel with nylon coating
Magnetic hook	Yes
Double-sided hook	Yes
Two-sided scale	Yes



PROFESSIONAL TAPE MEASURE X

Professional Tape Measure X With Auto-stop

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	3m 16mm, 5m 19mm, 5m 25mm +4 more
Item codes	GPGW-01, GPGW-02, GPGW-03 +4 more
Type	Tape measure
Auto-stop	Yes
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Magnetic hook	Yes
Double-sided hook	Yes
Two-sided scale	Yes



MEASURING TAPE MEASURE

Measuring tape measure 10x25mm GW1025

GW1025

Model 2 of 2 in the lineup

Type	Tape measure
Length	10.000
Belt width	25
Auto-stop	No
Belt size	10m x 25mm
Housing material	rubber-coated plastic
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Belt material	Steel



MEASURING TAPE MEASURE

Measuring tape measure 5x25mm GW525

GW525

Model 1 of 2 in the lineup

Type	Tape measure
Length	5.000
Belt width	25
Auto-stop	No
Belt size	5m x 25mm
Housing material	rubber-coated plastic
Measuring scale	Centimetres
Marking type	Painted
Viewing window	No
Belt material	Steel



TAPE MEASURE SURVEYING

Tape measure surveying 20m, GSTA-20

GSTA-20

Model 1 of 4 in the lineup

Belt width	10
Belt material	steel
Belt length	20
Marking type	Painted
Calibration	No
Listed in state register	No
Two-sided scale	No
Accuracy class	2
Grade	Household
Dimensions (unpacked)	110x95x25



TAPE MEASURE SURVEYING

Tape measure surveying 50m, GSTA-50

GSTA-50

Model 3 of 4 in the lineup

Belt width	12.5
Belt material	steel
Belt length	50
Marking type	Painted
Calibration	No
Listed in state register	No
Two-sided scale	No
Accuracy class	2
Grade	Household
Net weight	0.950



TAPE MEASURE SURVEYING

Tape measure surveying 100m, GSTA-100

GSTA-100

Model 4 of 4 in the lineup

Belt width	10
Belt material	steel
Belt length	100
Marking type	Painted
Calibration	No
Listed in state register	No
Two-sided scale	No
Accuracy class	2
Grade	Household
Net weight	1.100



LASER LEVEL

Laser level 3-360 GSMP-4

GSMP-4

Model 1 of 7 in the lineup

Number rays	12
Type	linear
Calibration	No
Listed in state register	No
With certificate general calibration	No
Type leveling	auto
Angle self-leveling	± 4
360 degrees	Yes
For laying tile/floor	No
Range layout without receiver	40.000



LASER LEVEL

Laser level 2-360 GSMP-3

GSMP-3

Model 4 of 7 in the lineup

Number rays	8
Type	linear
Calibration	No
Listed in state register	No
With certificate general calibration	No
Type leveling	auto
Angle self-leveling	± 4
360 degrees	Yes
For laying tile/floor	No
Range layout without receiver	40.000



LASER LEVEL

Laser level GSMP-2

GSMP-2

Model 7 of 7 in the lineup

Number rays	2
Type	linear
Calibration	No
Listed in state register	No
With certificate general calibration	No
Type leveling	auto
Angle self-leveling	± 4
360 degrees	No
For laying tile/floor	No
Range layout without receiver	20.000



ALUMINUM CONSTRUCTION LEVEL

Aluminum construction level 400mm GW400

GW400

Model 1 of 4 in the lineup

Type	Level
Number of eyelets	2
Length	400.000
Width	51.000
Magnet	No
Number of handles	No
Milled	Yes
Housing type	Box-type
Level type	Block-type
Housing material	Aluminium



ALUMINUM CONSTRUCTION LEVEL

Aluminum construction level 800mm GW800

GW800

Model 3 of 4 in the lineup

Type	Level
Number of eyelets	2
Length	800.000
Width	63.000
Magnet	No
Number of handles	No
Milled	No
Housing type	Box-type
Level type	Block-type
Housing material	aluminium, thermoplastic rubber



ALUMINUM CONSTRUCTION LEVEL

Aluminum construction level 1000mm GW1000

GW1000

Model 4 of 4 in the lineup

Type	Level
Number of eyelets	2
Length	1000.000
Width	51.000
Magnet	No
Number of handles	No
Milled	No
Housing type	Box-type
Level type	Block-type
Housing material	Aluminium

Labels and markings on the products shown may differ from those on units supplied to your market.



ALUMINUM MAGNETIC CONSTRUCTION LEVEL

Aluminum Magnetic Construction Level

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	250mm, 400mm, 600mm, 800mm +2 more
Item codes	GWM250, GWM400, GWM600, GWM800 +2 more
Type	Level
Magnet	Yes
Housing type	Box-type
Level type	Block-type
Shock-resistant	Yes
Mirror vial	No
Pipe groove	No
Vial adjustment	Yes



PROFESSIONAL LEVEL ALUMINUM MAGNETIC

Professional Level Aluminum Magnetic Peephole Milled

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	400 mm 3 g, 600 mm 3 g +3 more
Item codes	GPGW-40-1, GPGW-60-1, GPGW-60-3 +2 more
Type	Level
Number of eyelets	3
Magnet	Yes
Milled	Yes
Housing type	Box-type
Level type	Block-type
Housing material	Aluminium
Shock-resistant	Yes



ALUMINUM CONSTRUCTION LEVEL WITH

Aluminum Construction Level With Scale Markings

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	400mm, 600mm, 800mm, 1000mm, 1200mm
Item codes	SL400, SL600, SL800, SL1000, SL1200
Type	Level
Number of eyelets	3
Magnet	No
Number of handles	No
Milled	No
Housing type	Box-type
Level type	Block-type
Housing material	Aluminium



CALIPER DIGITAL

Caliper digital 0-200 mm GSMI-200

GSMI-200

Model 1 of 3 in the lineup

Type	Digital
Kind	Digital caliper-I
Tolerance	20.000
Step size	0.010
Measures from	0.000
Measuring up to	200.000
Depth gauge	Yes
Marking	No
Accuracy class	1
Listed in state register	No



CALIPER DIGITAL
Caliper digital 0-300 mm GSMI-300
GSMI-300
Model 3 of 3 in the lineup

Type	Digital
Kind	Digital caliper-I
Tolerance	20.000
Step size	0.010
Measures from	0.000
Measuring up to	300.000
Depth gauge	Yes
Marking	No
Accuracy class	1
Listed in state register	No



CALIPER
Caliper 125 mm CLP 125
CLP 125
Model 1 of 4 in the lineup

Type	Vernier
Kind	Caliper-I
Tolerance	50.000
Step size	0.020
Measures from	0.000
Measuring up to	125.000
Depth gauge	Yes
Marking	No
Accuracy class	1
Listed in state register	No



CALIPER
Caliper 150 mm CLP 150
CLP 150
Model 3 of 4 in the lineup

Type	Vernier
Kind	Caliper-I
Tolerance	50.000
Step size	0.020
Measures from	0.000
Measuring up to	150.000
Depth gauge	Yes
Marking	No
Accuracy class	2
Listed in state register	No



CALIPER
Caliper 300 mm CLP-300
CLP-300
Model 4 of 4 in the lineup

Type	Vernier
Kind	Caliper-II
Tolerance	50.000
Step size	0.100
Measures from	0.000
Measuring up to	300.000
Depth gauge	No
Marking	No
Accuracy class	No
Listed in state register	No

Labels and markings on the products shown may differ from those on units supplied to your market.



RANGEFINDER

Rangefinder 100m GNT-100

GNT-100

Model 1 of 4 in the lineup

Type	laser
Calibration	No
Listed in state register	No
Range measurement with/without reflector	-/0.05-100
Max range measurement (without plates)	100.000
Max range measurement (with plate)	100
Class laser	2
Length waves	670
Colour beam	Red
Quantity points start reference	2



RANGEFINDER

Rangefinder 60m GNT-60

GNT-60

Model 3 of 4 in the lineup

Type	laser
Calibration	No
Listed in state register	No
Range measurement with/without reflector	-/0.05-60
Max range measurement (without plates)	60.000
Max range measurement (with plate)	no data
Class laser	2
Length waves	670
Colour beam	Red
Quantity points start reference	2




RANGEFINDER

Rangefinder 80m GNT-80

GNT-80

Model 4 of 4 in the lineup

Type	laser
Calibration	No
Listed in state register	No
Range measurement with/without reflector	-/0.05-80
Max range measurement (without plates)	80.000
Max range measurement (with plate)	no data
Class laser	2
Length waves	670
Colour beam	Red
Quantity points start reference	2



ALL-METAL RULER

All-metal ruler 150 mm GMR 150

GMR 150

Model 1 of 4 in the lineup

Type	ruler measuring
Marking type	Engraved
Calibration	No
Length	150.000
Length scale markings	150.000
Width	20.000
Thickness	0.850
Scale division	1.000
Material	Steel
Two-sided scale	Yes



ALL-METAL RULER
All-metal ruler 500 mm GMR 500

GMR 500
Model 3 of 4 in the lineup

Type	ruler measuring
Marking type	Engraved
Calibration	No
Length	500.000
Length scale markings	500.000
Width	29.500
Thickness	1.000
Scale division	1.000
Material	Steel
Two-sided scale	Yes



ALL-METAL RULER
All-metal ruler 1000 mm GMR 1000

GMR 1000
Model 4 of 4 in the lineup

Type	ruler measuring
Marking type	Engraved
Calibration	No
Length	1000.000
Length scale markings	1000.000
Width	40.000
Thickness	1.000
Scale division	1.000
Material	Steel
Two-sided scale	Yes



SET MEASURING FEELER GAUGES
Set measuring feeler gauges 14 pcs., 0,05-1,00 mm GGS-14

GGS-14
Model 1 of 3 in the lineup

Application	for measurement clearances
Shape	Flat
Number feeler gauges	14
Min measurement	0.050
Max measurement	1
Length	100.000
Material probe	Steel
Presence of certificate	No
Number set	3
Accuracy class	2



SET MEASURING FEELER GAUGES
Set measuring feeler gauges 20 pcs., 0,05-1,00 mm GGS-20

GGS-20
Model 3 of 3 in the lineup

Application	for measurement clearances
Shape	Flat
Number feeler gauges	20
Min measurement	0.050
Max measurement	1
Length	100.000
Material probe	Tool steel
Presence of certificate	No
Number set	No
Accuracy class	1

Labels and markings on the products shown may differ from those on units supplied to your market.



ALUMINIUM OUTSIDE RULER SQUARE
Aluminium 6-outside ruler/square, copy template 130 mm GAR-6-130

GAR-6-130
Model 1 of 2 in the lineup

Type	measuring square
Marking type	Engraved
Material	Aluminium
Length, longer side	175.000
Length, shorter side	175.000
Two-sided scale	No
Grade	Semi-professional
45° square	Yes
Scale division	1.000
Imperial scale	No



ALUMINIUM OUTSIDE RULER SQUARE
Aluminium 4-outside ruler/square, copy template 130 mm GAR-4-130

GAR-4-130
Model 2 of 2 in the lineup

Type	measuring square
Marking type	Painted
Material	Aluminium
Length, longer side	305.000
Length, shorter side	175.000
Two-sided scale	No
Grade	Semi-professional
45° square	Yes
Scale division	1.000
Imperial scale	Yes



DIGITAL MULTIMETER
Digital multimeter GDM-3

GDM-3
Standalone item in the Gigant range

Display	3.5-digit LCD
DC voltage range	200 mV - 1000 V
AC voltage range	200 V - 750 V
DC current range	200 uA - 10 A
Resistance range	200 Ohm - 2 MOhm
Extra functions	Diode test, continuity buzzer
Temperature probe	Type K, -20 to +1000 C
Power	1 x 9V battery



DIGITAL CLAMP METER
Digital clamp meter GCC-2

GCC-2
Merged card - 2 models in one line (see item codes below)

Item codes	GCC-1, GCC-2
Jaw opening	30 mm
AC current range	0 - 1000 A
DC/AC voltage range	up to 750 V
Resistance range	up to 2 MOhm
Extra functions	Insulation test, Type K temperature
Safety category	CAT III 600V / CAT II 1000V



MEGOHMMETER

Megohmmeter GRM-1

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GRM-1, GRM-2
Test voltage range	100 - 2500 V
Resistance measuring range	up to 200 GOhm
Extra functions	Auto-discharge, timer
Display	Digital LCD
Power	Rechargeable battery



NON-CONTACT PYROMETER

Non-contact digital pyrometer GDP-1

GDP-1

Standalone item in the Gigant range

Temperature range	-50 C to +550 C
Distance-to-spot ratio	12:1
Emissivity	Adjustable, 0.1 - 1.0
Response time	500 ms
Display	Backlit LCD
Extra functions	Max/min/avg hold, laser pointer



THERMAL IMAGER

Thermal imager GTI-1

GTI-1

Standalone item in the Gigant range

Thermal resolution	206 x 156 px
Temperature range	-20 C to +550 C
Thermal sensitivity	<= 0.07 C
Frame rate	25 Hz
Display	3.2" color LCD
Storage	Built-in, image capture



WIRE / CABLE DETECTOR

Professional wire detector GPWS-1

GPWS-1

Standalone item in the Gigant range

Detection modes	Live wire, metal, wood/AC
Live wire depth	up to 50 mm
Metal detection depth	up to 80 mm
Indication	LED + sound + LCD
Power	9V battery



OPTICAL LEVEL

Optical level 24X, air compensator GLO-24

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GLO-24, GLO-32
Magnification	24x - 32x
Compensator	Automatic, air-damped
Application	Surveying +1 more



THREAD PITCH GAUGE SET

Thread pitch gauge set, metric GGS-1

GGs-1

Standalone item in the Gigant range

Blades	20 gauges
Pitch range	M 0.5 - 7.0 mm
Type	Metric thread pitch templates
Application	Quick on-the-spot metric thread identif...

GIGANT



SECTION / 04

HAND TOOLS

Drills, grinders, accessories and hand tools for professionals and serious workshops.



MECHANIC'S TOOL SET

Tool set, 18pc GT-18

GT-18

Standalone item in the Gigant range

Piece count	18
Contents	Hammer, Adjustable wrench +2 more
Grade	Professional
Packaging	Bag
Net weight	1.330
Dimensions (unpacked)	435x295x265



MECHANIC'S TOOL SET

Tool set, 23pc GT-23

GT-23

Standalone item in the Gigant range

Piece count	23
Contents	Hammer, Combination pliers, Screwdriver
Grade	Household
Packaging	Bag
Net weight	2.600
Dimensions (unpacked)	320x220x50



HOME TOOL KIT

Universal home tool kit, 42pc GNJ-42

GNJ-42

Standalone item in the Gigant range

Piece count	42
Contents	Hammer, Adjustable wrench +4 more
Grade	Household
Packaging	Case
Net weight	2.800
Dimensions (unpacked)	335x178x145



HOME TOOL KIT

Professional home tool kit in case, 102pc GNJ-102

GNJ-102

Standalone item in the Gigant range

Piece count	102
Contents	Hammer, Adjustable wrench +3 more
Grade	Household
Packaging	Case
Net weight	5.800
Dimensions (unpacked)	415x80x280



HOME TOOL KIT

Home tool kit, 168pc GNJ-168

GNJ-168

Standalone item in the Gigant range

Piece count	168
Contents	Hammer, Adjustable wrench +5 more
Grade	Household
Packaging	Case
Net weight	5.250
Dimensions (unpackaged)	430x95x365



HOME TOOL KIT

Home tool kit, 208pc GNJ-208

GNJ-208

Standalone item in the Gigant range

Piece count	208
Contents	Hammer, Adjustable wrench +5 more
Grade	Household
Packaging	Case
Net weight	3.350
Dimensions (unpackaged)	430x95x365



WOOD CARVING SET

Wood carving knife set, 12pc GBS-12

GBS-12

Standalone item in the Gigant range

Piece count	12
Handle material	Wood
Cutter material	manganese steel
Net weight	0.100
Dimensions (unpackaged)	135x12



RATCHET SOCKET SET

Socket set with ratchet 1/2", 11pc GAS 11

GAS 11

Standalone item in the Gigant range

Piece count	11
Head type	6-point; SL-type
Ratchet drive size	1/2"
Connecting size	1/2"
Min head size	10.000
Max head size	22.000
Packaging	holder
Net weight	1.210
Dimensions (unpackaged)	320x100x42



RATCHET SOCKET SET

Hex socket set with ratchet 3/8", 11pc GSRW-11/38

GSRW-11/38

Standalone item in the Gigant range

Piece count	11
Head type	6-point
Ratchet drive size	3/8 inch
Connecting size	3/8 inch
Min head size	7.000
Max head size	22.000
Packaging	holder
Net weight	0.660
Dimensions (unpacked)	285x90x40



RATCHET SOCKET SET

Hex socket set with ratchet 1/4", 11pc GSRW-11/14

GSRW-11/14

Standalone item in the Gigant range

Piece count	11
Head type	6-point
Ratchet drive size	1/4"
Connecting size	1/4"
Min head size	4.000
Max head size	13.000
Packaging	holder
Net weight	0.360
Dimensions (unpacked)	320x100x40



RATCHET SOCKET SET

Extended hex socket set with ratchet 1/4", 12pc GSRW-12/14

GSRW-12/14

Standalone item in the Gigant range

Piece count	12
Head type	6-point
Ratchet drive size	1/4"
Connecting size	1/4"
Min head size	4.000
Max head size	13.000
Packaging	holder
Net weight	0.580
Dimensions (unpacked)	280x120x40



RATCHET SOCKET SET

Extended hex socket set with ratchet 1/2", 12pc GSRW-12/12

GSRW-12/12

Standalone item in the Gigant range

Piece count	12
Head type	6-point
Ratchet drive size	1/2"
Connecting size	1/2"
Min head size	8.000
Max head size	22.000
Packaging	holder
Net weight	2.100



RATCHET SOCKET SET
Hex socket set with ratchet 1/4", 19pc GAS19
GAS19
Standalone item in the Gigant range

Piece count	19
Head type	6-point
Ratchet drive size	1/4"
Connecting size	1/4"
Min head size	4.000
Max head size	14.000
Packaging	Case
Net weight	1.000
Dimensions (unpacked)	240x150x60



BIT & SOCKET SET
Bit & socket set with ratchet 1/4", 31pc GSBR-1/4
GSBR-1/4
Standalone item in the Gigant range

Piece count	31
Head type	6-point
Ratchet drive size	1/4"
Connecting size	1/4"
Min head size	4.000
Max head size	13.000
Packaging	Case
Net weight	0.500
Dimensions (unpacked)	-



ELECTRICIAN TOOL SET
Electrician's tool set, 15pc ELS15
ELS15
Standalone item in the Gigant range

Piece count	15
Contents	Combination pliers, Screwdriver +4 more
Grade	Professional
Net weight	3.540



ELECTRICIAN TOOL SET
Electronics repair tool kit, 19pc GT-19
GT-19
Standalone item in the Gigant range

Piece count	19
Contents	Combination pliers, Screwdriver +6 more
Grade	Semi-professional
Net weight	2.200
Dimensions (unpacked)	295x217x97



ELECTRICIAN TOOL SET

Electrician's tool set, 27pc ELS27

ELS27

Standalone item in the Gigant range

Piece count	27
Contents	Adjustable wrench, Screwdriver +10 more
Grade	Semi-professional
Net weight	0.900
Dimensions (unpackaged)	566x60x30



SCREWDRIVER SET

Screwdriver set with magnetic tip, 6pc GSS 6

GSS 6

Standalone item in the Gigant range

Piece count	6
Drive types	Slotted, Phillips
Grade	Household
Handle material	Two-component
Handle colour	black/orange
Magnetic tip	Yes
Overall length	150.000
Net weight	0.450



IMPACT SCREWDRIVER SET

Impact screwdriver set, 6pc GSI-6

GSI-6

Standalone item in the Gigant range

Piece count	6
Drive types	Slotted, Phillips
Grade	Household
Handle material	TPR
Handle colour	Black
Impact function	Yes
Net weight	1.000



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 6pc GBSD-2

GBSD-2

Standalone item in the Gigant range

Piece count	6
Drive types	Slotted, Phillips
Grade	Household
Handle material	Two-component
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes



IMPACT SCREWDRIVER SET

Impact screwdriver set, 6pc GBSIS-6

GBSIS-6

Standalone item in the Gigant range

Piece count	6
Drive types	Slotted, Phillips
Grade	Household
Handle material	Two-component
Handle colour	black/orange
Magnetic tip	Yes
Impact function	Yes
Net weight	1.000



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 6pc GBSD-1

GBSD-1

Standalone item in the Gigant range

Piece count	6
Drive types	Slotted, Phillips
Grade	Household
Handle material	Two-component
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Overall length	160.000
Net weight	0.210



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 7pc GBSD-3

GBSD-3

Standalone item in the Gigant range

Piece count	7
Drive types	Slotted, Phillips
Grade	Household
Handle material	Rubber
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 8pc GBSD-4

GBSD-4

Standalone item in the Gigant range

Piece count	8
Drive types	Slotted, Phillips
Grade	Household
Handle material	Rubber
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes



PRECISION SCREWDRIVER SET
Precision screwdriver set, 9pc SHT310

SHT310
Standalone item in the Gigant range

Piece count	9
Drive types	Slotted, Phillips, Torx
Grade	Professional
Handle material	Two-component
Overall length	140.000
Net weight	0.330



DIELECTRIC SCREWDRIVER SET
Dielectric screwdriver set, 9pc GBSD-6

GBSD-6
Standalone item in the Gigant range

Piece count	9
Drive types	Slotted, Phillips, Pozidriv
Grade	Household
Handle material	TPR
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes
Net weight	0.340



DIELECTRIC SCREWDRIVER SET
Dielectric screwdriver set, 9pc GBSD-5

GBSD-5
Standalone item in the Gigant range

Piece count	9
Drive types	Slotted, Phillips, Pozidriv
Grade	Household
Handle material	Two-component
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes



SCREWDRIVER SET
Screwdriver set with 3-component handle, 10pc GBSS-10

GBSS-10
Standalone item in the Gigant range

Piece count	10
Drive types	Slotted, Phillips
Grade	Household
Handle material	Three-component
Handle colour	black/orange
Overall length	268.000
Net weight	1.000



SCREWDRIVER SET

Screwdriver set with magnetic tip, 11pc GSS 11

GSS 11

Standalone item in the Gigant range

Piece count	11
Drive types	Slotted, Phillips, Pozidriv
Grade	Household
Handle material	Two-component
Magnetic tip	Yes
Overall length	100.000
Net weight	0.910



PRECISION SCREWDRIVER SET

Precision screwdriver set, 11pc GBSA-11

GBSA-11

Standalone item in the Gigant range

Piece count	11
Drive types	Slotted, Phillips, Torx
Grade	Household
Handle material	Two-component
Handle colour	black/orange
Magnetic tip	Yes
Overall length	150.000
Net weight	0.200



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 13pc GBSD-7

GBSD-7

Standalone item in the Gigant range

Piece count	13
Drive types	Slotted, Phillips, Pozidriv, Torx
Grade	Household
Handle material	TPR
Handle colour	red/yellow
Insulated (VDE) coating	Yes
Magnetic tip	Yes
Net weight	0.840



DIELECTRIC SCREWDRIVER SET

Dielectric screwdriver set, 13pc GBSD-13

GBSD-13

Standalone item in the Gigant range

Piece count	13
Drive types	Slotted, Phillips, Pozidriv, Torx
Grade	Household
Handle material	Two-component
Handle colour	orange
Insulated (VDE) coating	Yes
Magnetic tip	Yes
Overall length	212.000
Net weight	0.500



SCREWDRIVER SET

Screwdriver set, 14pc GSS 14

GSS 14

Standalone item in the Gigant range

Piece count	14
Drive types	Slotted, Phillips
Grade	Household
Handle material	Two-component
Handle colour	black/orange
Magnetic tip	Yes
Overall length	150.000
Net weight	1.330



SCREWDRIVER & BIT SET

Screwdriver & bit set, 112pc GBSS-112

GBSS-112

Standalone item in the Gigant range

Piece count	112
Drive types	Slotted, Phillips, Pozidriv, Torx
Grade	Household
Handle material	Two-component
Handle colour	black/orange
Magnetic tip	Yes
Net weight	2.300



RATCHET WRENCH SET

Combination hinged ratchet wrench set, 8pc GCWSMH 8

GCWSMH 8

Standalone item in the Gigant range

Piece count	8
Sizes (mm)	8, 10, 12, 13, 14 mm
Grade	Household
Type	open-end/ring (box)
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder



RATCHET WRENCH SET

Combination ratchet wrench set, 8pc GCRWS 8

GCRWS 8

Standalone item in the Gigant range

Piece count	8
Sizes (mm)	8, 10, 12, 13, 14, 15, 17, 19 mm
Grade	Household
Type	open-end/ring (box)
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder



BOX WRENCH SET

Tubular box wrench set, 9pc GST9

GST9

Standalone item in the Gigant range

Piece count	9
Sizes (mm)	6, 7, 8, 9, 10, 11, 12, 13, 14 +7 more
Type	tubular
Kind	Metric (mm)
Material	Carbon steel
Coating	galvanised
Packaging kind	pouch(bag)/blade
Net weight	0.613



TORX KEY SET

TORX key set, 9pc GTK-9

GTK-9

Standalone item in the Gigant range

Piece count	9
Grade	Semi-professional
Type	Torx
Kind	T-profile
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.400



HEX KEY SET

Long hex key set, 9pc GLHB 9

GLHB 9

Standalone item in the Gigant range

Piece count	9
Sizes (mm)	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
Type	HEX
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder



TORX KEY SET

TORX hex key set with hole, 9pc GHKS-9

GHKS-9

Standalone item in the Gigant range

Piece count	9
Type	Torx with hole
Kind	T-profile
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder



HEX KEY SET
Hex key set, imperial, 9pc grf-121

grf-121
Standalone item in the Gigant range

Piece count	9
Grade	Household
Type	HEX
Kind	Imperial (inch)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.250



HEX KEY SET
Hex key set, inch, 9pc GKHI-9

GKHI-9
Standalone item in the Gigant range

Piece count	9
Grade	Semi-professional
Type	HEX
Kind	Imperial (inch)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.400



HEX KEY SET
Short hex key set, 10pc grf-122

grf-122
Standalone item in the Gigant range

Piece count	10
Sizes (mm)	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
Grade	Household
Type	HEX
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.340



HEX KEY SET
Short hex key set, 10pc GKSH-10

GKSH-10
Standalone item in the Gigant range

Piece count	10
Sizes (mm)	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
Grade	Semi-professional
Type	HEX
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.400



HEX KEY SET

Ball-end hex key set, 10pc grf-123

grf-123

Standalone item in the Gigant range

Piece count	10
Sizes (mm)	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
Grade	Household
Type	HEX
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.400



RATCHET WRENCH SET

Combination ratchet wrench set, 10pc grf-118

grf-118

Standalone item in the Gigant range

Piece count	10
Sizes (mm)	8, 10, 12, 13, 14, 15, 17, 19, 22, 24 mm
Grade	Household
Type	open-end/ring (box)
Kind	Metric (mm)
Material	CrV
Coating	nickel plating
Packaging kind	pouch(bag)/blade
Net weight	2.000



RATCHET WRENCH SET

Combination ratchet wrench set, 10pc GKKR-10

GKKR-10

Standalone item in the Gigant range

Piece count	10
Sizes (mm)	8, 10, 12, 13, 14, 15, 17, 19, 22, 24 mm
Grade	Semi-professional
Type	open-end/ring (box)
Kind	Metric (mm)
Material	CrV
Coating	nickel plating
Packaging kind	plastic holder
Net weight	1.900



HEX KEY SET

Long hex key set, 10pc GKLH-10

GKLH-10

Standalone item in the Gigant range

Piece count	10
Sizes (mm)	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
Grade	Semi-professional
Type	HEX
Kind	Metric (mm)
Material	CrV
Coating	Chrome-plated
Packaging kind	plastic holder
Net weight	0.520



RATCHET WRENCH SET

Combination ratchet wrench set, 14pc grf-119

grf-119

Standalone item in the Gigant range

Piece count	14
Sizes (mm)	7, 8, 10, 11, 12, 13, 14, 15, 16 +5 more
Grade	Household
Type	open-end/ring (box)
Kind	Metric (mm)
Material	CrV
Coating	nickel plating
Packaging kind	pouch(bag)/blade
Net weight	2.570



RATCHET WRENCH SET

Combination ratchet wrench set in case, 22pc

GKRC-22

Standalone item in the Gigant range

Piece count	22
Sizes (mm)	6, 7, 8, 9, 10, 11, 12, 13, 14 +13 more
Grade	Semi-professional
Type	open-end/ring (box)
Kind	Metric (mm)
Material	6140CrV
Coating	nickel plating
Packaging kind	Case
Net weight	7.500



RATCHET WRENCH SET

Combination hinged ratchet wrench set in

case, 22pc GKHC-22

GKHC-22

Standalone item in the Gigant range

Piece count	22
Sizes (mm)	6, 7, 8, 9, 10, 11, 12, 13, 14 +11 more
Grade	Semi-professional
Type	open-end/ring (box)
Kind	Metric (mm)
Material	6140CrV
Coating	nickel plating
Packaging kind	Case
Net weight	8.000



PIPE THREADING DIE SET

Pipe threading die set, 8pc GPHS-8

GPHS-8

Standalone item in the Gigant range

Piece count	8
Grade	Household
Kind	pipe dies
Steel	9CH
Packaging kind	plastic case
Type thread	Conical
Net weight	6.000



TAP & DIE SET
Tap & die set, 20pc STD20

STD20
Standalone item in the Gigant range

Piece count	20
Grade	Semi-professional
Kind	taps/dies
Steel	Cr-V
Packaging kind	plastic case
Type thread	metric (M)
Min size thread M (taps)	M3
Max size thread M (taps)	M12
Net weight	0.695



TAP & DIE SET
Tap & die set, 32pc STD32

STD32
Standalone item in the Gigant range

Piece count	32
Grade	Semi-professional
Kind	taps/dies
Steel	Cr-V
Packaging kind	metal case
Type thread	metric (M)
Min size thread M (taps)	M3
Max size thread M (taps)	M12
Net weight	1.370



TAP & DIE SET
Tap & die set, 34pc STD034

STD034
Standalone item in the Gigant range

Piece count	34
Grade	Household
Kind	taps/dies
Steel	9CH
Packaging kind	metal case
Type thread	metric (M)
Min size thread M (taps)	M3
Max size thread M (taps)	M12
Net weight	1.705



TAP & DIE SET
Tap & die set, 40pc STD040

STD040
Standalone item in the Gigant range

Piece count	40
Grade	Household
Kind	taps/dies
Steel	9CH
Packaging kind	metal case
Type thread	metric (M)
Min size thread M (taps)	M3
Max size thread M (taps)	M12
Net weight	1.650



THREAD CUTTING SET

Thread cutting tool set, 64pc GSTT 64

GSTT 64

Standalone item in the Gigant range

Piece count	64
Grade	Household
Kind	taps/dies
Steel	9CH
Packaging kind	metal case
Type thread	metric (M)
Min size thread M (taps)	M2
Max size thread M (taps)	M20
Net weight	4.600



TAP & DIE SET

Tap & die set, 110pc STD110

STD110

Standalone item in the Gigant range

Piece count	110
Grade	Household
Kind	taps/dies
Steel	9CH
Packaging kind	metal case
Type thread	metric (M)
Min size thread M (taps)	M2
Max size thread M (taps)	M18
Net weight	7.195



LEATHER PUNCH SET

Leather hole punch set, 15pc GPST-1

GPST-1

Standalone item in the Gigant range

Piece count	15
Contents	Hammer, Chisel
Grade	Household
Net weight	1.650



FILE SET

File set No.2, 200mm GFS-200-2

GFS-200-2

Standalone item in the Gigant range

Piece count	5
Grade	Household
Type	for metal
Handle material	Two-component
Packaging	Blister pack
Working length	200.000
Overall length	300.000
Net weight	0.900



FILE SET

File set, 180mm SED 21

SED 21

Standalone item in the Gigant range

Piece count	6
Grade	Household
Type	for metal
Handle material	Two-component
Packaging	plastic hanging strap with foam insert
Working length	85.000
Overall length	180.000
Net weight	0.285



NEEDLE FILE SET

Needle file set, 6pc GBS-6

GBS-6

Standalone item in the Gigant range

Piece count	6
Grade	Household
Type	for metal
Handle material	Plastic
Packaging	Pouch
Working length	80.000
Overall length	180.000
Net weight	0.180



NEEDLE FILE SET

Needle file set, 10pc GBS-10

GBS-10

Standalone item in the Gigant range

Piece count	10
Grade	Household
Type	for metal
Handle material	Rubber
Packaging	Pouch
Working length	70.000
Overall length	140.000
Net weight	0.170



HAMMER WITH FIBERGLASS HANDLE

Hammer With Fiberglass Handle G

12 item codes — see table

Merged card - 12 sizes/variants in one line (see Item codes below)

Sizes	300, 300, 400, 400, 500, 500 +6 more
Item codes	HHT300, HHT300-1, HHT400 +9 more
Handle material	Fiberglass with rubberized grip
Application	for locksmith/fitter's work
Striker shape	Square
Magnetic nail holder	No



SCREWDRIVER PH WITH MAGNETIC

Screwdriver PH With Magnetic Tip

12 item codes — see table

Merged card - 12 sizes/variants in one line (see Item codes below)

Sizes	0x100, 0x150, 0x75, 1x100, 1x150 +7 more
Item codes	GS PH0100, GS PH0150, GS PH075 +9 more
Shaft material	CrV
Handle material	Two-component
Handle colour	black/orange
Handle shape	Straight
Impact function	No
Flexible	No
Insulated (VDE) coating	No
Magnetic tip	Yes



SCREWDRIVER SL WITH MAGNETIC

Screwdriver SL With Magnetic Tip

9 item codes — see table

Merged card - 9 sizes/variants in one line (see Item codes below)

Sizes	3x100, 3x75, 5x100, 5x75, 5x150 +4 more
Item codes	GS SL3100, GS SL375, GS SL5100 +6 more
Slotted (SL)	Yes
Handle material	Two-component
Insulated (VDE) coating	No
Magnetic tip	Yes
For precision work	No
Handle shape	Straight
Shaft material	CrV
Flexible	No



PROFESSIONAL F -SHAPED CLAMP

Professional F -shaped Clamp

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	50x150 mm, 50x200 mm, 80x300 mm +3 more
Item codes	GPDT-150, GPDT-200, GPDT-300 +3 more
Type	Clamp
Clamp type	F--shaped
Clamp type	screw-type
Application	for wood, metal, plastic
Dual-purpose	No
For mounting in slot	No
Frame material	Steel
Grade	Professional



FLAT BRUSH PACKAGING

Flat Brush Packaging

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	25 mm 10 pcs, 38 mm 10 pcs +4 more
Item codes	FB-25, FB-38, FB-50, FB-63 +2 more
Type	brush flat
Application	Oil-based coatings, varnishes, enamels
Thickness	10.000
Bristle	natural
Handle material	Wood
Material band	Metal
Grade	Household



DIELECTRIC SCREWDRIVER SL

Dielectric Screwdriver SL

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	2.5x75 mm, 3.5x100 mm +3 more
Item codes	GDS SL 2575, GDS SL 3500 +3 more
Slotted (SL)	Yes
Insulated (VDE) coating	Yes
Handle colour	red/yellow
For precision work	No
Handle shape	Straight
Flexible	No
Impact function	No



SLEDGEHAMMER GRAM WITH FIBERGLASS

Sledgehammer Gram With Fiberglass Handle

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	1500 g, 2000 g, 2000 g, 3000 g, 3000 g
Item codes	SLH15-1, SLH20, SLH20-1, SLH30, SLH30-1
Handle material	Fiberglass with rubberized coating
Striker material	Steel
Striker	Square
Without rebound	No
Grade	Household



SPATULA STAINLESS PROFILED BLADE

Spatula Stainless Profiled Blade To Handle

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	2 40mm, 2 60mm, 2 80mm, 2 100mm, 2 120mm
Item codes	GFS-40, GFS-60, GFS-80, GFS-100, GFS-120
Blade thickness	0.500
Teeth	No
Size tooth	No
Blade material	Stainless steel
Handle material	Two-component
Pack quantity	1



PROFESSIONAL WRENCH ADJUSTABLE REINFORCED

Professional Wrench Adjustable Reinforced

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	150 mm, 200 mm, 250 mm, 300 mm
Item codes	GPBS-15-1, GPBS-20-1, GPBS-25-1, GPBS-30



PROFESSIONAL SCREED ALUMINIUM WITH	
Professional Screed Aluminium With Level Handle	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	1,5m 2, 2m 2, 2,5m 2, 3m 2
Item codes	GPRA-15, GPRA-20, GPRA-25, GPRA-30
Number vial	3
Presence of handles	Yes
Shape	rectangle
Level	Yes
Number ribs stiffness	1
Grade	Semi-professional



CROWBAR NAIL PULLER REINFORCED	
Crowbar Nail Puller Reinforced	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	25x12, 29x15, 29x15, 29x15
Item codes	GNP-450, GNP-1200, GNP-600, GNP-900
Type	Nail-pulling bar
Handle	No
Handle material	No
Grade	Household



CHISEL WITH TWO-COMPONENT HANDLE	
Chisel With Two-component Handle	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	16mm, 22mm, 25mm, 32mm
Item codes	GCB-16, GCB-22, GCB-25, GCB-32
Blade material	CrMn
Handle material	Two-component
Impact function	Yes
Carpenter's	No
Knife chisel	No



CHISEL	
Chisel	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	160x16 mm, 200x20 mm, 240x25 mm +1 more
Item codes	GNJ-16, GNJ-20, GNJ-24, GNJ-30
Tread	No
Working part material	high-carbon steel 45
For concrete	No
For brick	No
For tile	No
For wood	No
For metal	Yes
For plastering	No



G -SHAPED CLAMP
G-shaped Clamp

5 item codes — see table
Merged card - 5 models in one line (see item codes below)

Sizes	75x50, 100x55, 150x70 +2 more
Item codes	GGC-75, GGC-100, GGC-150 +2 more
Type	Clamp
Clamp type	G--shaped
Clamp type	screw-type
Application	for wood, metal
Dual-purpose	No
For mounting in slot	No
Frame material	Cast iron
Grade	Household



SIDE CUTTERS
Side Cutters

3 item codes — see table
Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	125 mm, 160 mm, 180 mm
Item codes	GDCP-125, GDCP 160, GDCP 180
Kind	Side cutters
Type	diagonal/side
Cut type	compact external bevel
Blade grind type	Standard
Insulated (VDE) coating	No
Function "anti-static"	No
For removing insulation	No
Lever	No



PROFESSIONAL WRENCH ADJUSTABLE WITH
Professional Wrench Adjustable With Thin Jaws

3 item codes — see table
Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	150 mm, 200.000, 250 mm
Item codes	GPBS-15, GPBS-20, GPBS-25
Ratchet function	No
Coating	anti-corrosion
Material	CrV
Pouch on handle	Yes
Insulated (VDE) coating	No
GOST	DIN 3117
Grade	Semi-professional
Kind	Metric (mm)



BOLT CUTTER
Bolt Cutter

3 item codes — see table
Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	450 mm 18, 600 mm 24, 750 mm 30
Item codes	GBC-450, GBC-600, GBC-750
Jaw material	Tool steel
Handle sleeves	PVC
Handle colour	black/orange
Insulated (VDE) coating	No
Grade	Professional



DIELECTRIC SCREWDRIVER PH

Dielectric Screwdriver PH

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	0x60 mm, 2x100 mm, 3x150 mm
Item codes	GDS PH060, GDS PH2100, GDS PH3150
Shaft material	S2 tool steel
Handle colour	red/yellow
Handle shape	Straight
Impact function	No
Flexible	No
Insulated (VDE) coating	Yes
For precision work	No
Phillips (PH)	Yes



INSULATED COMBINATION PLIERS

Insulated Combination Pliers

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	160 mm, 180 mm, 200 mm
Item codes	GICP-160, GICP-180, GICP-200
Type	Combination pliers
Jaw shape	straight with half-round & cutting edge
Insulated (VDE) coating	Yes
Handle colour	red/yellow
Jaw material	Tool steel
Function "anti-static"	No
With return spring	No
Round-cable stripping	No



COMBINATION PLIERS

Combination Pliers

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	160 mm, 180 mm, 200 mm
Item codes	GCP 160, GCP 180, GCP 200
Type	Combination pliers
Jaw shape	straight with half-round & cutting edge
Insulated (VDE) coating	No
Handle colour	black/orange
Handle sleeves	Two-component
Function "anti-static"	No
With return spring	No
Round-cable stripping	No



UTILITY KNIFE

Utility knife 18 mm GWK 630

10 item codes — see table

Merged card - 10 models in one line (see item codes below)

Item codes	GWK 621-632
Blade width	9, 18, 25 mm
Body	Plastic / reinforced metal-clad
Blade lock	Screw / auto-lock
Extra	Some models include spare blade sets



PIPE WRENCH

Pipe wrench TKP-4

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	TKP-4, TKP-5, TKP-6, TKP-7 +3 more
Type	Lever / cast
Jaw angle	90 deg
Pipe capacity range	1" - 2"
Body material	Cast / forged steel



PIPE CUTTER

Pipe cutter for PP pipes PBC-42

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	PBC-42, PBC-65
Type	Ratchet / roller
Max pipe diameter	42 - 65 mm
Pipe material	Polypropylene, PVC
Blade	Replaceable steel blade



TIN SNIPS

Tin snips 250 mm AVS-04

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	AVS-01, AVS-03, AVS-04, AVS-05 +2 more
Cut direction	Straight, left, right
Blade length	250 mm
Handle	Two-component, non-slip
Max sheet thickness	1.0 - 1.2 mm steel



RUBBER MALLET

Rubber mallet 680 g RH680-1

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	RH450-1, RH680-1, RH900-1 +2 more
Head weight range	450 - 900 g
Head material	Black / white rubber
Handle	Fiberglass, non-slip grip



FORGED F-CLAMP

Solid forged F-type clamp 500/120mm GSFC-500

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	GSFC-200, GSFC-500, GSFC-1000 +1 more
Clamp type	F-shaped, solid forged
Size range	200/80 - 1000/120 mm
Frame material	Forged steel
Note	Budget line - see also Professional GPDT



LONG-NOSE PLIERS

Long-nose pliers 180mm GLNP 180

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	GLNP 160, GLNP 180, GIRNP-160 +1 more
Type	Long-nose / round-nose
Size range	160 - 200 mm
Insulated (VDE) variants	Available



RIVET GUN

Two-hand rivet gun for blind rivets 2.4-6.4mm GHR-64

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	GHR-6, GHR-10, GHR-12, GHR-48 +2 more
Type	Blind rivet / threaded insert riveter
Rivet range	2.4 - 6.4 mm / M3-M12
Handle	Two-hand lever



CLAW HAMMER

Claw hammer with nail puller 450g GNH450

Standalone item in the Gigant range

Head weight	450 g
Type	Claw hammer / nail puller
Handle	Fiberglass, non-slip grip
Application	Framing, carpentry



CAULK & FOAM GUN

Foam gun GPF-1

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	GPF-1, GPF-2, GCG-1, GCG-2 +2 more
Type	Foam gun / sealant (caulk) gun
Body	Skeleton or closed, aluminum/plastic
Application	PU foam, sealant tubes 310-600ml



TOOL BAG

Installer tool bag 19 pockets GBW-1

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	GBW-1, GBW-3, GBW-4, GBW-10
Pockets	6 - 27
Material	Reinforced polyester
Carry	Handle + shoulder strap



GLUE GUN

Glue gun 50W GG-50

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GG-50, GG-60
Power	50 - 60 W
Glue stick	11 mm diameter
Application	Hobby, packaging, light repair



WIRE BRUSH (HAND)

Wire hand brush 5-row wooden handle GB-5

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	GB-3, GB-4, GB-5, GB-6 +2 more
Rows of wire	3 - 6
Material	Steel, brass or nylon bristle
Handle	Wood



MARKING & LAYOUT TOOL

Automatic center punch 130mm GAPC-1

11 item codes — see table

Merged card - 11 models in one line (see item codes below)

Item codes	GAPC-1, GP-1, GP-2, BPM-3 +7 more
Type	Center punch, marker, carpenter pencil
Application	Layout & marking on metal, wood
Format	Auto-punch, permanent marker, pencil



ROOFING PLIERS

Roofing pliers 55mm GRP-1

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GRP-1, GRP-2, GRP-3
Jaw width	55 mm
Type	Straight / curved
Application	Roofing sheet metal seaming



WOOD CHISEL SET

Wood chisel set 6-24mm GSC-4

GSC-4

Standalone item in the Gigant range

Blades	4 (6, 12, 19, 25 mm)
Handle	Beech wood
Application	General woodworking/joinery



TOOL BOX SET

Stackable tool box set, 4-in-1 GSS-4-1

GSS-4-1

Standalone item in the Gigant range

Configuration	4 stackable modules on a rolling base
Latches	Metal, tool-free
Application	Modular tool/parts storage & transport



WIRE BRUSH SET

Wire brush set for drill G-11046

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	G-11046, G-11046L, GBBB3, GBNY3, GB-3
Bristle material	Steel / brass-plated / nylon
Shank	6 mm (drill-mount)
Application	Rust/paint/scale removal, surface prep



IMPACT SOCKET SET

Impact socket set 1/2" 10-32mm G-11325

10 item codes — see table

Merged card - 10 models in one line (see item codes below)

Item codes	G-11139, G-11322, G-11324 +1 more
Drive	1/4" - 1/2"
Size range	6 - 32 mm
Application	Impact-rated & standard socket sets for...



SCREWDRIVER BIT SET

Screwdriver bit set 61pc G-11333

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	G-11333, G-11334, G-11444 +2 more
Material	CrV / S2
Bit types	PH, PZ, SL, Torx, HEX
Application	Driver/drill bit sets for screwdriving



THREAD REPAIR KIT

Thread repair kit, 131pc GTRK-131

GTRK-131

Standalone item in the Gigant range

Pieces	131
Thread range	M5 - M12
Pitch	1.75 mm
Application	Universal



CENTER MARKING PUNCH SET

Center marking punch set, 4pc GCP4

GCP4

Standalone item in the Gigant range

Pieces	4
Diameter	8 mm
Material	Steel
Application	Marking hole centers for drilling in wo...



GIGANT

SECTION / 05

AUTOMOTIVE & GARAGE EQUIPMENT

Jacks, lifts and garage equipment engineered for demanding automotive workshops.



SET TOOLS PIECES

Set tools 108 pieces GAS 108

GAS 108

Model 1 of 5 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type
Pieces in set	108.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET TOOLS PIECES

Set tools 77 pieces GAS 77

GAS 77

Model 5 of 5 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	77.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET TOOLS PIECES

Set tools 38 pieces GAS 38

GAS 38

Model 3 of 5 in the lineup

Min head size	5.500
Max head size	14.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	38.000
Connecting size	1/4"
Sockets	Yes
Number of points (facets)	6
Size fit head	1/4"



DIY SET TOOLS PIECES

DIY set tools 216+2 pieces, GDAS-218

GDAS-218

Model 1 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type; bit
Pieces in set	216.000
Connecting size	1/2; 1/4; 3/8 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4; 3/8 inch



DIY SET TOOLS PIECES

DIY set tools, 94 pieces, GDAS-94

GDAS-94

Model 3 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	1/4"
Max size head (in)	1/2
Head type	6-point
Pieces in set	94.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



PROFESSIONAL SET TOOLS &

Professional Set tools 1/2, 3/8 & 1/4 219 pieces, GPS 219

GPS 219

Model 3 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type
Pieces in set	219.000
Connecting size	1/2; 1/4; 3/8 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4; 3/8 inch



PROFESSIONAL SET TOOLS &

Professional Set tools 1/2, 3/8 & 1/4 147 pieces, GPS 147

GPS 147

Model 1 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type; bit
Pieces in set	147.000
Connecting size	1/2; 1/4; 3/8 inch
Sockets	Yes
Number of points (facets)	6/12
Size fit head	1/2; 1/4; 3/8 inch



PROFESSIONAL SET TOOLS &

Professional Set tools 1/2 & 1/4 97 pieces, GPS 97

GPS 97

Model 2 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	1/4"
Max size head (in)	1/2
Head type	12-point
Pieces in set	97.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	12
Size fit head	1/2; 1/4 inch



PROFESSIONAL SET TOOLS &

Professional Set tools 1/2 & 1/4 84 pieces, GPS 84

GPS 84

Model 1 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	1/4"
Max size head (in)	1/2
Head type	6-point
Pieces in set	84.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	12
Size fit head	1/2; 1/4 inch



SET TOOLS PIECE

Set tools 151 piece GAS 151

GAS 151

Model 3 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type
Pieces in set	151.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET TOOLS PIECE

set tools 101 piece GAS 101

GAS 101

Model 1 of 3 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type
Pieces in set	101.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET AUTOMOTIVE TOOL PIECES

Set automotive tool 216 pieces GAS 216

GAS 216

Model 1 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point; E-type; bit
Pieces in set	216.000
Connecting size	1/2; 1/4; 3/8 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4; 3/8 inch



SET AUTOMOTIVE TOOL PIECES

Set automotive tool 143 pieces GAS 143

GAS 143

Model 1 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	143.000
Connecting size	1/2; 1/4; 5/16 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET AUTOMOTIVE TOOL PIECES

Set automotive tool 94 pieces GAS 94

GAS 94

Model 2 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	94.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET AUTOMOTIVE TOOL PIECES

Set automotive tool 88 pieces GAS 88

GAS 88

Model 2 of 2 in the lineup

Min head size	4.000
Max head size	32.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	88.000
Connecting size	1/2; 1/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	1/2; 1/4 inch



SET THIS POINT SOCKETS

Set 6-point sockets with ratchet 3/4 inch 20 pcs. GAS20

GAS20

Model 2 of 2 in the lineup

Min head size	19.000
Max head size	50.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Pieces in set	20.000
Connecting size	3/4 inch
Sockets	Yes
Number of points (facets)	6
Size fit head	3/4 inch



SET THIS POINT SOCKETS

Set 6-this point sockets with ratchet 1/4" 19 pcs. GAS19

GAS19

Model 1 of 2 in the lineup

Min head size	4.000
Max head size	14.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Ratchet drive size	1/4"
Number of teeth	56
Extension ratchet	50/100
Connecting size	1/4"
Measuring system	Metric



SET WRENCHES COMBO RATCHET

Set wrenches combo.ratchet 14 pcs grf-119

grf-119

Model 2 of 2 in the lineup

Type	open-end/ring (box)
Kind	Metric (mm)
Min size (mm)	7
Max size (mm)	24
Size min (in)	No
Size max (in)	No
Size min (T/E)	No
Size max (T/E)	No
Ratchet function	Yes
Shape	Straight



SET WRENCHES COMBO RATCHET

Set wrenches combo.ratchet 10 pcs grf-118

grf-118

Model 1 of 2 in the lineup

Type	open-end/ring (box)
Kind	Metric (mm)
Min size (mm)	8
Max size (mm)	24
Size min (in)	No
Size max (in)	No
Size min (T/E)	No
Size max (T/E)	No
Ratchet function	Yes
Shape	Straight



SET HEX SOCKETS WITH

Set hex sockets with ratchet 3/8", 11 pieces, GSRW-11/38

GSRW-11/38

Model 2 of 2 in the lineup

Min head size	7.000
Max head size	22.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Ratchet drive size	3/8 inch
Number of teeth	72
Extension ratchet	No
Connecting size	3/8 inch
Measuring system	Metric



SET HEX SOCKETS WITH

Set hex sockets with ratchet 1/4", 11 pieces, GSRW-11/14

GSRW-11/14

Model 1 of 2 in the lineup

Min head size	4.000
Max head size	13.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Ratchet drive size	1/4"
Number of teeth	45
Extension ratchet	No
Connecting size	1/4"
Measuring system	Metric



SET HEX EXTENDED SOCKETS

Set hex extended sockets with ratchet 1/2" & extension, 12 pieces, GSRW-12/12

GSRW-12/12

Model 1 of 2 in the lineup

Min head size	8.000
Max head size	22.000
Min size head (in)	1/2
Max size head (in)	1/2
Head type	6-point
Ratchet drive size	1/2"
Number of teeth	72
Extension ratchet	125
Connecting size	1/2"
Measuring system	Metric



SET HEX EXTENDED SOCKETS

Set hex extended sockets with ratchet 1/4" & extension, 12 pieces, GSRW-12/14

GSRW-12/14

Model 2 of 2 in the lineup

Min head size	4.000
Max head size	13.000
Min size head (in)	No
Max size head (in)	No
Head type	6-point
Ratchet drive size	1/4"
Number of teeth	72
Extension ratchet	100
Connecting size	1/4"
Measuring system	Metric



COMBINATION WRENCH SET

Combination wrench set, 12pc GCWS-12

GCWS-12

Standalone item in the Gigant range

Pieces	12
Type	Combination (open-end/ring)
Application	General mechanic's wrench set



TUBULAR BOX WRENCH SET

Tubular box wrench set 6-22mm, 9pc GST9

GST9

Standalone item in the Gigant range

Pieces	9
Size range	6 - 22 mm
Coating	Zinc-plated
Application	Tubular socket wrenches for tight spaces



TORQUE WRENCH SET

Torque wrench set 1/2"+1/4", 2pc GKD-1

GKD-1

Standalone item in the Gigant range

Pieces	2 (1/2": 28-210 Nm + 1/4": 5-25 Nm)
Type	Click/limit type, ratchet
Material	CrV
Application	Torque-controlled fastening



SET PULLERS LOCKING RINGS

Set pullers locking rings 180mm, GKPL-180

GKPL-180

Model 2 of 2 in the lineup

Type	straight/curved
Type locking rings	external/internal
Material	CrV
Diameter hole	0.000
Length	180.000
Working part length	45
Max diameter rings	60.000
Min diameter rings	19.000
For rings diameter	19-60
Covers on handles	Yes



SET PULLERS LOCKING RINGS

Set pullers locking rings 160mm, GKPL-160

GKPL-160

Model 1 of 2 in the lineup

Type	straight/curved
Type locking rings	external/internal
Material	alloy steel
Diameter hole	0.000
Length	160.000
Working part length	45
Max diameter rings	160.000
Min diameter rings	160.000
For rings diameter	160
Covers on handles	Yes



BRAKE CALIPER PISTON TOOL SET

Brake caliper piston tool set BWK-11

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	BW-01, BWK-11
Adapters	Multiple caliper piston sizes
Case	Molded storage case included
Application	Disc brake pad & caliper service



HEX/TORX KEY SET

Hex/Torx key set, angled, 9pc GHKS-9

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	GHKS-9, GKHI-9, GKLH-10, GKSH-10 +2 more
Type	HEX (metric/imperial), Torx +1 more
Material / coating	CrV, chrome-plated
Application	Hex/Torx fastener driving +1 more



SEAL/GASKET REMOVAL HOOK SET

Seal & gasket removal hook set, 6pc GKHIS-6

GKHIS-6

Standalone item in the Gigant range

Pieces	6 (5 hooks + 1awl)
Handle	Metal working end, plastic grip
Application	Removing seals, gaskets, O-rings +1 more



SCREW EXTRACTOR SET

Screw/bolt extractor set M3-M18, 5pc GSE-5

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GSE-5, GSEC-8
Thread range	M3 - M26
Thread	Left-hand (for right-hand fasteners)
Application	Removing broken/seized bolts and screws



BEARING PULLER SET
Bearing puller set, split-collet type PBS-12

PBS-12
Standalone item in the Gigant range

Type	Screw-drive, split-collet
Working width	30 - 75 mm
Working depth	up to 70 mm
Application	Pulling outer bearing races



NUT SPLITTER SET
Nut splitter set 9-27mm, 4pc GSB-4

GSB-4
Standalone item in the Gigant range

Nut range	9 - 27 mm
Type	Mechanical
Application	Splitting seized/rounded-off nuts



TRIM PANEL REMOVAL TOOL SET
Trim panel removal tool set, plastic, 11pc GKPP-11

GKPP-11
Standalone item in the Gigant range

Pieces	11
Material	Plastic (non-marring)
Application	Panel removal



CIRCLIP PLIER SET
Circlip (snap ring) plier set, 4pc PSS-01

PSS-01
Standalone item in the Gigant range

Pieces	4
Type	Internal & external +1 more
Application	Installing/removing retaining (circlip)...



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack 2T HTJ-2G

HTJ-2G

Model 1 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	2.000
Support diameter	55
Min lift height	141.000
Max lift height	350.000
Working stroke	210.000
Housing material	Metal
Lock	No
Swivel handle	No
Twin-cylinder	No



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack 2T T83502

T83502

Model 2 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	2.000
Support diameter	72
Min lift height	136.000
Max lift height	330.000
Working stroke	195.000
Housing material	Metal
Lock	No
Swivel handle	No
Twin-cylinder	No



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack 2T GSJ-2T

GSJ-2T

Model 3 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	2.000
Support diameter	55
Min lift height	135.000
Max lift height	385.000
Working stroke	250.000
Housing material	Metal
Lock	No
Swivel handle	No
Twin-cylinder	No



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack 2T GSJL-2T

GSJL-2T

Model 4 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	2.000
Support diameter	46
Min lift height	80.000
Max lift height	380.000
Working stroke	300.000
Housing material	Metal
Lock	No
Swivel handle	No
Twin-cylinder	No



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack with latch
2.5T GSJR-2,5T

GSJR-2,5T

Model 5 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	2.500
Support diameter	38
Min lift height	140.000
Max lift height	385.000
Working stroke	245.000
Housing material	Metal
Lock	Yes
Case	Yes
Drive type	Hydraulic



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack 3T HTJ-3SH
HTJ-3SH

Model 6 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	3.000
Support diameter	56
Min lift height	130.000
Max lift height	410.000
Working stroke	280.000
Housing material	Metal
Lock	No
Swivel handle	Yes
Twin-cylinder	No



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack, enlarged
height 3T GSJI-3T

GSJI-3T

Model 7 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	3.000
Support diameter	72
Min lift height	192.000
Max lift height	533.000
Working stroke	341.000
Housing material	Metal
Lock	No
Drive type	Hydraulic
Net weight	19.000



HYDRAULIC LOW-PROFILE TROLLEY JACK

Hydraulic low-profile trolley jack, quick lifting
3T GSJL-3T

GSJL-3T

Model 8 of 8 in the lineup

Jack type	Low-profile trolley
Load capacity	3.000
Support diameter	108
Min lift height	75.000
Max lift height	515.000
Working stroke	440.000
Housing material	Steel
Twin-cylinder	Yes
Drive type	Hydraulic
Net weight	33.000



RACK-TYPE JACK

Rack-type jack 3t 33" TRA8335

TRA8335

Model 1 of 4 in the lineup

Jack type	rack-type
Working stroke	525.000
Min lift height	115.000
Max lift height	640.000
Overall height	1450
Load capacity	3.000
High Jack	Yes
Net weight	10.740
Housing material	Metal
Support diameter	108x37



RACK-TYPE JACK

Rack-type jack 3t 60" TRA8605

TRA8605

Model 3 of 4 in the lineup

Jack type	rack-type
Working stroke	1210.000
Min lift height	125.000
Max lift height	1335.000
Overall height	1510
Load capacity	3.000
High Jack	Yes
Net weight	13.300
Housing material	Steel
Support diameter	108x37



RACK-TYPE JACK

Rack-type jack 5t TRJ7310-5T

TRJ7310-5T

Model 4 of 4 in the lineup

Jack type	rack-type
Working stroke	330.000
Min lift height	100.000
Max lift height	430.000
Overall height	725
Load capacity	5.000
High Jack	No
Net weight	28.100
Housing material	Steel
Case	No



JACK RACK-TYPE ETC.

Jack rack-type Etc. 3t GDR-3

GDR-3

Model 1 of 2 in the lineup

Jack type	rack-type
Working stroke	355.000
Min lift height	70.000
Max lift height	1090.000
Overall height	735
Load capacity	3.000
High Jack	No
Net weight	20.000
Housing material	Metal
Support diameter	No



JACK RACK-TYPE ETC.

Jack rack-type Etc. 10t GDR-10

GDR-10

Model 2 of 2 in the lineup

Jack type	rack-type
Working stroke	390.000
Min lift height	800.000
Max lift height	1190.000
Overall height	1190
Load capacity	10.000
High Jack	No
Net weight	46.000
Housing material	Metal
Support diameter	No



JACK HYDRAULIC LOW-PROFILE

Jack hydraulic low-profile 5t., GMJLH-5

GMJLH-5

Model 1 of 2 in the lineup

Jack type	hook-type
Load capacity	5.000
Working stroke	205.000
Min lift height	366.000
Max lift height	571.000
Size platform hook	51x46
Height lifting lug per hook	24
Height lifting per hook	229
Load capacity per hook	5
Size base	210x138



JACK HYDRAULIC LOW-PROFILE

Jack hydraulic low-profile 10t., GMJLH-10

GMJLH-10

Model 2 of 2 in the lineup

Jack type	hook-type
Load capacity	10.000
Working stroke	230.000
Min lift height	418.000
Max lift height	648.000
Size platform hook	68x54
Height lifting lug per hook	28
Height lifting per hook	258
Load capacity per hook	10
Size base	207x170



JACK AUTONOMOUS WITH LOW

Jack autonomous with low support 5t., GJLH-5

GJLH-5

Model 1 of 3 in the lineup

Jack type	hook-type
Load capacity	5.000
Working stroke	115.000
Min lift height	18.000
Max lift height	350.000
Size platform hook	50x50
Height lifting lug per hook	18,3
Height lifting per hook	133
Load capacity per hook	2,5
Size base	185x150



JACK AUTONOMOUS WITH LOW

Jack autonomous with low support 20t.,
GJLH-20

GJLH-20

Model 3 of 3 in the lineup

Jack type	hook-type
Load capacity	20.000
Working stroke	145.000
Min lift height	32.000
Max lift height	475.000
Size platform hook	85x60
Height lifting lug per hook	32
Height lifting per hook	177
Load capacity per hook	10
Size base	285x240



HYDRAULIC BOTTLE JACK

Hydraulic bottle jack 2T HBJ-2

HBJ-2

Model 1 of 11 in the lineup

Jack type	bottle
Drive type	Hydraulic
Load capacity	2.000
Min lift height	181.000
Max lift height	345.000
Number rods	1
Stroke pull-out screw	48
Working stroke	116.000
Housing material	Metal
Support diameter	20



HYDRAULIC BOTTLE JACK

Hydraulic bottle jack 10T HBJ-10

HBJ-10

Model 4 of 11 in the lineup

Jack type	bottle
Drive type	Hydraulic
Load capacity	10.000
Min lift height	230.000
Max lift height	447.000
Number rods	1
Stroke pull-out screw	75
Working stroke	155.000
Housing material	Metal
Support diameter	39



HYDRAULIC BOTTLE JACK

Hydraulic bottle jack 32T HBJ-32

HBJ-32

Model 8 of 11 in the lineup

Jack type	bottle
Drive type	Hydraulic
Load capacity	32.000
Min lift height	260.000
Max lift height	430.000
Number rods	1
Stroke pull-out screw	No
Working stroke	170.000
Housing material	Metal
Support diameter	65



HYDRAULIC BOTTLE JACK
Hydraulic bottle jack 50T HBJ-50s

HBJ-50s
Model 11 of 11 in the lineup

Jack type	bottle
Drive type	Hydraulic
Load capacity	50.000
Min lift height	230.000
Max lift height	360.000
Number rods	1
Stroke pull-out screw	No
Working stroke	130.000
Housing material	Metal
Support diameter	80



SCISSOR JACK
Scissor jack 2T SJ-2

4 item codes — see table
Merged card - 4 models in one line (see item codes below)

Item codes	SJ-1,5, SJ-2, GRJ-175, GRJR-2
Capacity	1.5 - 2 T
Type	Mechanical scissor/rhombic, hand crank
Lift height	up to ~400 mm
Extra	GRJR-2 has a ratchet handle



GLASS JACK
Aluminum glass jack 100 kg grf-115

5 item codes — see table
Merged card - 5 models in one line (see item codes below)

Item codes	grf-113, grf-114, grf-115 +2 more
Capacity range	50 - 150 kg
Body	Aluminum / plastic
Pads	Single, double or triple suction cup
Application	Windscreen & glass panel installation



CHARGER DEVICE
Charger device GC-10

GC-10
Model 1 of 3 in the lineup

Type serviced battery	WET
Type device	charger device
Type charging	conventional charging (WET, EFB)
For batteries voltage	6/12 V
Supply voltage	220 V
Max current charge	10 A
Max capacity battery	100 A*h
Min capacity battery	1.2 A*h
Max consumed power charging	120 W
Charging alkaline batteries	No



CHARGER DEVICE

Charger device GC-20

GC-20

Model 2 of 3 in the lineup

Type serviced battery	WET
Type device	charger device
Type charging	conventional charging (WET, EFB)
For batteries voltage	12/24 V
Supply voltage	220 V
Max current charge	20 A
Max capacity battery	200 A*h
Min capacity battery	5 A*h
Max consumed power charging	360 W
Charging alkaline batteries	No



IMPULSE CHARGER DEVICE

Impulse charger device 12V, GPCD-12

GPCD-12

Model 1 of 2 in the lineup

Type serviced battery	WET/AGM/GEL
Type device	charger device
Type charging	automatic charging (WET, EFB,AGM, GEL)
For batteries voltage	12
Supply voltage	220
Max current charge	5.000
Type built-in battery	not has built-in battery
Max capacity battery	100.000
Min capacity battery	4.000
Max consumed power charging	75.000



IMPULSE CHARGER DEVICE

Impulse charger device 12/24V, GPCD-24

GPCD-24

Model 2 of 2 in the lineup

Type serviced battery	AGM/GEL
Type device	charger device
Type charging	automatic charging (WET, EFB,AGM, GEL)
For batteries voltage	12/24
Supply voltage	220
Max current charge	8.000
Type built-in battery	not has built-in battery
Max capacity battery	150.000
Min capacity battery	6.000
Max consumed power charging	130.000



CHARGING PRE-START DEVICE BOOST

Charging-starting device GSC-20 Boost

GSC-20

Model 1 of 2 in the lineup

Type serviced battery	WET
Type device	charger device
Type charging	conventional charging (WET, EFB)
For batteries voltage	12/24 V
Supply voltage	220 V
Max current charge	10 A
Max capacity battery	125 A*h
Min capacity battery	20 A*h
Charging alkaline batteries	No
Charging lithium-ion batteries	No



CHARGING PRE-START DEVICE BOOST

Charging-starting device GSC-30 Boost

GSC-30

Model 2 of 2 in the lineup

Type serviced battery	WET
Type device	charger device
Type charging	conventional charging (WET, EFB)
For batteries voltage	12/24 V
Supply voltage	220 V
Max current charge	18 A
Max capacity battery	200 A*h
Min capacity battery	30 A*h
Charging alkaline batteries	No
Charging lithium-ion batteries	No



JUMP-START CHARGER DEVICE

Starter-charger device GSC-630

GSC-630

Model 1 of 3 in the lineup

Type serviced battery	WET
Type device	starter-charger device
Supply voltage	220
Can start	vehicle, bus, truck
Type charging	conventional charging (WET, EFB)
Type built-in battery	not has built-in battery
For batteries voltage	12/24
Charging alkaline batteries	No
Maximum current starting	600.000
Min current charge	72.000



JUMP-START CHARGER DEVICE

Starter-charger device 12/24 V, 800 A, GSC-800

GSC-800

Model 3 of 3 in the lineup

Type serviced battery	WET/EFB/Ca-Ca
Type device	starter-charger device
Supply voltage	220
Can start	motorcycle, vehicle, bus, boat +2 more
Type charging	conventional charging (WET, EFB)
Type built-in battery	not has built-in battery
For batteries voltage	12/24
Charging alkaline batteries	No
Maximum current starting	760.000
Min current charge	0.000



PORTABLE JUMP-START CHARGER DEVICE

Portable starter-charger device 10000 mAh, GSD-10

GSD-10

Model 1 of 4 in the lineup

Type device	starting device
Kind	battery-powered
For batteries voltage	12
Supply voltage	100-240
Maximum current starting	600.000
Max consumed power starting	7200.000
Can start	motorcycle, vehicle
Type built-in battery	Li-Polymer
Function Power Bank	Yes
Digital display	No



PORTABLE JUMP-START CHARGER DEVICE

Portable starter-charger device 17000 mAh,
GSD-17

GSD-17

Model 3 of 4 in the lineup

Type device	starting device
Kind	battery-powered
For batteries voltage	12
Supply voltage	220
Maximum current starting	1500.000
Max consumed power starting	18000.000
Can start	motorcycle, vehicle
Type built-in battery	Li-Polymer
Function Power Bank	Yes
Digital display	No



HYDRAULIC ENGINE CRANE

Hydraulic engine crane 2T GEC-2

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GEC-1, GEC-2
Capacity	1 - 2 T
Type	Folding, hydraulic hand pump
Boom	Multi-position, adjustable reach
Wheels	4, incl. swivel casters



PORTABLE JUMP-START CHARGER DEVICE

Portable starter-charger device 25000 mAh,,
GSD-25

GSD-25

Model 4 of 4 in the lineup

Type device	starting device
Kind	battery-powered
For batteries voltage	12
Supply voltage	220
Maximum current starting	2000.000
Max consumed power starting	24000.000
Can start	motorcycle, vehicle
Type built-in battery	Li-Polymer
Function Power Bank	Yes
Digital display	No



WINCH LEVER CABLE-TYPE LEVER

Winch lever cable-type Lever hoist 800, 0,8 t,
L=20m GEW-23

GEW-23

Model 1 of 4 in the lineup

Force	0.800
Length cable/tape/chain	20.000
Type	Erection and pulling hoists (MTM)
Diameter cable	8.300
Dimensions (unpacked)	428x64x235 mm
Included accessories	steel cable
Presence of brake	Yes
Net weight	16.000



WINCH LEVER CABLE-TYPE LEVER

Winch lever cable-type Lever hoist 1600, 1.6t, L=20m GEW-24

GEW-24

Model 2 of 4 in the lineup

Force	1.600
Length cable/tape/chain	20.000
Type	Erection and pulling hoists (MTM)
Diameter cable	11.000
Dimensions (unpacked)	545x97x286 mm
Included accessories	steel cable
Presence of brake	Yes
Net weight	23.000



WINCH LEVER CABLE-TYPE LEVER

Winch lever cable-type Lever hoist 3200, 3,2 t, L=20m GEW-25

GEW-25

Model 3 of 4 in the lineup

Force	3.200
Length cable/tape/chain	20.000
Type	Erection and pulling hoists (MTM)
Diameter cable	16.000
Dimensions (unpacked)	660x116x350 mm
Included accessories	steel cable
Presence of brake	Yes
Net weight	44.000



WINCH LEVER CABLE-TYPE LEVER

Winch lever cable-type Lever hoist 5400, 5,4 t, L=20 m GEW-26

GEW-26

Model 4 of 4 in the lineup

Force	5.400
Length cable/tape/chain	20.000
Type	Erection and pulling hoists (MTM)
Diameter cable	20.000
Dimensions (unpacked)	990x174x525 mm
Included accessories	steel cable
Presence of brake	Yes
Net weight	94.000



WINCH MANUAL WITH DOUBLE

Winch manual with double ratchet mechanism 1 t GEW-20

GEW-20

Model 1 of 3 in the lineup

Force	1.000
Length cable/tape/chain	2.200
Type	lever
Diameter cable	4.800
Included accessories	steel cable
Presence of brake	No
Number hook	2
Dimensions (unpacked)	525x95x75
Grade	Household
Net weight	2.170



WINCH MANUAL WITH DOUBLE

Winch manual with double ratchet mechanism 2.5t GEW-21

GEW-21

Model 2 of 3 in the lineup

Force	2.500
Length cable/tape/chain	3.300
Type	lever
Diameter cable	4.800
Included accessories	steel cable
Presence of brake	No
Number hook	2
Dimensions (unpackaged)	570x120x90
Grade	Household
Net weight	3.500



WINCH MANUAL WITH DOUBLE

Winch manual with double ratchet mechanism 3 t GEW-22

GEW-22

Model 3 of 3 in the lineup

Force	3.000
Length cable/tape/chain	3.600
Type	lever
Diameter cable	4.800
Included accessories	steel cable
Presence of brake	No
Number hook	2
Dimensions (unpackaged)	615x135x90
Grade	Household
Net weight	4.250



WINCH DRUM-TYPE CABLE

Winch drum-type cable, 0.45T GHW-0,45

GHW-0,45

Model 1 of 2 in the lineup

Force	0.450
Length cable/tape/chain	10.000
Type	Winch drum-type, cable
Diameter cable	4.200
Presence of brake	Yes
Drum diameter	100.000
Included accessories	Galvanised metal cable
Grade	Household
Dimensions (unpackaged)	280x260x160
Net weight	3.440



WINCH DRUM-TYPE CABLE

Winch drum-type cable, 0.9T GHW-0,9

GHW-0,9

Model 2 of 2 in the lineup

Force	0.900
Length cable/tape/chain	10.000
Type	Winch drum-type, cable
Diameter cable	4.200
Presence of brake	Yes
Drum diameter	130.000
Included accessories	Galvanised metal cable
Grade	Household
Dimensions (unpackaged)	250x180x150
Net weight	5.500



WINCH LEVER
Winch lever 2t GCP-2

GCP-2
Model 1 of 2 in the lineup

Force	2.000
Length cable/tape/chain	2.800
Type	lever
Diameter cable	4.000
Included accessories	steel cable
Presence of brake	No
Number hook	2
Min distance between hooks	900.000
Dimensions (unpacked)	600x60x80
Grade	Household
Net weight	2.900



WINCH LEVER
Winch lever 4t GCP-4

GCP-4
Model 2 of 2 in the lineup

Force	4.000
Length cable/tape/chain	3.000
Type	lever
Diameter cable	5.000
Included accessories	steel cable
Number hook	3
Min distance between hooks	900.000
Dimensions (unpacked)	695x120x80
Grade	Household
Net weight	5.000



VACUUM SUCTION LIFTER
Vacuum suction lifter for tile & glass GVPM-20

GVPM-20
Standalone item in the Gigant range

Gauge	Built-in vacuum manometer
Application	Tile & glass lifting/handling
Body	Steel frame, rubber pad
Handle	Pump-action T-handle



SPINNING HAMMER
Spinning hammer 450g, GIFH-0,45

GIFH-0,45
Model 1 of 4 in the lineup

Type	spinning hammer
Overall length	290.000
Net weight	0.580
Striker weight	0.450
Diameter striker	42.000
Dimensions (unpacked)	290x92
Grade	Semi-professional



SPINNING HAMMER

Spinning hammer 900g, GIFH-0,9

GIFH-0,9

Model 3 of 4 in the lineup

Type	spinning hammer
Overall length	324.000
Net weight	0.900
Striker weight	0.880
Diameter striker	52.000
Dimensions (unpacked)	324x105
Grade	Semi-professional



SPINNING HAMMER

Spinning hammer 1800g, GIFH-1,8

GIFH-1,8

Model 4 of 4 in the lineup

Type	spinning hammer
Overall length	365.000
Net weight	1.900
Striker weight	1.800
Diameter striker	60.000
Dimensions (unpacked)	385x60
Grade	Semi-professional



PROFESSIONAL TORQUE WRENCH NM

Professional Torque wrench 3/8" 10-110 Nm TW-4

TW-4

Model 1 of 4 in the lineup

Min force	10.000
Max force	110.000
Type	Torque-limiting
Square drive	3/8 inch
Rectangular groove	No
Cylindrical shank	No
Attachments in kit	No
Length	230.000
Ratchet function	Yes
Calibration	No



PROFESSIONAL TORQUE WRENCH NM

Professional Torque wrench 1/2" 40-220 Nm TW-2

TW-2

Model 3 of 4 in the lineup

Min force	42.000
Max force	210.000
Type	Torque-limiting
Square drive	1/2"
Rectangular groove	No
Cylindrical shank	No
Attachments in kit	No
Length	450.000
Ratchet function	Yes
Calibration	No



PROFESSIONAL TORQUE WRENCH NM
Professional Torque wrench 1/2" 30-210 Nm TW-3

TW-3
Model 4 of 4 in the lineup

Min force	28.000
Max force	210.000
Type	Torque-limiting
Square drive	1/2"
Rectangular groove	No
Cylindrical shank	No
Attachments in kit	No
Length	480.000
Ratchet function	Yes
Calibration	No



WRENCH COMBINATION
Wrench combination 32 mm grf-124

grf-124
Model 1 of 4 in the lineup

Coating	nickel plating
Ratchet function	No
Kind	Metric (mm)
Length	360.000
Min size (mm)	32
Max size (mm)	32
Size min (in)	No
Size max (in)	No
Material	CrV
Hinged mechanism	No



WRENCH COMBINATION
Wrench combination 41 mm grf-126

grf-126
Model 3 of 4 in the lineup

Coating	nickel plating
Ratchet function	No
Kind	Metric (mm)
Length	440.000
Min size (mm)	41
Max size (mm)	41
Size min (in)	No
Size max (in)	No
Material	CrV
Hinged mechanism	No



WRENCH COMBINATION
Wrench combination 46 mm grf-127

grf-127
Model 4 of 4 in the lineup

Coating	nickel plating
Ratchet function	No
Kind	Metric (mm)
Length	490.000
Min size (mm)	46
Max size (mm)	46
Size min (in)	No
Size max (in)	No
Material	CrV
Hinged mechanism	No



HINGED THREE-JAW PULLER
Hinged three-jaw puller PB-75

PB-75
Model 1 of 4 in the lineup

Kind	hinged
Type grip	for external/internal bearings
Drive	Mechanical
Max depth worktable space	80.000
Max width worktable space	80.000
Min width worktable space	20.000
Number legs	3
Size (in)	No
Set	No
Material	Steel



HINGED THREE-JAW PULLER
Hinged three-jaw puller PB-150

PB-150
Model 3 of 4 in the lineup

Kind	hinged
Type grip	for external/internal bearings
Drive	Mechanical
Max depth worktable space	150.000
Max width worktable space	150.000
Min width worktable space	20.000
Number legs	3
Size (in)	No
Set	No
Material	Steel



HINGED THREE-JAW PULLER
Hinged three-jaw puller PB-200

PB-200
Model 4 of 4 in the lineup

Kind	hinged
Type grip	for external/internal bearings
Drive	Mechanical
Max depth worktable space	80.000
Max width worktable space	200.000
Min width worktable space	90.000
Number legs	3
Size (in)	No
Set	No
Material	Steel



TORQUE WRENCH NM
Torque wrench 1/4" 5-25 Nm TW-6

TW-6
Model 1 of 3 in the lineup

Min force	5.000
Max force	25.000
Type	Torque-limiting
Square drive	1/4"
Rectangular groove	No
Cylindrical shank	No
Attachments in kit	No
Length	200.000
Ratchet function	Yes
Calibration	No



TORQUE WRENCH NM

Torque wrench 1/2" 28-210 Nm TW-5

TW-5

Model 3 of 3 in the lineup

Min force	28.000
Max force	210.000
Type	Torque-limiting
Square drive	1/2"
Rectangular groove	No
Cylindrical shank	No
Attachments in kit	No
Length	500.000
Ratchet function	Yes
Calibration	No



TELESCOPIC RATCHET WRENCH TOOTH

Telescopic ratchet wrench 1/4", 72 tooth, GTRW-14

GTRW-14

Model 1 of 3 in the lineup

Length	217.000
Ratchet function	Yes
Kind	Imperial (inch)
Coating	Chrome-plated
Material	CrV
Insulated (VDE) coating	No
Number of teeth	72.000
Hinged mechanism	No
Rotary	No
Drive square	1/4"



TELESCOPIC RATCHET WRENCH TOOTH

Telescopic ratchet wrench 1/2", 72 tooth, GTRW-12

GTRW-12

Model 3 of 3 in the lineup

Length	380.000
Ratchet function	Yes
Kind	Imperial (inch)
Coating	Chrome-plated
Material	CrV
Insulated (VDE) coating	No
Number of teeth	72.000
Hinged mechanism	No
Rotary	No
Drive square	1/2"



WRENCH COMBINATION RATCHET

Wrench Combination Ratchet

8 item codes — see table

Merged card - 8 sizes/variants in one line (see Item codes below)

Sizes	8mm, 10mm, 12mm, 13mm, 17mm +3 more
Item codes	GRW8, GRW10, GRW12, GRW13, GRW17 +3 more
Coating	nickel plating
Ratchet function	Yes
Kind	Metric (mm)
Size min (in)	No
Size max (in)	No
Material	CrV
Hinged mechanism	No
Insulated (VDE) coating	No



WRENCH COMBINATION RATCHET HINGED
Wrench Combination Ratchet Hinged

7 item codes — see table
Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	8 mm, 10 mm, 12 mm, 13 mm, 14 mm +2 more
Item codes	grf-130, grf-131, grf-132 +4 more
Coating	nickel plating
Ratchet function	Yes
Kind	Metric (mm)
Size min (in)	No
Size max (in)	No
Material	CrV
Hinged mechanism	Yes
Insulated (VDE) coating	No



MANUAL TORQUE MULTIPLIER
Manual torque multiplier wrench GTQM-2

2 item codes — see table
Merged card - 2 models in one line (see item codes below)

Item codes	GTQM-2, GTQM-3
Output torque	up to 6400 Nm
Gear ratio	1:64
Kit	Extension bar, sockets, breaker bar
Application	Heavy wheel nuts, truck service



GREASE GUN
Lever-plunger grease gun 400ml GG-400

3 item codes — see table
Merged card - 3 models in one line (see item codes below)

Item codes	GG-120, GG-400, GG-500
Volume range	120 - 500 ml
Type	Lever-plunger / single-hand plunger
Delivery	Rigid pipe + flex hose
Application	Chassis & bearing lubrication



TELESCOPIC MAGNETIC PICKUP TOOL
Telescopic magnetic pickup tool GTM-1,5

5 item codes — see table
Merged card - 5 models in one line (see item codes below)

Item codes	GMTP-1, GTM-1,5, GTMR-2,3 +2 more
Holding capacity	1 - 3.6 kg
Extended length	up to 820 mm
Extra	GTML-3,6 has built-in LED light



TELESCOPIC INSPECTION MIRROR

Telescopic inspection mirror 32mm GTG-32

GTG-32

Standalone item in the Gigant range

Mirror diameter	32 mm
Extended length	175 - 503 mm
Head	Swivel/adjustable angle
Application	Hard-to-reach visual inspection



OIL FILTER WRENCH

Three-jaw oil filter wrench 50-110mm GPOF-3

GPOF-3

Standalone item in the Gigant range

Type	Three-jaw, self-adjusting
Filter diameter range	50 - 110 mm
Drive	1/2" square drive
Body	Chrome-plated steel



SERVICE TOOL TROLLEY SECTIONS

Service tool trolley 5 sections, GTTS-5

GTTS-5

Model 1 of 2 in the lineup

Number of shelves	No
Tool in kit	No
Storage system	Box
Number of drawers	5
Number of pieces	No
Colour	blue
Length	680.000
Width	330.000
Height	660.000
Grade	Household



SERVICE TOOL TROLLEY SECTIONS

Service tool trolley 7 sections, GTTS-7

GTTS-7

Model 2 of 2 in the lineup

Number of shelves	No
Tool in kit	No
Storage system	Box
Number of drawers	7
Number of pieces	No
Colour	blue
Length	680.000
Width	330.000
Height	660.000
Grade	Household



WORKBENCH

Workbench WY-1050

WY-1050

Model 1 of 2 in the lineup

Work table length	600 mm
Work table width	540 mm
Table height	1050 mm
Max table load	100 kg
Dimensions (unpacked)	600x555x(760-1050) mm
Countertop	MDF
Coating countertop	varnish
Primary colour	Black
Folding	Yes
Adjustment height	Yes



WORKBENCH

Workbench WY-770

WY-770

Model 2 of 2 in the lineup

Work table length	600 mm
Work table width	640 mm
Table height	770 mm
Max table load	100 kg
Dimensions (unpacked)	600x715x(210-770) mm
Countertop	MDF
Coating countertop	varnish
Primary colour	Black
Folding	Yes
Adjustment height	No



MULTIFUNCTIONAL WORKBENCH

Mobile workbench, plastic, 350kg load GWPT-350

GWPT-350

Standalone item in the Gigant range

Load capacity	350 kg (225 kg on tabletop)
Tabletop	Impact-resistant plastic, 790x640 mm
Folding	Yes
Application	Mobile fold-out work surface for garage...



MECHANIC CREEPER

Mechanic creeper with headrest CC-02

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	CC-01, CC-02, GC-135R, GTLC-6
Type	Rolling creeper / mechanic seat
Wheels	4 - 6 casters
Extra	GC-135R has a drawer +1 more



REINFORCED SAFETY STAND

Reinforced safety stand 2T HDS-2, 2pcs

HDS-2

Model 1 of 3 in the lineup

Type	stand safety
Max working height	420 mm
Min working height	278 mm
Load capacity	2 t
Net weight	4.8 kg
Housing material	Metal
Number in kit	2 pcs
Drive type	Mechanical
Dimensions (unpacked)	210x195x355 mm
Support diameter	no mm



REINFORCED SAFETY STAND

Reinforced safety stand 6T 2pcs HDS-6

HDS-6

Model 3 of 3 in the lineup

Type	stand safety
Jack type	stand
Max working height	600.000
Min working height	385.000
Load capacity	6.000
Net weight	12.900
Housing material	Steel
Number in kit	2
Case	No
Grade	Professional



REINFORCED SAFETY STAND

Reinforced safety stand 12T GIRA-12

GIRA-12

Standalone item in the Gigant range

Type	Stand, safety
Max working height	720 mm
Min working height	460 mm
Load capacity	12 t
Net weight	12 kg
Housing material	Metal



TRANSMISSION JACK STAND

Transmission jack stand 0.5T GGRA-0,5

GGRA-0,5

Standalone item in the Gigant range

Capacity	500 kg
Lift height	1100 - 2000 mm
Base	4-leg wheeled base
Actuation	Foot pedal, screw-lock column



PUMP TRANSFER FUEL PUMP-ACTION

Pump transfer fuel pump-action 24V GRF-147

GRF-147

Model 1 of 2 in the lineup

Performance	50.100
Type pump	External
Kind	electric
Voltage	24
For petrol	No
For oil	No
For antifreeze	No
For diesel	Yes
For kerosene	Yes
For grease grease	No



PUMP TRANSFER FUEL PUMP-ACTION

Pump transfer fuel pump-action 12V GRF-148

GRF-148

Model 2 of 2 in the lineup

Performance	50.000
Type pump	floor
Kind	electric
Voltage	12
For petrol	No
For oil	No
For antifreeze	No
For diesel	Yes
For kerosene	Yes
For grease grease	No



PUMP TRANSFER FUEL V

Pump transfer fuel 12V 80l/min GRF-152

GRF-152

Model 1 of 2 in the lineup

Performance	80.000
Type pump	floor
Kind	electric
Voltage	12
For petrol	No
For oil	No
For antifreeze	No
For diesel	Yes
For kerosene	Yes
For grease grease	No



PUMP TRANSFER FUEL V

Pump transfer fuel 24V 80l/min GRF-153

GRF-153

Model 2 of 2 in the lineup

Performance	80.000
Type pump	floor
Kind	electric
Voltage	24
For petrol	No
For oil	No
For antifreeze	No
For diesel	Yes
For kerosene	Yes
For grease grease	No



PUMP HYDRAULIC WITH HOSE
pump hydraulic with hose for 4t spreader GRF-139

GRF-139
Model 1 of 3 in the lineup

Volume working liquid	0.350
Max pressure	70.000
Drive	Manual
Length handle	265.000
Fitting	1/2
Net weight	6.200
Dimensions (unpacked)	680x160x160
Grade	Semi-professional



PUMP HYDRAULIC WITH HOSE
pump hydraulic with hose for 20t spreader GRF-141

GRF-141
Model 3 of 3 in the lineup

Volume working liquid	0.780
Max pressure	630.000
Drive	manual hydraulic
Length handle	500.000
Fitting	1/4"
Net weight	7.250
Dimensions (unpacked)	700x170x170
Grade	Semi-professional



OIL EXTRACTION PUMP
Oil extraction pump via dipstick tube GRF-150

2 item codes — see table
Merged card - 2 models in one line (see item codes below)

Item codes	GRF-150, OSG-400
Hose length	1.5 m
Power	12V DC
Application	Oil extraction via dipstick tube
Extra	OSG-400 = manual syringe version, 400 cc



BARREL PUMP
Barrel pump for oil/diesel/kerosene BP-01

BP-01
Standalone item in the Gigant range

Drive	Manual, vertical
For barrels	50 - 205 L
Media	Diesel, oil, kerosene
Application	Dispensing from drums/barrels



HAND OIL DISPENSING UNIT
Hand oil dispensing unit 10L GHOD-8
GHOD-8

Standalone item in the Gigant range

Tank capacity	10 L
Pump	Manual, 80 cm³/stroke
Hose length	1.8 m
Application	Portable manual oil dispensing



PNEUMATIC GREASE DISPENSER
Pneumatic grease dispenser, drum-mount 20L GPIDG-20

2 item codes — see table
Merged card - 2 models in one line (see item codes below)

Item codes	GPIDG-20, GPIDGB-20
Configuration	Drum-mount or built-in 20 L tank
Ratio	50:1
Application	For grease



MACHINE SANDBLASTING
Machine sandblasting 106l, GSM-106
GSM-106

Model 1 of 4 in the lineup

Type	pressure
Performance	3.000
Used abrasive	sand river, quartz sand +1 more
Pressure	8.6
Volume tank	106.000
Consumption abrasive	50
Air consumption	708
Min air consumption	708.000
Max air consumption	708.000
Sleeve in kit	Yes



MACHINE SANDBLASTING
Machine sandblasting 38l, GSM-38
GSM-38

Model 3 of 4 in the lineup

Type	pressure
Performance	3.000
Used abrasive	sand river, quartz sand +1 more
Pressure	6-9
Volume tank	38.000
Consumption abrasive	25-40
Air consumption	170-708
Min air consumption	170.000
Max air consumption	708.000
Sleeve in kit	Yes



MACHINE SANDBLASTING

Machine sandblasting 76l, GSM-76

GSM-76

Model 4 of 4 in the lineup

Type	pressure
Performance	3.000
Used abrasive	sand river, quartz sand +1 more
Pressure	6-9
Volume tank	76.000
Consumption abrasive	25-40
Air consumption	170-708
Min air consumption	170.000
Max air consumption	708.000
Sleeve in kit	Yes



PRESS HYDRAULIC

Press hydraulic 10t GHP-10

GHP-10

Model 1 of 2 in the lineup

Force	10.000
Working stroke	170.000
Type installation	desktop
Drive	manual hydraulic
Lifting bed min	180.000
Lifting bed max	350.000
Length	565.000
Width	560.000
Height	765.000
Briquetting	No



PRESS HYDRAULIC

Press hydraulic 20t GHP-20

GHP-20

Model 2 of 2 in the lineup

Force	20.000
Working stroke	910.000
Type installation	floor
Drive	manual hydraulic
Lifting bed min	330.000
Lifting bed max	1300.000
Length	690.000
Width	600.000
Height	1575.000
Briquetting	No



HYDRAULIC FRAME STRETCHER KIT

Hydraulic frame stretcher kit, 10t, 16pc PJ-01

PJ-01

Standalone item in the Gigant range

Ram force	10 t
Pieces	16
Type	Hydraulic
Application	Body/frame straightening and stretching



BREATHALYZER

Electrochemical breathalyzer GEHT-1

2 item codes — see table

Merged card - device + mouthpieces (see item codes below)

Item codes	GEHT-1, GMAT-1
Sensor type	Electrochemical
Display	Backlit LCD
Extra	GMAT-1 = 20 spare mouthpieces
Power	Built-in rechargeable battery

GIGANT



SECTION / 06

MACHINERY & CONSTRUCTION EQUIPMENT

Presses, mixers and heavy-duty machinery for construction and fabrication.



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail 600 mm PTC-600

PTC-600

Model 1 of 4 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	14.000
Cut length	600.000
Roller outer diameter	22
Roller inner diameter	10.5
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes
Laser pointer	No



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail 800 mm PTC-800

PTC-800

Model 2 of 4 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	14.000
Cut length	800.000
Roller outer diameter	22
Roller inner diameter	10.5
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes
Laser pointer	No



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail 900 mm PTC-900

PTC-900

Model 3 of 4 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	14.000
Cut length	900.000
Roller outer diameter	22
Roller inner diameter	6
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes
Laser pointer	No



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail 1200 mm PTC-1200

PTC-1200

Model 4 of 4 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	16.000
Cut length	1200.000
Roller outer diameter	22
Roller inner diameter	6
Roller thickness	6
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail series Laser PTC-600L

PTC-600L

Model 1 of 3 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	15.000
Cut length	600.000
Roller outer diameter	22
Roller inner diameter	6
Roller thickness	6
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail series Laser PTC-800L

PTC-800L

Model 2 of 3 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	15.000
Cut length	800.000
Roller outer diameter	22
Roller inner diameter	6
Roller thickness	6
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes



PROFESSIONAL TILE CUTTER RAIL

Professional Tile cutter rail series Laser PTC-1000L

PTC-1000L

Model 3 of 3 in the lineup

Type	Rail tile cutter
Cutting element	Roller
Cutting depth	15.000
Cut length	1000.000
Roller outer diameter	22
Roller inner diameter	6
Roller thickness	6
Circle cutter	No
Material worked	ceramic tile
With bearing	Yes



PROFESSIONAL ELECTRIC TILE CUTTER

Professional electric tile cutter TCS-720

TCS-720

Model 1 of 3 in the lineup

Power	800.000
Voltage	220
Power supply	Mains-powered
Material worked	All tile types
Spindle speed	2990.000
Bore diameter	25.4
Disc diameter	200
Disc diameter (inch)	8
Worktable size	780x390
Method cutting	pull-cut for tile carriage



PROFESSIONAL ELECTRIC TILE CUTTER
Professional electric tile cutter TCS-920

TCS-920
Model 2 of 3 in the lineup

Power	1500.000
Voltage	220
Power supply	Mains-powered
Material worked	All tile types
Spindle speed	2990.000
Bore diameter	25.4
Disc diameter	230
Disc diameter (inch)	9
Worktable size	950x390
Method cutting	pull-cut for tile carriage



PROFESSIONAL ELECTRIC TILE CUTTER
Professional electric tile cutter TCS-1200

TCS-1200
Model 3 of 3 in the lineup

Power	1800.000
Voltage	220
Power supply	Mains-powered
Material worked	All tile types
Spindle speed	2990.000
Bore diameter	25.4
Disc diameter	250
Disc diameter (inch)	10
Worktable size	1250x460
Method cutting	pull-cut for tile carriage



RAIL
Rail 1,88 m. SF-B1,88

SF-B1,88
Model 1 of 4 in the lineup

Length	1880.000
Width	120.000
Dimensions (unpacked)	1880x120x87
Net weight	3.600



RAIL
Rail 2,44 m. SF-B2,44

SF-B2,44
Model 2 of 4 in the lineup

Length	2440.000
Width	120.000
Dimensions (unpacked)	2440x120x87
Net weight	4.800



RAIL

Rail 3 m. SF-B3

SF-B3

Model 3 of 4 in the lineup

Length	3000.000
Width	120.000
Dimensions (unpacked)	3000x120x120
Net weight	5.880



RAIL

Rail 3,66 m. SF-B3,66

SF-B3,66

Model 4 of 4 in the lineup

Length	3660.000
Width	120.000
Dimensions (unpacked)	3660x120x87
Net weight	7.100



DRILLING MACHINE

Drilling machine Vario DP750V

DP750V

Model 1 of 8 in the lineup

Power (W)	750.000
Voltage	220/230
Spindle speed	500-2600
Min frequency rotation spindle	500.000
Max frequency rotation spindle	2600.000
Type construction	vertical drilling
Number speeds	1
Material worked	metal, cast iron, aluminium +2 more
Max drill bit diameter	13.000
Type drilling chuck	key



DRILLING MACHINE

Drilling machine Vario 2S DP800V

DP800V

Model 2 of 8 in the lineup

Power (W)	800.000
Voltage	220/230
Spindle speed	170-880/490-2600
Min frequency rotation spindle	170.000
Max frequency rotation spindle	2600.000
Type construction	vertical drilling
Number speeds	2
Material worked	metal, cast iron, aluminium +2 more
Max drill bit diameter	13.000
Type drilling chuck	Quick-clamping (keyless)



DRILLING MACHINE
Drilling machine DP813

DP813
Model 3 of 8 in the lineup

Power (W)	350.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	500-2500
Min frequency rotation spindle	500.000
Max frequency rotation spindle	2500.000
Type construction	vertical drilling
Number speeds	5
Material worked	metal, plastic, wood
Max drill bit diameter	13.000



DRILLING MACHINE
Drilling machine DP1016

DP1016
Model 4 of 8 in the lineup

Power (W)	450.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	200-2500
Type construction	vertical drilling
Number speeds	12
Material worked	metal, plastic, wood
Cone spindle	Morse taper2/MT2
Max drill bit diameter	16.000
Type drilling chuck	key



DRILLING MACHINE
Drilling machine DP1016F

DP1016F
Model 5 of 8 in the lineup

Power (W)	600.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	200 / 280 / 320 / 420 / 480 / 530 / 800 / 1260 / 1320 / 1550 / 2130 / 2500 rpm
Type construction	vertical drilling
Number speeds	12
Material worked	wood, metal
Cone spindle	Morse taper2/MT2
Max drill bit diameter	50.000



DRILLING MACHINE
Drilling machine DP1016FV

DP1016FV
Model 6 of 8 in the lineup

Power (W)	550.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	340-2200
Min frequency rotation spindle	340.000
Max frequency rotation spindle	2200.000
Type construction	vertical drilling
Number speeds	smooth adjustment
Material worked	wood, metal
Cone spindle	Morse taper2/MT2

Labels and markings on the products shown may differ from those on units supplied to your market.



DRILLING MACHINE
Drilling machine DP1316F

DP1316F
Model 7 of 8 in the lineup

Power (W)	850.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	190 / 240 / 290 / 350 / 410 / 480 / 530 / 590 / 660 / 720 / 1190 / 1350 / 1510 / 1970 / 2100 / 3000 rpm
Type construction	vertical drilling
Number speeds	16
Material worked	wood, metal
Cone spindle	Morse taper2/MT2
Max drill bit diameter	50.000



DRILLING MACHINE
Drilling machine DP1725

DP1725
Model 8 of 8 in the lineup

Power (W)	1100.000
Voltage	220/230
Type electric motor	asynchronous
Spindle speed	160-3000
Min frequency rotation spindle	160.000
Max frequency rotation spindle	3000.000
Type construction	vertical drilling
Number speeds	16
Material worked	metal, plastic, wood
Cone spindle	Morse taper3/MT3



DRILLING VISE
Drilling vise DV 75

DV 75
Model 1 of 4 in the lineup

Application	for drilling machine
Type	machine
Type vise	non-swivel
Swivel function	No
Working stroke	82.000
Jaw width	75.000
Housing material	Cast iron
Jaw material	Steel
Grade	Professional
Quick-clamp	No



DRILLING VISE
Drilling vise DV 100

DV 100
Model 2 of 4 in the lineup

Application	for drilling machine
Type	machine-mount
Type vise	non-swivel
Swivel function	No
Working stroke	110.000
Jaw width	100.000
Housing material	Cast iron
Jaw material	Steel
Grade	Professional
Quick-clamp	No



DRILLING VISE
Drilling vise DV 125

DV 125
Model 3 of 4 in the lineup

Application	for drilling machine
Type	machine
Type vise	non-swivel
Swivel function	No
Working stroke	128.000
Jaw width	125.000
Housing material	Cast iron
Jaw material	Steel
Grade	Professional
Quick-clamp	No



DRILLING VISE
Drilling vise DV 150

DV 150
Model 4 of 4 in the lineup

Application	for drilling machine
Type	machine
Type vise	non-swivel
Swivel function	No
Working stroke	152.800
Jaw width	153.000
Housing material	Cast iron
Jaw material	Steel
Grade	Professional
Quick-clamp	No



RADIAL DRILL PRESS
Radial drill press 550W DPJ-550

DPJ-550
Standalone item in the Gigant range

Power	550 W
Construction	Radial-arm (swing head) +1 more
Application	Off-center / large-workpiece drilling
Chuck	Keyed, standard taper mount



PROFESSIONAL SWIVEL MACHINIST'S VISE
Professional Swivel machinist's vise 100 mm GP-BV-100

GP-BV-100
Model 1 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	100.000
Working stroke	100.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	19600.000
Pipe jaw	Yes



PROFESSIONAL SWIVEL MACHINIST'S VISE
**Professional Swivel machinist's vise 125 mm
GP-BV-125**

GP-BV-125
Model 2 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	125.000
Working stroke	125.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	24500.000
Pipe jaw	Yes



PROFESSIONAL SWIVEL MACHINIST'S VISE
**Professional Swivel machinist's vise 150 mm
GP-BV-150**

GP-BV-150
Model 3 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	150.000
Working stroke	150.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	29400.000
Pipe jaw	Yes



PROFESSIONAL SWIVEL MACHINIST'S VISE
**Professional Swivel machinist's vise 200 mm
GP-BV-200**

GP-BV-200
Model 4 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	200.000
Working stroke	200.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	39200.000
Pipe jaw	Yes



SWIVEL MACHINIST'S VISE
Swivel machinist's vise G-BV-100

G-BV-100
Model 1 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	100.000
Working stroke	100.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	19600.000
Pipe jaw	No



SWIVEL MACHINIST'S VISE

Swivel machinist's vise G-BV-125

G-BV-125

Model 2 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	125.000
Working stroke	125.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Clamping force	25000.000
Pipe jaw	No



SWIVEL MACHINIST'S VISE

Swivel machinist's vise BV 150

BV 150

Model 3 of 4 in the lineup

Type	Machinist's (bench)
Jaw width	150 mm
Working stroke	137 mm
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Grade	Semi-professional
Dimensions (unpacked)	405x170x192 mm
Net weight	16.25 kg



SWIVEL MACHINIST'S VISE

Swivel machinist's vise G-BV-200

G-BV-200

Model 4 of 4 in the lineup

Type	Machinist's (bench)
Mounting method	Screws/bolts
Jaw width	200.000
Working stroke	200.000
Swivel function	Yes
Housing material	Cast iron
Jaw material	Steel
Anvil	Yes
Pipe jaw	No
Grade	Household



CROSS VISE

Cross vise for milling machines 75mm MV-75

MV-75

Standalone item in the Gigant range

Jaw width	75 mm
Travel	80 mm
Type	Machine cross vise (2-axis) for milling...
Body / jaw material	Cast iron body, steel jaws



PROFESSIONAL SHARPENING MACHINE D

Professional sharpening machine D-125mm
GPES-125

GPES-125

Model 1 of 4 in the lineup

Disc diameter	125.000
Engine/motor power	200.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Speed control	No
Grit disc	60/80



PROFESSIONAL SHARPENING MACHINE D

Professional sharpening machine D-150mm
GPES-150

GPES-150

Model 2 of 4 in the lineup

Disc diameter	150.000
Engine/motor power	300.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Speed control	No
Grit disc	60/80



PROFESSIONAL SHARPENING MACHINE D

Professional sharpening machine D-200mm
GPES-200

GPES-200

Model 3 of 4 in the lineup

Disc diameter	200.000
Engine/motor power	500.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Speed control	No
Grit disc	60/80



PROFESSIONAL SHARPENING MACHINE D

Professional sharpening machine for wet &
dry grinding D-150/200mm GPES-150/200

GPES-150/200

Model 4 of 4 in the lineup

Disc diameter	150.000
Engine/motor power	500.000
Type	for tool
Drive type	electric
Voltage	220
Frequency rotation grind. disc	2950.000
Grit disc	60/80
Size second sharpening disc	200
With low-speed wheel (wet sharpening/grinding)	Yes
Grade	Professional



SHARPENING MACHINE D
sharpening machine D-125mm GES-125

GES-125
Model 1 of 4 in the lineup

Disc diameter	125.000
Engine/motor power	150.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Grit disc	60/80
Grade	Semi-professional



SHARPENING MACHINE D
sharpening machine D-150mm GES-150

GES-150
Model 2 of 4 in the lineup

Disc diameter	150.000
Engine/motor power	200.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Grit disc	60/80
Grade	Semi-professional



SHARPENING MACHINE D
sharpening machine D-200mm GES-200

GES-200
Model 3 of 4 in the lineup

Disc diameter	200.000
Engine/motor power	400.000
Type	for tool
Drive type	electric
Type electric motor	asynchronous
Transmission	Straight
Voltage	220
Frequency rotation grind. disc	2950.000
Grit disc	60/80
Grade	Semi-professional



SHARPENING MACHINE D
sharpening machine with grinding belt D-150mm GMSB-150

GMSB-150
Model 4 of 4 in the lineup

Type	for tool
Engine/motor power	300.000
Voltage	220
Type electric motor	asynchronous
Spindle speed	2950.000
Grit disc	60
Disc diameter	150.000
Belt length	686.000
Belt width	50.000
Grade	Semi-professional

Labels and markings on the products shown may differ from those on units supplied to your market.



HYDRAULIC PIPE BENDER

Hydraulic pipe bender GPB-12

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GPB-12, MHPJ-16
Capacity	12 - 16 t
Type	Hydraulic, hand-pump
Frame	Welded steel A-frame
Application	Pipe & rebar bending



METAL CUTTING BAND SAW

Metal cutting band saw 550W MBS-115

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	MBS-115, MBS-125
Power	400 - 550 W
Max round stock	115 - 125 mm (90°)
Vise swivel	45° - 60°
Application	Cutting steel/cast iron/non-ferrous sto...



DRILL CORE HSS L

Drill Core Hss L D

38 item codes — see table

Merged card - 38 sizes/variants in one line (see Item codes below)

Sizes	30 mm 12 mm, 50 mm 12 mm +17 more
Item codes	GCD-3012, GCD-5012, GCD-3013 +16 more
Shank type	Weldon 19
Material	HSS steel
GOST	No



THICKENING MACHINE

Thickening machine TPJ-305-2000

TPJ-305-2000

Model 1 of 5 in the lineup

Max width processing	305.000
Max thickness workpiece (thicknesser)	160.000
Min thickness workpiece (thicknesser)	6.000
Max depth planing (thicknesser)	3.000
Type machine	thicknessing
Voltage	220
Consumed power	2000.000
Diameter planer shaft	45.000
Frequency rotation planer shaft	8000.000
Number knife	2



THICKENING MACHINE

Thickening machine TPJ-320-1600

TPJ-320-1600

Model 2 of 5 in the lineup

Max width processing	318.000
Max thickness workpiece (thickener)	150.000
Min thickness workpiece (thickener)	6.000
Max depth planing (thickener)	2.500
Depth planing	3
Type machine	thickening
Voltage	220
Consumed power	1600.000
Diameter planer shaft	48.000
Diameter dust extraction hole	50



THICKENING MACHINE

Thickening machine TPJ-320-1800HH

TPJ-320-1800HH

Model 3 of 5 in the lineup

Max width processing	318.000
Max thickness workpiece (thickener)	153.000
Min thickness workpiece (thickener)	5.000
Max depth planing (thickener)	3.000
Type machine	thickening
Voltage	220
Consumed power	1800.000
Frequency rotation planer shaft	10000.000
Number knife	5 & more than
Shaft Helical	Yes



THICKENING MACHINE

Thickening machine TPJ-330-1800

TPJ-330-1800

Model 4 of 5 in the lineup

Max width processing	330.000
Max thickness workpiece (thickener)	150.000
Min thickness workpiece (thickener)	6.000
Max depth planing (thickener)	2.500
Depth planing	3
Type machine	thickening
Voltage	220
Consumed power	1800.000
Diameter dust extraction hole	50
Frequency rotation planer shaft	9000.000



THICKENING MACHINE

Thickening machine TPJ-330-2000

TPJ-330-2000

Model 5 of 5 in the lineup

Max width processing	330.000
Max thickness workpiece (thickener)	160.000
Min thickness workpiece (thickener)	6.000
Max depth planing (thickener)	3.000
Depth planing	3
Type machine	thickening
Voltage	220
Consumed power	2000.000
Diameter planer shaft	45.000
Diameter dust extraction hole	45/50



JOINTER-PLANER MACHINE
Jointer-planer machine G-JP-10

2 item codes — see table
Merged card - 2 models in one line (see item codes below)

Item codes	G-JP-8, G-JP-10
Jointer table width	200 - 254 mm
Planer capacity	up to 254 mm
Motor power	1500 - 1800 W
Stand	Included steel stand



JOINTER MACHINE
Jointer machine 1800W TPM-155-1800

TPM-155-1800
Standalone item in the Gigant range

Power	1800 W
Max planing width	154 mm
Cutterhead speed	12000 rpm
Blades	2 (154.5x16.5x2 mm)
Application	Dedicated jointing/edge-planing machine



LATHE MACHINE
Lathe machine WLJ-1000

WLJ-1000
Model 1 of 4 in the lineup

Kind	lathe for wood
Type electric motor	asynchronous
Voltage	220
Consumed power	350.000
Spindle speed	850/1250/1750/2150
Min frequency rotation spindle	850.000
Max frequency rotation spindle	2150.000
Max diameter processing above bed	350.000
Distance between centers	1000.000
Cone spindle	Morse taper-2 (MT2)



LATHE MACHINE
lathe machine WLT-460

WLT-460
Model 2 of 4 in the lineup

Kind	lathe for wood
Type electric motor	asynchronous
Voltage	220
Consumed power	550.000
Output power	460.000
Spindle speed	500-3150
Max diameter processing over bed	305.000
Distance between centers	460.000
Cone spindle	Morse taper-2 (MT2)
Number speeds	5



LATHE MACHINE
lathe machine WLT-460VS

WLT-460VS
Model 3 of 4 in the lineup

Kind	lathe for wood
Type electric motor	brushed
Voltage	220
Consumed power	550.000
Spindle speed	650-1430, 1240-2790, 1600-3800
Min frequency rotation spindle	650.000
Max frequency rotation spindle	3800.000
Max diameter processing above bed	305.000
Height centers	155.000
Distance between centers	455.000



TABLE SAW
Table saw TSJ-1500

4 item codes — see table
Merged card - 4 models in one line (see item codes below)

Item codes	TSJ-1500, TSJ-210-1200 +2 more
Motor power	1200 - 1500 W
Blade diameter	210 - 254 mm
Max cutting depth	up to 85 mm
Table size	with extendable rip fence



LATHE MACHINE
lathe machine WLT-1100A

WLT-1100A
Model 4 of 4 in the lineup

Kind	lathe for wood
Type electric motor	asynchronous
Voltage	220
Consumed power	750.000
Output power	750.000
Spindle speed	500-2000
Min frequency rotation spindle	500.000
Max frequency rotation spindle	2000.000
Max diameter processing above bed	350.000
Height centers	1130.000



STRAP SAW
Strap saw BSJ-350

BSJ-350
Model 1 of 4 in the lineup

Power	350.000
Voltage	220/230
Type electric motor	asynchronous
Transmission	Straight
Number speeds	1
Speed movement tape	882.000
Backlight	No
Angle tilt table	45
Diameter dust extraction hole	40
Max width cut	200.000



STRAP SAW
strap saw BSJ-370

BSJ-370
Model 2 of 4 in the lineup

Power	370.000
Voltage	220/230
Type electric motor	asynchronous
Transmission	Straight
Number speeds	1
Speed movement tape	900.000
Backlight	No
Angle tilt table	0-45
Max width cut	205.000
Max depth cut	80.000



STRAP SAW
strap saw BSJ-550

BSJ-550
Model 3 of 4 in the lineup

Power	550.000
Voltage	220/230
Type electric motor	asynchronous
Transmission	strap
Number speeds	1
Speed movement tape	730.000
Backlight	No
Angle tilt table	0-45
Max width cut	250.000
Max depth cut	100.000



STRAP SAW
strap saw BSJ-1100

BSJ-1100
Model 4 of 4 in the lineup

Power	1100.000
Voltage	220/230
Type electric motor	asynchronous
Transmission	strap
Number speeds	2
Speed movement tape	800.000
Backlight	No
Angle tilt table	0-45
Diameter dust extraction hole	100
Max width cut	340.000



BELT BLADE TPI
belt blade 2240x10x0.5 4TPI GSB-2240x10x0.5-4

GSB-2240x10x0.5-4
Model 1 of 6 in the lineup

Type	for wood
Length	2240 mm
Thickness	0.5 mm
Width blades	10 mm
Constant tooth pitch	4 in
Variable tooth pitch	no in
Pack quantity	1 pcs
Net weight	0.15 kg



BELT BLADE TPI

belt blade 2240x12.5x0.5 4TPI GSB-2240x12.5x0.5-4

GSB-2240x12.5x0.5-4

Model 3 of 6 in the lineup

Type	for wood
Length	2240 mm
Thickness	0.5 mm
Width blades	12.5 mm
Constant tooth pitch	4 in
Variable tooth pitch	no in
Pack quantity	1 pcs



BELT BLADE TPI

belt blade 2560x12.5x0.5 6TPI GSB-2560x12.5x0.5-6

GSB-2560x12.5x0.5-6

Model 6 of 6 in the lineup

Type	for wood
Length	2560 mm
Thickness	0.5 mm
Width blades	12.5 mm
Constant tooth pitch	6 in
Variable tooth pitch	no in
Pack quantity	1 pcs



SCROLL SAW

Scroll saw 90W 16in SSJ-90

SSJ-90

Standalone item in the Gigant range

Power	90 W
Throat depth	16" (406 mm)
Table	Cast-iron, tilts up to 45°
Application	Fine woodworking, fretwork, curves



EDGE BANDING MACHINE

Edge banding machine 1200W MF170A

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	MF170A, MF171A
Power	1200 W
Weight range	12 - 32 kg (portable to bench-mounted)
Application	PVC/veneer edge banding for furniture p...



UNIVERSAL WOODWORKING MACHINE
**Universal woodworking combo machine
1500W PSD-1500**

PSD-1500
Standalone item in the Gigant range

Power	1500 W
Functions	Drilling, sawing +1 more
Application	Small workshop - multi-function in plac...
Table	Extendable rip fence and sliding table



BELT DISC GRINDING MACHINE
Belt-disc grinding machine BDSJ 25/125

BDSJ 25/125
Model 1 of 4 in the lineup

Voltage	220(230)
Material worked	Wood
Consumed power	300.000
Frequency rotation grind. disc	2980
Speed movement tape	860
Disc diameter	125.000
Belt length	762.000
Belt width	25.400
Worktable size	185x98
Angle tilt table (disc)	0..+45



BELT DISC GRINDING MACHINE
Belt-disc grinding machine BDSJ 100/152E

BDSJ 100/152E
Model 2 of 4 in the lineup

Voltage	220(230)
Material worked	Wood
Consumed power	500.000
Frequency rotation grind. disc	2980
Speed movement tape	450
Disc diameter	150.000
Belt length	915.000
Belt width	100.000
Worktable size	200x136
Angle tilt table (disc)	0...+45° °



BELT DISC GRINDING MACHINE
Belt-disc grinding machine BDSJ 100/152CI

BDSJ 100/152CI
Model 3 of 4 in the lineup

Voltage	220(230)
Material worked	Wood
Consumed power	500.000
Frequency rotation grind. disc	2980
Speed movement tape	450
Disc diameter	150.000
Belt length	915.000
Belt width	100.000
Worktable size	202x136
Angle tilt table (disc)	0...+45 °



BELT DISC GRINDING MACHINE

Belt-disc grinding machine BDSJ 150/228

BDSJ 150/228

Model 4 of 4 in the lineup

Voltage	220(230)
Material worked	Wood
Consumed power	1100.000
Frequency rotation grind. disc	2980
Speed movement tape	470
Disc diameter	229.000
Belt length	1220.000
Belt width	150.000
Worktable size	295x150
Angle tilt table (disc)	0...+45 °



BENCH VISE

Woodworking bench vise 165mm CV-165

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	CV-165, CV-180
Jaw width	165 - 180 mm
Opening capacity	115 - 200 mm
Body / jaw material	Cast iron body, steel jaws
Application	Woodworking bench vise



CHIP EXTRACTOR

Chip extractor DC700

DC700

Model 1 of 5 in the lineup

Type electric motor	asynchronous
Power (W)	750.000
Air consumption	15.000
Quantity dust bag bags	1
Quantity filtering bags	1
Volume dust bag bags	56.000
Volume filtering bags	56.000
Number suction holes	1
Voltage	220
Diameter nozzle vacuum cleaner	100



CHIP EXTRACTOR

chip extractor DCT750

DCT750

Model 2 of 5 in the lineup

Type electric motor	asynchronous
Power (W)	750.000
Air consumption	15.000
Quantity dust bag bags	1
Quantity filtering bags	1
Volume dust bag bags	57.000
Number suction holes	1
Voltage	220
Diameter nozzle vacuum cleaner	100
Collection chips of	wood



CHIP EXTRACTOR
chip extractor DCT1500

DCT1500
Model 3 of 5 in the lineup

Type electric motor	asynchronous
Power (W)	1500.000
Air consumption	42.600
Quantity dust bag bags	1
Quantity filtering bags	1
Volume dust bag bags	153.000
Volume filtering bags	153.000
Number suction holes	2
Voltage	220
Diameter nozzle vacuum cleaner	100/125



CHIP EXTRACTOR
Chip extractor DCT2200/380

DCT2200/380
Model 4 of 5 in the lineup

Type electric motor	asynchronous
Power (W)	2200.000
Air consumption	62.000
Quantity dust bag bags	2
Quantity filtering bags	2
Volume dust bag bags	307.000
Volume filtering bags	307.000
Number suction holes	3
Voltage	380
Diameter nozzle vacuum cleaner	100/150



CHIP EXTRACTOR
Professional Chip extractor DCT2200/380CF

DCT2200/380CF
Model 5 of 5 in the lineup

Type electric motor	asynchronous
Power (W)	2200.000
Air consumption	48.000
Quantity dust bag bags	1
Volume dust bag bags	180.000
Number suction holes	2
Voltage	380
Diameter nozzle vacuum cleaner	100/125
Collection chips of	wood
Type filtering element	cartridge, manual regeneration



PLATE COMPACTOR
Plate compactor BVP50-L152

BVP50-L152
Model 1 of 4 in the lineup

Motor/engine type	petrol
Depth seals	200.000
Power (W)	1850.000
Power (hp)	2.500
Engine	LC152F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Engine displacement	97
Fuel tank capacity	3.1
Centrifugal force	8.200



PLATE COMPACTOR

Plate compactor BVP60-L200

BVP60-L200

Model 2 of 4 in the lineup

Motor/engine type	petrol
Depth seals	250.000
Power (W)	4800.000
Power (hp)	6.500
Engine	G200F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Fuel tank capacity	3.6
Centrifugal force	10.200
Width plate	350.000



PLATE COMPACTOR

Plate compactor BVP80-L200

BVP80-L200

Model 3 of 4 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4800.000
Power (hp)	6.500
Frequency vibration	90.000
Engine	G200F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Engine displacement	196
Fuel tank capacity	3.6



PLATE COMPACTOR

Plate compactor BVP90-L200

BVP90-L200

Model 4 of 4 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4800.000
Power (hp)	6.500
Engine	G200F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Engine displacement	163
Fuel tank capacity	3.6
Centrifugal force	15.000



PLATE COMPACTOR WITH TANK

Plate compactor with tank for water BVP80T-L200

BVP80T-L200

Model 1 of 2 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4800.000
Power (hp)	6.500
Engine	G200F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Engine displacement	196
Fuel tank capacity	3.6
Centrifugal force	13.000



PLATE COMPACTOR WITH TANK

Plate compactor with tank for water BVP95T-L200

BVP95T-L200

Model 2 of 2 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4800.000
Power (hp)	6.500
Engine	G200F
Stroke cycle engine	4-x stroke
Manufacturer engine	Loncin
Engine displacement	196
Fuel tank capacity	3.6
Centrifugal force	15.000



PLATE COMPACTOR WITH TANK

Plate compactor with tank for water Honda Engine BVP80T-H160

BVP80T-H160

Model 1 of 2 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4000.000
Power (hp)	5.500
Engine	GX160
Stroke cycle engine	4-x stroke
Manufacturer engine	Honda
Engine displacement	163
Fuel tank capacity	3.1
Fuel consumption	1.4



PLATE COMPACTOR WITH TANK

Plate compactor with tank for water Honda Engine BVP95T-H160

BVP95T-H160

Model 2 of 2 in the lineup

Motor/engine type	petrol
Depth seals	300.000
Power (W)	4000.000
Power (hp)	5.500
Engine	GX160
Stroke cycle engine	4-x stroke
Manufacturer engine	Honda
Engine displacement	163
Fuel tank capacity	3.1
Centrifugal force	13.000



TROWEL MACHINE

Trowel machine ET-600

ET-600

Model 1 of 4 in the lineup

Type	manual
Consumed current	13.67
Voltage	220
Fuel consumption	-
Fuel tank capacity	-
Engine displacement	-
Power drive	2200.000
Power (hp)	2.990
Range frequency rotation	66 - 132
Diameter troweling surface	580.000



TROWEL MACHINE

Trowel machine GT-600L

GT-600L

Model 2 of 4 in the lineup

Type	manual
Consumed current	Not applicable
Voltage	Not applicable
Fuel consumption	1.7
Fuel tank capacity	3.6
Engine displacement	196
Power drive	4700.000
Power (hp)	6.500
Range frequency rotation	-
Diameter troweling surface	580.000



TROWEL MACHINE

Trowel machine GT-1000L

GT-1000L

Model 3 of 4 in the lineup

Type	manual
Fuel consumption	1.7
Fuel tank capacity	3.6
Power drive	4700.000
Power (hp)	6.500
Diameter trowelled surface	910.000
Motor/engine type	petrol
Engine	Loncin G200F
Size blades	350x146
Number blades	4



TROWEL MACHINE

Trowel machine Honda Engine GT-1000H

GT-1000H

Model 4 of 4 in the lineup

Type	manual
Fuel consumption	0.71
Fuel tank capacity	3.1
Power drive	4000.000
Power (hp)	5.500
Diameter trowelled surface	910.000
Motor/engine type	petrol
Engine	Honda GX-160
Size blades	350x146
Number blades	4



PORTABLE MANUAL VIBRATOR

Portable (manual) vibrator PV-800

PV-800

Model 1 of 4 in the lineup

Diameter mace vibrator	35.000
Length mace vibrator	385.000
Length shaft	1.500
Built-in converter	No
Flexible shaft in kit	yes (possible change)
Voltage	220
Frequency vibration	13000.000
Effective diameter seals	20
Consumed current	4.000
Cable length	1,3



PORTABLE MANUAL VIBRATOR

Portable (manual) vibrator PV-900

PV-900

Model 2 of 4 in the lineup

Diameter mace vibrator	35.000
Length mace vibrator	385.000
Length shaft	1.500
Flexible shaft in kit	yes (replaceable)
Voltage	220
Frequency vibration	13000.000
Effective diameter seals	20
Consumed current	4.000
Cable length	1,35
Type	submersible (poker) vibrator



PORTABLE MANUAL VIBRATOR

Portable (manual) vibrator PV-1500

PV-1500

Model 3 of 4 in the lineup

Diameter mace vibrator	35.000
Length mace vibrator	385.000
Length shaft	1.500
Built-in converter	No
Flexible shaft in kit	yes (possible change)
Voltage	220
Frequency vibration	13000.000
Effective diameter seals	20
Consumed current	7.000
Cable length	1.6



PORTABLE MANUAL VIBRATOR

Portable vibrator PVJ-800

PVJ-800

Model 4 of 4 in the lineup

Diameter mace vibrator	35.000
Length mace vibrator	360.000
Length shaft	1.000
Voltage	220
Frequency vibration	13000.000
Effective diameter seals	20
Cable length	2
Type	submersible (poker) vibrator
Power (W)	800.000
Grade	Household



VIBRATING RAMMER

Vibrating rammer BVT75-L168

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	BVT75-L168, BVT75-H160, EVT90-2.2/380
Drive	Gasoline / electric
Engine power	5.5 - 6.5 hp / 2.2 kW
Impact force	up to 14 kN
Plate size	280x330 mm
Frequency	~700 bpm



VIBRATING SCREED

Vibrating screed SF-140FA

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	SF-140FA, SF-35H
Engine power	1.0 - 1.2 hp
Beam length	fits 1.88 - 4 m rails
Application	Concrete slab leveling & compaction
Vibration frequency	up to 6000 vpm



PROFESSIONAL CDRILLING MACHINE

Professional Cdrilling machine EDM-180

EDM-180

Model 1 of 4 in the lineup

Type	drill rig+stand
Voltage	220
Power (W)	3800.000
Max drill bit diameter	180.000
Type drilling	wet & dry
Number speeds	1
Spindle speed	660
Speed control	No
Frequency	50
Consumed current	17.200



PROFESSIONAL CDRILLING MACHINE

Professional Cdrilling machine EDM-205B

EDM-205B

Model 2 of 4 in the lineup

Type	drill rig + stand
Voltage	220
Power (W)	4000.000
Max drill bit diameter	205.000
Type drilling	wet & dry
Number speeds	1
Spindle speed	630
Speed control	No
Fit core bits	external 1 1/4
Protective coupling	Yes



PROFESSIONAL CDRILLING MACHINE

Professional Cdrilling machine EDM-230B

EDM-230B

Model 3 of 4 in the lineup

Type	drill rig+stand
Voltage	220
Power (W)	4180.000
Max drill bit diameter	230.000
Type drilling	wet & dry
Number speeds	1
Spindle speed	530
Speed control	No
Frequency	50
Consumed current	19.000



PROFESSIONAL CDRILLING MACHINE

Professional Cdrilling machine EDM-255BC

EDM-255BC

Model 4 of 4 in the lineup

Type	drill rig+stand
Voltage	220
Power (W)	4350.000
Max drill bit diameter	255.000
Type drilling	wet & dry
Number speeds	2
Spindle speed	530/820
Speed control	No
Frequency	50
Consumed current	19.700



PROFESSIONAL DIAMOND SEGMENTED DRILL

Professional Diamond Segmented Drill Unc

15 item codes — see table

Merged card - 15 sizes/variants in one line (see Item codes below)

Sizes	27x450x3x1,1 4, 32x450x3x1,1 4 +13 more
Item codes	GDSD-27450, GDSD-32450 +13 more
Type drilling	wet
Length	450.000
Fit	1 1/4 inch internal
Shank	1 1/4 inch internal
With micro-impact	No
For reinforced concrete/reinforced concrete	Yes
For porcelain tile	No
For stone	Yes



GIGANT

SECTION / 07

GARDEN & OUTDOOR

Ladders, ground care and outdoor equipment for landscaping and exterior work.



CHAINSAW PETROL WITH
Chainsaw petrol 0,95 hp, GTSL-05

GTSL-05
Model 1 of 4 in the lineup

Class saws	Household
Power (hp)	0.950
Power (kW)	0.700
Stroke cycle engine	2-x stroke
Engine displacement	25.400
Oil tank capacity	0.160
Fuel tank capacity	0.230
Length tires	25.000
Length tires (in)	10
Pitch chain	3/8 (0.375)



CHAINSAW PETROL WITH
Chainsaw petrol 2,6 hp, GTSL-04

GTSL-04
Model 2 of 4 in the lineup

Class saws	Household
Power (hp)	2.600
Power (kW)	1.900
Stroke cycle engine	2-x stroke
Engine displacement	52.000
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	45.000
Length tires (in)	18
Pitch chain	0.325
Width groove	1.5
Number links	72.000



CHAINSAW PETROL WITH
Chainsaw petrol 3,4 l.with, GTSL-03

GTSL-03
Model 3 of 4 in the lineup

Class saws	Semi-professional
Power (hp)	3.400
Power (kW)	2.400
Stroke cycle engine	2-x stroke
Engine displacement	52.000
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	50.500
Length tires (in)	20
Pitch chain	0.325



CHAINSAW PETROL WITH
Chainsaw petrol 3,5 hp, GTSL-02

GTSL-02
Model 4 of 4 in the lineup

Class saws	Semi-professional
Power (hp)	3.500
Power (kW)	2.600
Stroke cycle engine	2-x stroke
Engine displacement	57.200
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	45.000
Length tires (in)	18
Pitch chain	3/8 (0.375)



CHAINSAW WITH
chainsaw 16" 2,45 hp/40 cm3 GSAF-07
GSAF-07
Model 1 of 5 in the lineup

Class saws	Household
Power (hp)	2.450
Power (kW)	1.800
Stroke cycle engine	2-x stroke
Engine displacement	40.000
Oil tank capacity	0.210
Fuel tank capacity	0.450
Length tires	40.000
Length tires (in)	16
Pitch chain	3/8 (0.375)



CHAINSAW WITH
chainsaw 16" 3,1 hp/45 cm3 GSAF-09
GSAF-09
Model 2 of 5 in the lineup

Class saws	Household
Power (hp)	3.100
Power (kW)	2.300
Stroke cycle engine	2-x stroke
Engine displacement	45.000
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	40.000
Length tires (in)	16
Pitch chain	0.325
Width groove	1.3
Number links	64.000



CHAINSAW WITH
chainsaw 20" 3,4 hp/50 cm3 GSAF-08
GSAF-08
Model 3 of 5 in the lineup

Class saws	Semi-professional
Power (hp)	3.400
Power (kW)	2.500
Stroke cycle engine	2-x stroke
Engine displacement	50.000
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	50.500
Length tires (in)	20
Pitch chain	0.325



CHAINSAW WITH
chainsaw 20" 3,8 hp/52 cm3 GSAF-06
GSAF-06
Model 4 of 5 in the lineup

Class saws	Semi-professional
Power (hp)	3.800
Power (kW)	2.800
Stroke cycle engine	2-x stroke
Engine displacement	52.000
Oil tank capacity	0.260
Fuel tank capacity	0.550
Length tires	50.500
Length tires (in)	20
Pitch chain	0.325
Width groove	1.5
Number links	76.000



CHAINSAW WITH
chainsaw 20" 4,2 hp/60,5 cm3 GSAF-10

GSAF-10

Model 5 of 5 in the lineup

Class saws	Semi-professional
Power (hp)	4.200
Power (kW)	3.100
Stroke cycle engine	2-x stroke
Engine displacement	60.500
Oil tank capacity	0.230
Fuel tank capacity	0.600
Length tires	50.000
Length tires (in)	20
Pitch chain	0.325



SAW ELECTRIC
Saw electric 12", 1,5 kW GSAF-14

GSAF-14

Model 1 of 5 in the lineup

Grade	Household
Voltage	220
Power	1500.000
Position engine	cross
Length tires	30.500
Length tires (in)	12
Pitch chain	3/8 (0.375)
Width groove	1.3
Oil tank capacity	110.000
Speed rotation chain	12



SAW ELECTRIC
Saw electric 14", 1,8 kW GSAF-11

GSAF-11

Model 2 of 5 in the lineup

Grade	Semi-professional
Voltage	220
Power	1800.000
Position engine	cross
Length tires	35.500
Length tires (in)	14
Pitch chain	3/8 (0.375)
Width groove	1.3
Oil tank capacity	140.000
Speed rotation chain	15
Number links	52
Tool-free adjustment tension chain	Yes



SAW ELECTRIC
Saw electric 16", 2,2 kW GSAF-12

GSAF-12

Model 3 of 5 in the lineup

Grade	Household
Voltage	220
Power	2200.000
Position engine	cross
Length tires	40.000
Length tires (in)	16
Pitch chain	3/8 (0.375)
Width groove	1.3
Oil tank capacity	260.000
Speed rotation chain	15



SAW ELECTRIC
Saw electric 16", 2,5 kW GSAF-15

GSAF-15
Model 4 of 5 in the lineup

Grade	Household
Voltage	220 V
Power	2500 W
Position engine	cross
Length tires	40 cm
Length tires (in)	16
Pitch chain	3/8 (0.375) in
Oil tank capacity	320 ml
Number links	57 pcs
Tool-free adjustment tension chain	Yes
Presence of brake	Yes
Soft start	No



SAW ELECTRIC
Saw electric 18", 2,8 kW GSAF-13

GSAF-13
Model 5 of 5 in the lineup

Grade	Household
Voltage	220
Power	2800.000
Position engine	longitudinal
Length tires	45.000
Length tires (in)	18
Pitch chain	3/8 (0.375)
Width groove	1.3
Oil tank capacity	110.000
Speed rotation chain	15



LAWNMOWER ELECTRIC
Lawnmower electric GSAF-01

GSAF-01
Model 1 of 3 in the lineup

Motor/engine type	electric
Grade	Household
Self-propelled	No
Power (kW)	1.200
Brush-type engine	Yes
Asynchronous engine	No
System transmission	Straight
Width bevel	32.000
Height bevel min	25.000
Height bevel max	60.000



LAWNMOWER ELECTRIC
Lawnmower electric GSAF-02

GSAF-02
Model 2 of 3 in the lineup

Motor/engine type	electric
Grade	Household
Self-propelled	No
Power (kW)	1.500
Brush-type engine	Yes
Asynchronous engine	No
System transmission	strap
Width bevel	37.000
Height bevel min	25.000
Height bevel max	75.000
Adjustment height bevel	central
Quantity modes adjustment height	3



LAWNMOWER ELECTRIC
Lawnmower electric GSAF-03

GSAF-03
Model 3 of 3 in the lineup

Motor/engine type	electric
Grade	Household
Self-propelled	No
Power (kW)	1.800
Brush-type engine	Yes
Asynchronous engine	No
System transmission	strap
Width bevel	40.000
Height bevel min	25.000
Height bevel max	75.000



LAWNMOWER PETROL WITH
Lawnmower petrol 3,5 hp PLM-03

PLM-03
Model 1 of 4 in the lineup

Grade	Household
Self-propelled	Yes
Motor/engine type	petrol
Model engine	DV150
Manufacturer engine	Gigant Eva 1
Stroke cycle engine	four-stroke
Power (kW)	2.600
Power (hp)	3.530
Grass catcher	Yes
Type grass catcher	Combination



LAWNMOWER PETROL WITH
Lawnmower petrol 4 hp PLM-02

PLM-02
Model 3 of 4 in the lineup

Grade	Household
Self-propelled	Yes
Motor/engine type	petrol
Model engine	DV170
Manufacturer engine	Gigant Eva 1
Stroke cycle engine	four-stroke
Power (kW)	3.000
Power (hp)	4.000
Grass catcher	Yes
Type grass catcher	Combination



LAWNMOWER PETROL WITH
Lawnmower petrol 6 hp PLM-04

PLM-04
Model 4 of 4 in the lineup

Grade	Household
Self-propelled	Yes
Motor/engine type	petrol
Model engine	DV200
Manufacturer engine	Gigant Eva 1
Stroke cycle engine	four-stroke
Power (kW)	3.800
Power (hp)	6.000
Grass catcher	Yes
Type grass catcher	Combination



LAWNMOWER PETROL WITH ELECTRIC

Lawnmower petrol with electric start 4,5 hp
PLM-01

PLM-01

Model 1 of 2 in the lineup

Grade	Household
Self-propelled	Yes
Motor/engine type	petrol
Model engine	DV150
Manufacturer engine	Gigant Eva 1
Stroke cycle engine	four-stroke
Power (kW)	2.600
Power (hp)	4.500
Grass catcher	Yes
Type grass catcher	rigid



LAWNMOWER PETROL WITH ELECTRIC

Lawnmower petrol with electric start 7 hp
PLM-05

PLM-05

Model 2 of 2 in the lineup

Grade	Household
Self-propelled	Yes
Motor/engine type	petrol
Model engine	DV224
Manufacturer engine	Gigant Eva 1
Stroke cycle engine	four-stroke
Power (kW)	4.400
Power (hp)	7.000
Grass catcher	Yes
Type grass catcher	Combination



BLADE FOR PETROL LAWMOWER

Blade For Petrol Lawnmower

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	45.500, 45.500, 50.000, 50 cm, 52.500
Item codes	SKL-101, SKL-103, SKL-102 +2 more
Type	blade



TRIMMER ELECTRIC WITH UPPER

Trimmer electric with upper position engine
1,5 kW, line/blade GTOP-01

GTOP-01

Model 1 of 2 in the lineup

Grade	Household
Voltage	220
Power (kW)	1.500
Motor/engine type	electric
Engine type	Brush-type
Position engine	upper
Rpm engine	7000
Max frequency rotation spindle	7000.000
Cutting element	trimmer line/blade
Mounting trimmer head	M10x1,25 LH-F



TRIMMER ELECTRIC WITH UPPER

Trimmer electric with upper position engine
1,7 kW, line/blade GTOP-02

GTOP-02

Model 2 of 2 in the lineup

Grade	Household
Voltage	220
Power (kW)	1.700
Motor/engine type	electric
Engine type	Brush-type
Position engine	upper
Rpm engine	7000
Max frequency rotation spindle	7000.000
Cutting element	trimmer line/blade
Mounting trimmer head	M10x1,25 LH-F



TRIMMER PETROL WITH UPPER

Trimmer petrol 1,7 hp, GTSL-06

GTSL-06

Model 1 of 6 in the lineup

Grade	Household
Motor/engine type	petrol
Stroke cycle engine	two-stroke
Position engine	upper
Power (kW)	1.250
Power (hp)	1.700
Engine displacement	42.700
Drive shaft	rigid
Collapsible shaft	Yes
Adjustable rod	No
Type starter	Manual
Type handle	U--shaped (bicycle-style)



TRIMMER PETROL WITH UPPER

Trimmer petrol CG-KW-520

CG-KW-520

Model 2 of 6 in the lineup

Grade	Household
Motor/engine type	petrol
Stroke cycle engine	two-stroke
Position engine	upper
Power (kW)	1.600
Power (hp)	2.100
Engine displacement	52.000
Drive shaft	rigid
Collapsible shaft	No
Adjustable rod	No
Type starter	Manual
Type handle	U--shaped (bicycle-style)



TRIMMER PETROL WITH UPPER

Trimmer four-stroke 2 hp, trimmer line/disc
SKY-53

SKY-53

Model 3 of 6 in the lineup

Motor/engine type	petrol
Stroke cycle engine	four-stroke
Position engine	upper
Power (kW)	1.350
Power (hp)	2.000
Cutting element	trimmer line/disc
Type handle	U--shaped (bicycle-style)
Engine displacement	47.600
Type starter	Manual
Drive shaft	rigid
Collapsible shaft	No
Bore diameter	25.4



TRIMMER PETROL WITH UPPER

Trimmer petrol 2-stroke, 3,3 hp, line/blade, shoulder strap **GSAF-18**

GSAF-18

Model 4 of 6 in the lineup

Grade	Household
Motor/engine type	petrol
Stroke cycle engine	two-stroke
Position engine	upper
Power (kW)	2.500
Power (hp)	3.300
Engine displacement	51.700
Drive shaft	rigid
Collapsible shaft	Yes
Adjustable rod	No
Type starter	Manual
Type handle	U--shaped (bicycle-style)



TRIMMER PETROL WITH UPPER

Trimmer petrol 2-stroke, 3 hp, line/blade/disc, shoulder strap **GSAF-17**

GSAF-17

Model 5 of 6 in the lineup

Grade	Household
Motor/engine type	petrol
Stroke cycle engine	two-stroke
Position engine	upper
Power (kW)	2.100
Power (hp)	3.000
Engine displacement	52.000
Drive shaft	rigid
Collapsible shaft	No
Adjustable rod	No
Type starter	Manual
Type handle	U--shaped (bicycle-style)



TRIMMER PETROL WITH UPPER

Trimmer petrol 2-stroke, 3 hp, line/blade, shoulder strap, fixed (non-collapsible) rod **GSAF-16**

GSAF-16

Model 6 of 6 in the lineup

Grade	Household
Motor/engine type	petrol
Stroke cycle engine	two-stroke
Position engine	upper
Power (kW)	2.200
Power (hp)	3.000
Engine displacement	52.000
Drive shaft	rigid
Collapsible shaft	No
Adjustable rod	No
Type starter	Manual
Type handle	U--shaped (bicycle-style)



TRIMMER PETROL WHEELED

Trimmer wheeled four-stroke 5 hp, trimmer line **SKY-54**

SKY-54

Motor/engine type	petrol
Stroke cycle engine	four-stroke
Position engine	upper
Power (kW)	3.000
Power (hp)	5.000
Cutting element	trimmer line
Type handle	folding
Engine displacement	170.000
Type starter	Manual
Collapsible shaft	No
Bore diameter	Not applicable
Thickness trimmer line	4



PROTECTIVE COVER FOR TRIMMER

Protective cover for trimmer SKL18-26

SKL18-26

Model 1 of 2 in the lineup

Compatibility	GSAF-18
Material	Plastic
Colour	Black
Length	300.000
Width	190.000
Depth	95.000
Dimensions (unpackaged)	300x190x95
Net weight	0.250



PROTECTIVE COVER FOR TRIMMER

Protective cover for trimmer SKL1617-26

SKL1617-26

Model 2 of 2 in the lineup

Compatibility	under rod 26 mm
Material	Plastic
Colour	orange
Length	375.000
Width	200.000
Depth	80.000
Dimensions (unpackaged)	375x200x80
Net weight	0.221



BLOWER ELECTRIC

Electric blower GBVER-01

GBVER-01

Model 1 of 3 in the lineup

Grade	Household
Type	electric
Backpack	Yes
Power (kW)	1.200
Engine type	Brush-type
Waste collector	Yes
Function	blowing, mulching, suction
Material impeller	Plastic
Adjustment speed air flow	Yes
Max speed air	75.000
Max volume air	800.000
Dimensions (unpackaged)	200x250x440



BLOWER ELECTRIC

Electric vacuum blower GBVER-02

GBVER-02

Model 2 of 3 in the lineup

Grade	Household
Type	electric
Backpack	Yes
Power (kW)	1.200
Engine type	Brush-type
Waste collector	Yes
Function	blowing, suction
Material impeller	Plastic
Adjustment speed air flow	Yes
Max speed air	75.000
Max volume air	815.000
Dimensions (unpackaged)	440x150x300



BLOWER ELECTRIC
Electric vacuum blower GBVER-03

GBVER-03
Model 3 of 3 in the lineup

Grade	Household
Type	electric
Backpack	Yes
Power (kW)	1.500
Engine type	Brush-type
Waste collector	Yes
Function	blowing, mulching, suction
Material impeller	Plastic
Adjustment speed air flow	Yes
Max speed air	75.000
Max volume air	830.000
Dimensions (unpacked)	440x150x300



BLOWER PETROL
Blower petrol LU-03

LU-03
Model 1 of 4 in the lineup

Grade	Household
Type	petrol
Backpack	No
Function	blowing, mulching, suction
Power (kW)	0.735
Power (hp)	1.000
Engine	Gigant
Engine displacement	25.4
Model engine	1E34F
Volume tank	0.45



BLOWER PETROL
Blower petrol LU-05

LU-05
Model 2 of 4 in the lineup

Type	petrol
Backpack	Yes
Function	blowing
Power (kW)	1.62
Power (hp)	2.2
Adjustment speed air flow	Yes
Max volume air	900 m³/h
Spark plug ignition	RCJ7Y
Dimensions (unpacked)	1520x465x450 mm
Net weight	9.5 kg



BLOWER PETROL
Blower petrol LU-06

LU-06
Model 3 of 4 in the lineup

Type	petrol
Backpack	Yes
Function	blowing
Power (kW)	3.1
Power (hp)	4.21
Adjustment speed air flow	Yes
Max volume air	1500 m³/h
Spark plug ignition	BPMR7A
Dimensions (unpacked)	1780x480x530 mm
Net weight	11.6 kg



BLOWER PETROL BACKPACK

Blower petrol backpack LU-01

LU-01

Model 1 of 2 in the lineup

Grade	Household
Type	petrol
Backpack	Yes
Function	blowing
Power (kW)	1.840
Power (hp)	2.500
Engine	Gigant
Engine displacement	52
Model engine	1E40-5F
Volume tank	0,6



BLOWER PETROL BACKPACK

Blower petrol backpack LU-02

LU-02

Model 2 of 2 in the lineup

Grade	Household
Type	petrol
Backpack	Yes
Function	blowing
Power (kW)	2.700
Power (hp)	3.670
Engine	Gigant
Engine displacement	63.3
Model engine	1E48F
Volume tank	1.7



PETROL AUGER GD WITHOUT

Petrol auger GGD-001 /GD-001 without auger

GGD-001

Model 1 of 4 in the lineup

Grade	Household
Power (hp)	2.450
Power (W)	1700.000
Max diameter auger	200.000
Max torque torque auger	80
Speed	8000
Engine displacement	52.000
Fuel tank capacity	1.2
Rated depth drilling	80
Fuel consumption	670



PETROL AUGER GD WITHOUT

Petrol auger GGD-002 /GD-002 without auger

GGD-002

Model 2 of 4 in the lineup

Grade	Household
Power (hp)	3.300
Power (W)	2200.000
Max diameter auger	250.000
Max torque torque auger	104
Speed	8000
Engine displacement	68.000
Fuel tank capacity	1.2
Rated depth drilling	80
Fuel consumption	630
Reverse function	No
Engine	2-stroke



PETROL AUGER GD WITHOUT

Petrol auger GGD-003 /GD-003 without auger
GGD-003

Model 3 of 4 in the lineup

Grade	Household
Power (hp)	3.300
Power (W)	2200.000
Max diameter auger	300.000
Speed	8000
Engine displacement	68.000
Fuel tank capacity	1.2
Rated depth drilling	80
Reverse function	No
Engine	2-stroke



PETROL AUGER GD WITHOUT

Petrol auger GGD-004 /GD-004 without
auger

GGD-004

Model 4 of 4 in the lineup

Grade	Household
Power (hp)	3.300
Power (W)	2200.000
Max diameter auger	250.000
Speed	8000
Engine displacement	68.000
Fuel tank capacity	1.2
Rated depth drilling	150
Reverse function	No
Engine	2-stroke



PETROL EARTH AUGER WITH

Powered earth auger with auger bit, 1,99 hp,
52 cm3, d auger-250mm GSAF-04

GSAF-04

Model 1 of 2 in the lineup

Grade	Household
Power (hp)	1.990
Power (W)	1460.000
Max diameter auger	250.000
Max torque torque auger	96
Speed	8800
Engine displacement	52.000
Fuel tank capacity	1,2
Reverse function	No
Engine	2-stroke
Connection diameter	20
Auger V kit	Yes



PETROL EARTH AUGER WITH

Powered earth auger with auger bit, 3,26 hp,
71 cm3, d auger-300mm GSAF-05

GSAF-05

Model 2 of 2 in the lineup

Grade	Household
Power (hp)	3.260
Power (W)	2400.000
Max diameter auger	300.000
Max torque torque auger	96
Speed	9000
Engine displacement	71.000
Fuel tank capacity	1,2
Rated depth drilling	80
Reverse function	No
Engine	2-stroke
Connection diameter	20



AUGER FOR PETROL EARTH

Auger For Petrol Earth Auger

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	100x800mm, 150x800mm, 200x800mm +2 more
Item codes	12-006, 12-007, 12-008, 12-009, 12-010
Product type	auger
Connection diameter	20
Type	for soil
Number starts	double-start
Removable blades	Yes
Length	800.000



BLADE REMOVABLE FOR AUGER

Blade removable for auger for soil 150mm 12-015

12-015

Model 1 of 2 in the lineup

Product type	blade
Size	150.000
Dimensions (unpacked)	150x30x15
Net weight	0.150



BLADE REMOVABLE FOR AUGER

Blade removable for auger for soil 200mm 12-016

12-016

Model 2 of 2 in the lineup

Product type	blade
Size	200.000
Dimensions (unpacked)	200x30x15
Net weight	0.200



PETROL SNOW BLOWER

Petrol snow blower SP-7-560MS

SP-7-560MS

Model 1 of 4 in the lineup

Motor/engine type	4-x stroke
Power (hp)	7.000
Engine displacement	209.000
Type movement	wheeled
Type transmission	Mechanical
Type auger	1-stepped
System augers	two-stage
Auger	Steel
Diameter auger	254.000
Rubber-coated auger	No



PETROL SNOW BLOWER

Petrol snow blower SP-7-610ES

SP-7-610ES

Model 2 of 4 in the lineup

Motor/engine type	4-x stroke
Power (hp)	7.000
Engine displacement	209.000
Type movement	wheeled
Type transmission	Mechanical
Type auger	1-stepped
System augers	two-stage
Auger	Steel
Diameter auger	254.000
Rubber-coated auger	No
Power (W)	5150.000
Noise level	96.000



PETROL SNOW BLOWER

Petrol snow blower SP-7-610MS

SP-7-610MS

Model 3 of 4 in the lineup

Motor/engine type	4-x stroke
Power (hp)	7.000
Engine displacement	209.000
Type movement	wheeled
Type transmission	Mechanical
Type auger	1-stepped
System augers	two-stage
Auger	Steel
Diameter auger	254.000
Rubber-coated auger	No



PETROL SNOW BLOWER

Petrol snow blower SP-8-710ES

SP-8-710ES

Model 4 of 4 in the lineup

Motor/engine type	4-x stroke
Power (hp)	8.000
Engine displacement	252.700
Type movement	wheeled
Type transmission	Mechanical
Type auger	1-stepped
System augers	two-stage
Auger	Steel
Diameter auger	254.000
Rubber-coated auger	No



PETROL SNOW BLOWER TRACKED

Petrol tracked snow blower SP-11-710ES

SP-11-710ES

Motor/engine type	4-x stroke
Manufacturer engine	Weima
Power (hp)	11.000
Engine displacement	302.000
Type movement	tracked stroke
Type transmission	Mechanical
Type auger	1-stepped
System augers	two-stage
Auger	Steel
Diameter auger	300.000
Rubber-coated auger	No
Power (W)	8100.000



ELECTRIC SNOW BLOWER

Electric snow blower SP-1500-280ES

SP-1500-280ES

Model 1 of 3 in the lineup

Motor/engine type	Brush-type
Type transmission	Mechanical
Type auger	1-stepped
Power from mains	220
System augers	single-stage
Auger	Plastic
Rubber-coated auger	No
Power (W)	1500.000
Noise level	82.000
Height bucket	15.000



ELECTRIC SNOW BLOWER

Electric snow blower SP-2000-580ES

SP-2000-580ES

Model 2 of 3 in the lineup

Motor/engine type	Brush-type
Type transmission	Mechanical
Type auger	1-stepped
Power from mains	220
System augers	single-stage
Auger	Plastic
Rubber-coated auger	No
Power (W)	2000.000
Noise level	83.000
Width bucket	58.000
Size tires	20
Max range discharge	7.500



ELECTRIC SNOW BLOWER

Electric snow blower SP-2300-460ES

SP-2300-460ES

Model 3 of 3 in the lineup

Motor/engine type	Brush-type
Type transmission	Mechanical
Type auger	1-stepped
Power from mains	220
System augers	single-stage
Auger	Plastic
Rubber-coated auger	No
Power (W)	2300.000
Noise level	83.000
Height bucket	20.000



WASHER HIGH PRESSURE MIN

Washer high pressure 7 l/min, 1400 W, GLU-02

GLU-02

Model 1 of 4 in the lineup

Power (kW)	1.400
Heating water	No
Performance	420.000
Capability intake water of barrels	Yes
Cleaning unit	46200.000
For light trucks, vans, pools	No
For SUVs, garden paths, facades	No
For motorcycles & passenger car vehicles	Yes
For bicycles & garden equipment	No
For agricultural machinery & livestock	No



WASHER HIGH PRESSURE MIN

Washer high pressure 7 l/min, 1400 W, GLU-04

GLU-04

Model 2 of 4 in the lineup

Power (kW)	1.400
Heating water	No
Performance	390.000
Capability intake water of barrels	Yes
Cleaning unit	46200.000
For light trucks, vans, pools	No
For SUVs, garden paths, facades	No
For motorcycles & passenger vehicles	Yes
For bicycles & garden equipment	No
For agricultural machinery & livestock	No
For food industry	No
Supply voltage	220/230



WASHER HIGH PRESSURE MIN

Washer high pressure 7 l/min, 1600 W, GLU-05

GLU-05

Model 3 of 4 in the lineup

Power (kW)	1.600
Heating water	No
Performance	420.000
Capability intake water of barrels	Yes
Cleaning unit	54600.000
For light trucks, vans, pools	No
For SUVs, garden paths, facades	No
For motorcycles & passenger car vehicles	Yes
For bicycles & garden equipment	No
For agricultural machinery & livestock	No



WASHER HIGH PRESSURE MIN

Washer high pressure 7 l/min, 1800 W, GLU-06

GLU-06

Model 4 of 4 in the lineup

Power (kW)	1.800
Heating water	No
Performance	420.000
Capability intake water of barrels	Yes
Cleaning unit	58800.000
For light trucks, vans, pools	No
For SUVs, garden paths, facades	No
For motorcycles & passenger car vehicles	Yes
For bicycles & garden equipment	No
For agricultural machinery & livestock	No



WASHER HIGH PRESSURE H

Washer high pressure 1,9 kW, 480 l/h, hose 5m, GLU-09

GLU-09

Model 1 of 3 in the lineup

Power (kW)	1.9
Heating water	No
Capability intake water of barrels	Yes
Performance	480 l/h
Cleaning unit	69600
Supply voltage	220/230 V
Max working pressure	145 bar
Max pressure water	145 bar
Electric starter	No
Hose length	5 m



WASHER HIGH PRESSURE H

Washer high pressure 2,3 kW, 550 l/h, hose 8m, GLU-07

GLU-07

Model 3 of 3 in the lineup

Power (kW)	2.3
Heating water	No
Capability intake water of barrels	Yes
Performance	550 l/h
Cleaning unit	88000
Supply voltage	220/230 V
Max working pressure	180 bar
Max pressure water	180 bar
Electric starter	No
Hose length	8 m



SHREDDER

Shredder GSVER-01

GSVER-01

Model 1 of 4 in the lineup

Type	electric
Motor/engine type	Brush-type
Voltage	220
Power (kW)	2.500
Shredding system	cutting knife
Wheels	Yes
Max diameter branches	40
Performance	No data
Waste collector	Yes
Volume waste collector	50



SHREDDER

Garden shredder GSVER-05

GSVER-05

Model 2 of 4 in the lineup

Type	electric
Motor/engine type	Brush-type
Voltage	220
Power (kW)	2.500
Shredding system	cutting knife
Wheels	Yes
Max diameter branches	45
Performance	No data
Waste collector	Yes
Volume waste collector	50
Housing material	Plastic
Mode reverse	No



SHREDDER

Shredder GSVER-04

GSVER-04

Model 3 of 4 in the lineup

Type	electric
Motor/engine type	Brushless
Voltage	220
Power (kW)	2.800
Shredding system	cutting shaft (milling)
Wheels	Yes
Max diameter branches	45
Performance	No data
Waste collector	Yes
Volume waste collector	60



SHREDDER SILENT

Silent electric shredder GSVER-03

GSVER-03

Model 4 of 4 in the lineup

Type	electric
Motor/engine type	Brushless
Voltage	220
Power (kW)	2.800
Shredding system	cutting shaft (milling-type)
Wheels	Yes
Max diameter branches	45
Performance	No data
Waste collector	Yes
Volume waste collector	60
Housing material	Plastic
Mode reverse	No



PUSHER FOR SHREDDER

Pusher for shredder SKL05-34

SKL05-34

Model 1 of 3 in the lineup

Length	290.000
Material	Plastic
Colour	Black
Compatibility with model	SKL05-34



PUSHER FOR SHREDDER

Pusher for shredder SKL02-34

SKL02-34

Model 3 of 3 in the lineup

Length	300.000
Material	Plastic
Colour	Black
Compatibility with model	SKL02-34



CULTIVATOR

Cultivator 1050 W GTVER-02

GTVER-02

Model 1 of 2 in the lineup

Motor/engine type	electric
Power (W)	1050.000
Voltage	230
Area	300
Area processing	to 2 sotka (100 m2)
Depth processing	220.000
Width processing	360.000
Type gearbox	worm-gear
Diameter cutters	205.000
Speed rotation cutters	390



CULTIVATOR

Cultivator 1500 W GTVER-01

GTVER-01

Model 2 of 2 in the lineup

Motor/engine type	electric
Power (W)	1500.000
Voltage	230
Area	300
Area processing	to 2 sotka (100 m2)
Depth processing	200.000
Width processing	450.000
Type gearbox	worm-gear
Diameter cutters	205.000
Speed rotation cutters	390



POWER CULTIVATOR (PETROL)

Power cultivator 6.5-7hp GSK-01

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GSK-01, GSK-02, GSK-03
Power range	6.5 - 7 hp, petrol
Working width	550 - 900 mm
Working depth	300 - 350 mm
Gears	Up to 1 forward / 1 reverse



WALK-BEHIND TRACTOR

Walk-behind tractor 7.8hp 3F/1R GSK-04

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GSK-04, GSK-05
Power	7.8 - 8 hp
Gears	2-3 forward / 1 reverse
Working width	90 - 110 cm
Attachments	Plow, hiller, tiller blades available



WELL PUMP

Well pump CACH-01

CACH-01

Model 1 of 2 in the lineup

Grade	Household
Series	Water jet
Type	well
Kind	submersible
Design	centrifugal
Voltage	230
Power	550.000
For increase pressure	No
Max lift height	50.000
Depth immersion	90.000



WELL PUMP

Well pump CACH-02

CACH-02

Model 2 of 2 in the lineup

Grade	Household
Series	-
Type	well
Kind	submersible
Design	centrifugal
Voltage	230
Power	750.000
For increase pressure	No
Max lift height	40.000
Depth immersion	16.000



WELL PUMP

Well pump CACH-10

CACH-10

Model 1 of 3 in the lineup

Series	Water jet
Type	well
Kind	submersible
Design	screw-type
Voltage	230
Power	420.000
Frequency	50
Max lift height	80.000
Depth immersion	20.000
Pressure	7.9



WELL PUMP

Well pump CACH-11

CACH-11

Model 2 of 3 in the lineup

Series	Vodomet
Type	well
Kind	submersible
Design	multistage
Voltage	230
Power	900.000
Frequency	50
Max lift height	57.000
Depth immersion	30.000
Pressure	5.63
Max pressure	5.630
Class protection	IPX8



WELL PUMP

Well pump CACH-12

CACH-12

Model 3 of 3 in the lineup

Series	Water jet
Type	well
Kind	submersible
Design	centrifugal
Voltage	230
Power	900.000
Frequency	50
Max lift height	57.000
Depth immersion	35.000
Pressure	10.86



SELF-PRIMING PUMP H D

Self-priming pump 600W, H-35m, d-8m, GP-15

GP-15

Model 1 of 2 in the lineup

Grade	Household
Series	Garden jet pump
Kind	surface
Type	self-priming
Design	centrifugal
Voltage	220
Power	600.000
Max lift height	35.000
Pressure	3.5
Max pressure	3.500



SELF-PRIMING PUMP H D

Self-priming pump 1100W, H-45m, d-8m, GP-10

GP-10

Model 2 of 2 in the lineup

Grade	Household
Series	Garden jet pump
Kind	surface
Type	self-priming
Design	centrifugal
Voltage	220
Power	1100.000
Max lift height	45.000
Pressure	4.5
Max pressure	4.500



PUMP STATION AUTOMATIC

Automatic pump station 600W, H-35m, d-8m, GP-17

GP-17

Model 1 of 4 in the lineup

Performance	50.000
Max lift height	35.000
Grade	Household
Series	Automatic Booster System
Kind	surface
Type	pump station
Design	centrifugal
Power	600.000
Voltage	220
Volume tank	19.000
Pressure	1.5-3
Max pressure	3.000



PUMP STATION AUTOMATIC

Automatic household water supply station 900W, H-42m, d-8m, GP-11

GP-11

Model 2 of 4 in the lineup

Performance	60.000
Max lift height	42.000
Grade	Household
Series	Automatic Booster System
Kind	surface
Type	pump station
Design	centrifugal
Power	900.000
Voltage	220
Volume tank	24.000
Pressure	1.5-3
Max pressure	3.000



PUMP STATION AUTOMATIC

Water supply station 1300W, H-50m, d-8m, GP-16

GP-16

Model 3 of 4 in the lineup

Performance	80.000
Max lift height	50.000
Grade	Household
Series	Automatic Booster System
Kind	surface
Type	pump station
Design	centrifugal
Power	1300.000
Voltage	220
Volume tank	24.000
Pressure	1.5-3
Max pressure	3.000



PUMP STATION AUTOMATIC

Automatic household water supply station 1300W, H-50m, d-8m, GP-14

GP-14

Model 4 of 4 in the lineup

Performance	70.000
Max lift height	50.000
Grade	Household
Series	Automatic Booster System
Kind	surface
Type	pump station
Design	centrifugal
Power	1300.000
Voltage	220
Volume tank	24.000
Pressure	1.5-3
Max pressure	3.000



SUBMERSIBLE SEWAGE PUMP

Submersible Sewage pump CACH-06

CACH-06

Model 1 of 5 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	230
Power	400.000
Max lift height	5.000
Depth immersion	7.000
Pressure	0,5 Pa
Max pressure	0.600



SUBMERSIBLE SEWAGE PUMP

Submersible Sewage pump CACH-07

CACH-07

Model 2 of 5 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	230
Power	450.000
Max lift height	6.500
Depth immersion	7.000
Pressure	0,65 Pa
Max pressure	0.700
Max temperature liquid	35.000
Class protection	IPX8



SUBMERSIBLE SEWAGE PUMP

Submersible Sewage pump CACH-04

CACH-04

Model 3 of 5 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	230
Power	750.000
Max lift height	7.500
Depth immersion	7.000
Pressure	0,75 Pa
Max pressure	0.800



SUBMERSIBLE SEWAGE PUMP

Submersible Sewage pump CACH-05

CACH-05

Model 4 of 5 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	230
Power	1200.000
Max lift height	9.000
Depth immersion	7.000
Pressure	0,9 Pa
Max pressure	1.200
Max temperature liquid	35.000
Class protection	IPX8



SUBMERSIBLE SEWAGE PUMP

Submersible Sewage pump CACH-08

CACH-08

Model 5 of 5 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	230
Power	2200.000
Max lift height	15.000
Depth immersion	9.000
Pressure	1,2 Pa
Max pressure	1.200



SEWAGE PUMP

Sewage pump 7/7 m, 550 W GFP-03

GFP-03

Model 1 of 4 in the lineup

Series	GFP
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	220
Power	550.000
Max lift height	7.000
Depth immersion	7.000
Pressure	0.5
Max pressure	0.500



SEWAGE PUMP

Sewage pump 10,5/7 m, 1100 W GFP-01

GFP-01

Model 2 of 4 in the lineup

Series	GFP
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	220
Power	1100.000
Max lift height	10.500
Depth immersion	7.000
Pressure	1.036
Max pressure	1.036
Max temperature liquid	35.000
Class protection	IPX8



SEWAGE PUMP

Sewage pump 11/7 m, 1300 W GFP-04

GFP-04

Model 3 of 4 in the lineup

Series	GFP
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	220
Power	1300.000
Max lift height	11.000
Depth immersion	7.000
Pressure	1.085
Max pressure	1.085



SEWAGE PUMP

Sewage pump GP-19

GP-19

Model 4 of 4 in the lineup

Series	FN
Type	sewage
Kind	submersible
Design	centrifugal
Voltage	220
Power	1500.000
Max lift height	11.000
Depth immersion	7.000
Pressure	1
Max pressure	1.200



DRAINAGE PUMP FOR DIRTY

Drainage pump for dirty water GP-18

GP-18

Model 1 of 4 in the lineup

Series	GP
Type	drainage for dirty water
Kind	submersible
Type power	Mains
Number batteries in kit	No
Performance	255.000
Permissible diameter solid particles	35.000
Design	centrifugal
Power	750.000
Voltage	220



DRAINAGE PUMP FOR DIRTY

Drainage pump for dirty water GGP-20

GGP-20

Model 2 of 4 in the lineup

Series	DN
Type	drainage for dirty water
Kind	submersible
Type power	Mains
Number batteries V kit	No
Performance	258.000
Permissible diameter solid particles	35.000
Design	centrifugal
Power	900.000
Voltage	220
Class protection	IPX8
Max lift height	8.000



DRAINAGE PUMP FOR DIRTY

Drainage pump for dirty water GGP-21

GGP-21

Model 3 of 4 in the lineup

Series	T3
Type	drainage for dirty water
Kind	submersible
Type power	Mains
Number batteries in kit	No
Performance	280.000
Permissible diameter solid particles	40.000
Design	centrifugal
Power	1100.000
Voltage	220



DRAINAGE PUMP FOR DIRTY

Submersible drainage pump, for dirty water CACH-09

CACH-09

Model 4 of 4 in the lineup

Series	DN
Type	drainage for dirty water
Kind	submersible
Type power	Mains
Number batteries V kit	No
Performance	330.000
Permissible diameter solid particles	40.000
Design	centrifugal
Power	1700.000
Voltage	230
Class protection	IPX8
Max lift height	10.000



MOTOR PUMP (WATER)

Motor pump for clean water, 7hp GWP50

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	WPL-1000, GWP50, GWP80, SKY-50
Engine	6 - 7 hp, petrol or diesel
Flow rate	up to 1000 l/min
Application	Clean water / dirty water transfer, irr...



AXE SPLITTING AXE GRAM

Splitting axe 2000 gram with fiberglass handle AHT20-1

AHT20-1

Model 1 of 3 in the lineup

Type	splitting axe
Handle material	rubber-coated fiberglass
Blade material	Steel
Overall length	695.000
Blade width	90.000
Dimensions (unpackaged)	695
Weight blade	2.000
Total weight	2.980
Packaging kind	without packaging
Grade	Household



AXE SPLITTING AXE GRAM

Splitting axe 3600 gram with fiberglass handle 900 mm AHT36-1

AHT36-1

Model 3 of 3 in the lineup

Type	splitting axe
Handle material	rubber-coated fiberglass
Blade material	Steel
Overall length	900.000
Blade width	94.000
Dimensions (unpackaged)	912x211x65
Weight blade	3.600
Total weight	4.640
Packaging kind	without packaging
Grade	Household

Labels and markings on the products shown may differ from those on units supplied to your market.



AXE SPLITTING AXE GRAM

Splitting axe 2700 gram with fiberglass handle 900 mm AHT27-1

AHT27-1

Model 2 of 3 in the lineup

Type	splitting maul
Handle material	rubber-coated fiberglass
Blade material	Steel
Overall length	900.000
Blade width	62.000
Dimensions (unpackaged)	900x90x28
Weight blade	2.700
Total weight	3.700
Packaging kind	without packaging
Grade	Household



AXE

Axe 1000g with fiberglass handle AHT10-1

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	AHT10-1, AHT600-1
Head weight	600 - 1000 g
Handle	Fiberglass, shock-absorbing
Application	General chopping & camp use



PRUNING SHEARS

Universal pruning shears 200mm GPU-1

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	GVER-01, GVER-22, GPU-1, GPU-2
Blade length	200 mm
Blade steel	High-carbon, some Teflon-coated
Type	Bypass, spring-loaded



LOPPERS

Universal loppers 750mm GLU-1

GLU-1

Standalone item in the Gigant range

Handle	Telescopic aluminum, 750 mm
Grip	Rubberized non-slip
Application	Thick branch pruning



GARDEN SPRAYER

Backpack sprayer 12L GS-03

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GS-01, GS-02, GS-03, GS-04, GS-07
Volume range	1.25 - 16 L
Type	Hand-pump / backpack / battery
Application	Plant treatment & watering



GASOLINE SPRAYER

Gasoline sprayer 14L GS-05

GS-05

Standalone item in the Gigant range

Tank volume	14 L
Engine power	2.5 kW
Type	Backpack, mist blower/duster
Application	Orchard & large-area treatment



HOSE REEL
Hose reel with handle on wheels GR-04

2 item codes — see table
Merged card - 2 models in one line (see item codes below)

Item codes	GR-03, GR-04
Type	Wheeled cart / stand-mount
Body	Plastic reel, steel frame
Application	Garden hose storage & transport



DRIP IRRIGATION KIT
Drip irrigation kit for 30 plants GD-01

GD-01
Standalone item in the Gigant range

Coverage	Up to 30 plants
Kit	Main line, drippers, connectors, stakes
Application	Automated garden bed watering



GARDEN HAND TOOL SET
Garden hand tool set (trowel, fork, hoe, knife)

5 item codes — see table
Merged card - 5 models in one line (see item codes below)

Item codes	GVER-05, GVER-07, GVER-08 +2 more
Tools	Trowel, fork, hoe, garden knife
Head material	Carbon steel / powder-coated steel
Handle	Wood or plastic, soft grip



LADDER TELESCOPIC
Ladder telescopic 2.6m LT-01 1x9

LT-01 1x9
Model 1 of 6 in the lineup

Type	attachable
Kind	Single-sided
Overall length	2.600
Working height	3.600
Size in folded condition	74x66x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	460.000
Thickness profile	1.5



LADDER TELESCOPIC

Ladder telescopic 2.9m LT-01 1x10

LT-01 1x10

Model 2 of 6 in the lineup

Type	leaning
Kind	Single-sided
Overall length	2.900
Working height	3.900
Size V folded condition	77x46.5x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	465.000
Thickness profile	1.5
Number steps	10
Min length (folded)	0.770



LADDER TELESCOPIC

Ladder telescopic 3.2m LT-01 1x11

LT-01 1x11

Model 3 of 6 in the lineup

Type	attachable
Kind	Single-sided
Overall length	3.200
Working height	4.200
Size in folded condition	80x47x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	470.000
Thickness profile	1.5



LADDER TELESCOPIC

Ladder telescopic 3.8m LT-01 1x13

LT-01 1x13

Model 4 of 6 in the lineup

Type	leaning
Kind	Single-sided
Overall length	3.800
Working height	4.800
Size V folded condition	86x47.5x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	475.000
Thickness profile	1.5
Number steps	13
Min length (folded)	0.860



LADDER TELESCOPIC

Ladder telescopic 4.1m LT-01 1x14

LT-01 1x14

Model 5 of 6 in the lineup

Type	leaning
Kind	Single-sided
Overall length	4.100
Working height	5.100
Platform height	0.000
Size V folded condition	89x48x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	480.000
Thickness profile	1.5
Number steps	14



LADDER TELESCOPIC
Ladder telescopic 4.4m LT-01 1x15

LT-01 1x15
Model 6 of 6 in the lineup

Type	attachable
Kind	Single-sided
Overall length	4.400
Working height	5.400
Size in folded condition	92x48.5x8
Material	Aluminium
Max working load	150.000
Step width	40.000
Width ladder	485.000
Thickness profile	1.5



CONSTRUCTION WHEELBARROW
Construction wheelbarrow 90kg WBC 90-1

WBC 90-1
Model 1 of 4 in the lineup

Self-propelled	No
Type handle	straight grip
Volume body	85.000
Max load	90
Material body	galvanised steel
Number wheels	single
Type wheels	pneumatic
Diameter wheels	360.000
Width wheels	80
Length axle wheels	80



CONSTRUCTION WHEELBARROW
Construction wheelbarrow 170kg WBC 170-1

WBC 170-1
Model 2 of 4 in the lineup

Self-propelled	No
Type handle	straight grip
Volume body	90.000
Max load	170
Material body	galvanised steel
Number wheels	two
Type wheels	pneumatic
Wheel	on bearing
Diameter wheels	370.000
Width wheels	75
Length axle wheels	80
Diameter bearing wheels	16



CONSTRUCTION WHEELBARROW
Construction wheelbarrow 200kg WBC 200-1

WBC 200-1
Model 3 of 4 in the lineup

Self-propelled	No
Type handle	straight grip
Volume body	110.000
Max load	200
Material body	galvanised steel
Number wheels	single
Type wheels	pneumatic
Diameter wheels	390.000
Width wheels	90
Length axle wheels	90



CONSTRUCTION WHEELBARROW

Construction wheelbarrow 320kg WBC 320-1

WBC 320-1

Model 4 of 4 in the lineup

Self-propelled	No
Type handle	straight grip
Volume body	120.000
Max load	320
Material body	galvanised steel
Number wheels	two
Type wheels	pneumatic
Wheel	on bearing
Diameter wheels	380.000
Width wheels	90



TWO-WHEEL GARDEN CART

Two-wheel construction cart 200kg GX-02

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GX-01, GX-02, GX-03, GX-04, GX-05
Capacity range	200 - 280 kg
Tray volume	110 - 130 L
Wheels	Pneumatic or solid PU, two-wheel



SAWHORSE / TRESTLE

Steel sawhorse 590kg GSH-01

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GSH-01, GSH-02, GSH-03
Capacity	up to 590 kg
Height	Adjustable, up to 0.75-1.0 m
Material	Steel, folding



ELECTRIC LOG SPLITTER

Electric log splitter 2000W 5t HLS5T-52S

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	HLS5T-52, HLS5T-52S
Power	2000 W
Splitting force	5 t
Stand	With or without stand



CANISTER FOR FUEL &

Canister for Fuel & lubricants 5l WOX-01

WOX-01

Model 1 of 3 in the lineup

Type	canister single-tank
Application	for fuel & oil
Volume/Capacity	5.000
Shape	vertical
Material	Metal
Coating	anticorrosion coating
Type lid	with latch
Diameter neck	35
Filler spout	No
Bypass valve	No



CANISTER FOR FUEL &

Canister for fuel & lubricants 10l WOX-02

WOX-02

Model 2 of 3 in the lineup

Type	canister single-compartment
Application	for fuel & oil
Volume/Capacity	10.000
Shape	vertical
Material	Metal
Coating	anti-corrosion coating
Type lid	with latch
Diameter neck	35
Filler spout	No
Bypass valve	No
Folding	No
Colour	Khaki



CANISTER FOR FUEL &

Canister for Fuel & lubricants 20l WOX-03

WOX-03

Model 3 of 3 in the lineup

Type	canister single-tank
Application	for fuel & oil
Volume/Capacity	20.000
Shape	vertical
Material	Metal
Coating	anticorrosion coating
Type lid	with latch
Diameter neck	35
Filler spout	No
Bypass valve	No



TARPAULIN COVER

Tarpaulin cover, multiple sizes available
TENT-01

10 item codes — see table

Merged card - 10 sizes/variants in one line (see item codes below)

Sizes	3x6m, 4x6m, 6x8m, 6x10m, 8x10m +2 more
Item codes	TENT-10, TENT-09, TENT-07 +7 more
Material	Reinforced tarpaulin / polyethylene
Density fabric	85 - 180 g/m2
Colour	Blue
Waterproof	Yes
UV stabilization	Yes
With grommets	Yes, reinforced corners
Number sides	2
Frost-resistant	Yes

GIGANT



SECTION / 08

WAREHOUSE & CLEANING EQUIPMENT

Vacuums, storage and warehouse equipment that keeps operations running clean.



ELECTRIC HOIST
Electric Hoist TFS-125-12

TFS-125-12
Model 1 of 4 in the lineup

Type	rope
Power	550.000
Load capacity	125.000
Load capacity through unit	250.000
Pulley block in kit	Yes
Max lift height	12.000
Length cable	12.000
Diameter cable	3
Speed winding	10.000
Voltage	220



ELECTRIC HOIST
Electric Hoist TFS-250-12

TFS-250-12
Model 2 of 4 in the lineup

Type	rope
Power	1050.000
Load capacity	250.000
Load capacity through unit	500.000
Pulley block in kit	Yes
Max lift height	12.000
Length cable	12.000
Diameter cable	4
Speed winding	10.000
Voltage	220



ELECTRIC HOIST
Electric Hoist TFS-500-12

TFS-500-12
Model 3 of 4 in the lineup

Type	rope
Power	1600.000
Load capacity	500.000
Load capacity through unit	1000.000
Pulley block in kit	Yes
Max lift height	12.000
Length cable	12.000
Diameter cable	6
Speed winding	10.000
Voltage	220



ELECTRIC HOIST
Electric Hoist TFS-600-12

TFS-600-12
Model 4 of 4 in the lineup

Type	rope
Power	1800.000
Load capacity	600.000
Load capacity through unit	1200.000
Pulley block in kit	Yes
Max lift height	12.000
Length cable	12.000
Diameter cable	6
Speed winding	10.000
Voltage	220

Labels and markings on the products shown may differ from those on units supplied to your market.



MANUAL HOIST

Manual hoist CHS-0,5-3

CHS-0,5-3

Model 1 of 15 in the lineup

Max lift height	3.000
Number chains	1
Length chain	3.000
Diameter chain	6
Min distance between hooks	370.000
Width jaw opening hook	28.000
Force	35,7
Load capacity	500.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual hoist CHS-0,5-6

CHS-0,5-6

Model 2 of 15 in the lineup

Max lift height	6.000
Number chains	1
Length chain	6.000
Diameter chain	6
Min distance between hooks	370.000
Width jaw opening hook	28.000
Force	35,7
Load capacity	500.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual Hoist CHS-1-3

CHS-1-3

Model 3 of 15 in the lineup

Max lift height	3.000
Number chains	1
Length chain	3.000
Diameter chain	6
Min distance between hooks	306.000
Width jaw opening hook	81.000
Force	34
Load capacity	1000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual Hoist CHS-1-6

CHS-1-6

Model 4 of 15 in the lineup

Max lift height	6.000
Number chains	1
Length chain	6.000
Diameter chain	6
Min distance between hooks	306.000
Width jaw opening hook	81.000
Force	34
Load capacity	1000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual hoist CHS-1-9

CHS-1-9

Model 5 of 15 in the lineup

Max lift height	9.000
Number chains	1
Length chain	9.000
Diameter chain	6
Min distance between hooks	370.000
Width jaw opening hook	28.000
Force	35,7
Load capacity	1000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual hoist CHS-1-12

CHS-1-12

Model 6 of 15 in the lineup

Max lift height	12.000
Number chains	1
Length chain	12.000
Diameter chain	6
Min distance between hooks	370.000
Width jaw opening hook	28.000
Force	35,7
Load capacity	1000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual Hoist CHS-2-3

CHS-2-3

Model 7 of 15 in the lineup

Max lift height	3.000
Number chains	2
Length chain	3.000
Diameter chain	6
Min distance between hooks	444.000
Width jaw opening hook	102.000
Force	34
Load capacity	2000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual Hoist CHS-2-6

CHS-2-6

Model 8 of 15 in the lineup

Max lift height	6.000
Number chains	2
Length chain	6.000
Diameter chain	6
Min distance between hooks	444.000
Width jaw opening hook	102.000
Force	34
Load capacity	2000.000
Lever	No
Grade	Professional



MANUAL HOIST

Manual hoist CHS-5-9

CHS-5-9

Model 15 of 15 in the lineup

Max lift height	9.000
Number chains	1
Length chain	18.000
Diameter chain	10
Min distance between hooks	700.000
Width jaw opening hook	40.000
Force	49
Load capacity	5000.000
Lever	No
Grade	Professional



HYDRAULIC TROLLEY

Hydraulic trolley JHPT2000

JHPT2000

Model 1 of 3 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2000.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	75.000
Total width forks	550.000
Length forks	1150
Distance between forks	235.000



HYDRAULIC TROLLEY

Hydraulic trolley JHPT2500

JHPT2500

Model 2 of 3 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2500.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	75.000
Total width forks	550.000
Length forks	1150
Distance between forks	235.000



HYDRAULIC TROLLEY

Hydraulic trolley JHPT3000

JHPT3000

Model 3 of 3 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	3000.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	75.000
Total width forks	550.000
Length forks	1150
Distance between forks	235.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 1150x550 mm polyurethane wheels 2t JHPT2000-1150-PO

JHPT2000-1150-PO

Model 1 of 6 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2000.000
Height lifting (min)	85.000
Height lifting (max)	190.000
Min lift height	75.000
Total width forks	550.000
Length forks	1150
Distance between forks	250.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 800x550 mm polyurethane wheels JHPT2500-800-PO

JHPT2500-800-PO

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2500.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	85.000
Total width forks	550.000
Length forks	800
Distance between forks	230.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 1500x550 mm polyurethane wheels JHPT2500-1500-PO

JHPT2500-1500-PO

Model 3 of 6 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2500.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	85.000
Total width forks	550.000
Length forks	1500
Distance between forks	230.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 1800x550 mm polyurethane wheels JHPT2500-1800-PO

JHPT2500-1800-PO

Model 4 of 6 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2500.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	85.000
Total width forks	550.000
Length forks	1800
Distance between forks	230.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 2000x550 mm polyurethane wheels JHPT2500-2000-PO

JHPT2500-2000-PO

Model 5 of 6 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	2500.000
Height lifting (min)	85.000
Height lifting (max)	195.000
Min lift height	85.000
Total width forks	550.000
Length forks	2000
Distance between forks	230.000



HYDRAULIC TROLLEY POLYURETHANE WHEELS

Hydraulic trolley 1150x550 mm polyurethane wheels 3t JHPT3000-1150-PO

JHPT3000-1150-PO

Model 6 of 6 in the lineup

Type trolley	pallet truck
Kind	Classic
Collapsible hydraulic unit	No
Load capacity	3000.000
Height lifting (min)	85.000
Height lifting (max)	190.000
Min lift height	75.000
Total width forks	550.000
Length forks	1150
Distance between forks	230.000



HYDRAULIC TROLLEY WITH SCALES

Hydraulic trolley with scales 2000kg 1150x550 mm polyurethane wheels JHPT2000-1150-W

JHPT2000-1150-W

Model 1 of 3 in the lineup

Type trolley	pallet truck
Kind	with scales
Collapsible hydraulic unit	Yes
Load capacity	2000.000
Height lifting (min)	85.000
Height lifting (max)	200.000
Min lift height	85.000
Total width forks	550.000
Length forks	1150
Distance between forks	220.000



HYDRAULIC TROLLEY WITH SCALES

Hydraulic trolley with scales 3000kg 1150x550 mm polyurethane wheels JHPT3000-1150-W

JHPT3000-1150-W

Model 3 of 3 in the lineup

Type trolley	pallet truck
Kind	with scales
Collapsible hydraulic unit	Yes
Load capacity	3000.000
Height lifting (min)	85.000
Height lifting (max)	200.000
Min lift height	85.000
Total width forks	550.000
Length forks	1150
Distance between forks	220.000



PLATFORM TROLLEY

Platform trolley 150kg HPY-150

HPY-150

Standalone item in the Gigant range

Capacity	150 kg
Frame	Folding chrome steel handle
Wheels	4, swivel front casters
Application	Light goods transport



FOLDING HAND TROLLEY

Folding hand trolley HY-120

HY-120

Standalone item in the Gigant range

Capacity	120 kg
Frame	Telescopic aluminum, folds flat
Wheels	2, solid rubber
Application	Compact box & parcel transport



ROLLER TRANSPORT PLATFORM

Roller transport platform (machinery skate) CRA8

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	G-CRA6, G-CRA8, G-CRA12
Capacity range	6 - 12 T
Type	Swivel roller skate, pair-use
Application	Heavy machinery relocation



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner, volume tank 20 l, GPS-VC-20

GPS-VC-20

Model 1 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1200.000
Volume tank	20.000
Air consumption	23.000
Vacuum	175.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	76.000



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner,
volume tank 25 l, GPS-VC-25

GPS-VC-25

Model 2 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1400.000
Volume tank	25.000
Air consumption	23.000
Vacuum	175.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	76.000



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner,
volume tank 30l, GPS-VC-30

GPS-VC-30

Model 3 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1400.000
Volume tank	30.000
Air consumption	23.000
Vacuum	175.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	76.000



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner,
volume tank 40 l, GPS-VC-40

GPS-VC-40

Model 4 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1500.000
Volume tank	40.000
Air consumption	25.000
Vacuum	199.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	78.000



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner,
volume tank 50 l, GPS-VC-50

GPS-VC-50

Model 5 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1500.000
Volume tank	50.000
Air consumption	25.000
Vacuum	199.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	78.000



PROFESSIONAL CONSTRUCTION VACUUM CLEANER

Professional Construction vacuum cleaner, volume tank 60 l, GPS-VC-60

GPS-VC-60

Model 6 of 6 in the lineup

Type vacuum cleaner	construction
Voltage	220 (230)
Power	1500.000
Volume tank	60.000
Air consumption	25.000
Vacuum	199.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	Yes
Capability wet cleaning	Yes
Noise level	78.000



WET & DRY VACUUM CLEANER

Professional Vacuum cleaner for dry & wet cleaning, with socket for power tool 1200W, 20l GMI-02

GMI-02

Model 1 of 3 in the lineup

Type vacuum cleaner	industrial
Voltage	220 (230)
Power	1200.000
Volume tank	20.000
Air consumption	22.000
Vacuum	170.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	F 6
Capability wet cleaning	Yes
Noise level	82.000



WET & DRY VACUUM CLEANER

Professional Vacuum cleaner for dry & wet cleaning, with socket for power tool 1400W, 30l GMI-03

GMI-03

Model 2 of 3 in the lineup

Type vacuum cleaner	industrial
Voltage	220 (230)
Power	1400.000
Volume tank	30.000
Air consumption	24.000
Vacuum	190.000
Socket for power tool	Yes
Filter thin cleaning (HEPA)	F 6
Capability wet cleaning	Yes
Noise level	95.000



WET & DRY VACUUM CLEANER

Professional Vacuum cleaner for dry & wet cleaning, 3 turbines, 3000W, 80l GMI-01

GMI-01

Model 3 of 3 in the lineup

Type vacuum cleaner	industrial
Voltage	220 (230)
Power	3000.000
Volume tank	80.000
Air consumption	50.000
Vacuum	170.000
Socket for power tool	No
Filter thin cleaning (HEPA)	F 6
Capability wet cleaning	Yes
Noise level	88.000




SPONGE FILTER FOR VACUUM CLEANER

Sponge filter for vacuum cleaners SIPP-01

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Item codes	SIPP-01, SIPP-02, SIPP-03
Type filter	sponge filter
Washable	Yes
Fits for	Gigant industrial vacuum cleaners



PAPER BAG FOR VACUUM CLEANER

Paper bag for vacuum cleaners GGF-01

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Item codes	GGF-01, GGF-02, GMIS-01 +2 more
Material	paper
Volume/Capacity	20 - 60 L
Fits for	Bort / Daewoo / Gigant vacuum cleaners



CLOTH FILTER FOR VACUUM CLEANER

Cloth filter for vacuum cleaners GF-01

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Item codes	GF-01, GF-02, GSIP-01 +2 more
Type filter	fabric filter
Washable	Yes
Fits for	Bort / Daewoo / Gigant vacuum cleaners



HEPA FILTER FOR VACUUM CLEANER

HEPA filter for vacuum cleaners SGMI-01

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Item codes	SGMI-01, SGMI-02, SGMI-03
Type filter	HEPA-filter
Washable	Yes
Fits for	Nilfisk industrial vacuum cleaners



SET FOR CLEANING MOP

Set for cleaning mop with wringing GVER-26

GVER-26

Model 1 of 3 in the lineup

Type	mop+bucket with wringing+attachment
Primary colour	Green
Volume bucket	12.000
Shape bucket	rectangular
Presence of wheels	No
Material bucket	Polypropylene
Presence of lid	No
Length mop	1320.000
Handle material	stainless steel steel/plastic
Presence of handle	Yes



SET FOR CLEANING MOP

Set for cleaning mop with wringing GVER-27

GVER-27

Model 2 of 3 in the lineup

Type	mop+bucket with wringing+attachment
Primary colour	Green
Volume bucket	25.000
Shape bucket	oval
Presence of wheels	No
Material bucket	Polypropylene
Presence of lid	No
Length mop	1260.000
Handle material	stainless steel steel/plastic
Presence of handle	Yes



SET FOR CLEANING MOP

Set for cleaning mop with wringing GVER-28

GVER-28

Model 3 of 3 in the lineup

Type	mop+attachment
Primary colour	Green
Volume bucket	28.000
Shape bucket	no bucket in kit
Presence of wheels	No
Material bucket	Polypropylene
Presence of lid	No
Length mop	1260.000
Handle material	stainless steel steel/plastic
Presence of handle	Yes


FLAT ATTACHMENT FOR MOP


Flat attachment for mop MVER-26

MVER-26

Model 1 of 4 in the lineup

Type	attachment for mop
Material attachments	ultra-thin fiber
Mounting type	Quick Click System
Colour	Grey
Shape	Flat
Length Mop	325.000
Width Mop	120.000
Application	for floor
Attachments in set	1
Dimensions (unpackaged)	325x120





FLAT ATTACHMENT FOR MOP

Flat attachment for mop MVER2-30

MVER2-30

Model 3 of 4 in the lineup

Type	Mop
Material attachments	ultra-thin fiber
Mounting type	Quick Click System
Colour	white, blue
Shape	Flat
Length Mop	440.000
Width Mop	130.000
Application	for floor
Attachments in set	1
Dimensions (unpackaged)	440x130



FLAT ATTACHMENT FOR MOP

Flat attachment for mop MVER3-30

MVER3-30

Model 4 of 4 in the lineup

Type	attachment for mop
Material attachments	ultra-thin fiber
Mounting type	Quick Click System
Colour	Grey
Shape	Flat
Length Mop	470.000
Width Mop	210.000
Application	for floor
Attachments in set	1
Dimensions (unpackaged)	470x210



CLEANING CART

Janitorial cleaning cart, 2 buckets, chrome base GCC-02

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GCC-01, GCC-02, GCC-03
Buckets	1 or 2, 17-25 L, removable
Frame	Chrome or plastic
Extra	Built-in wringer press



WHEEL INDUSTRIAL NON-SWIVEL WITH

Wheel Industrial Non-swivel With Bearing Rubber Steel

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	75mm, 100mm, 125mm, 160mm, 200mm
Item codes	G-04-09-26, G-04-09-27 +3 more
Type wheels	with support
Adjustment height	No
Type bracket	fixed
Type hub	with roller bearing
Application	industrial
Swivel	No
Material contact part	rubber black
Disc/base	Steel



WHEEL INDUSTRIAL SWIVEL WITH

Wheel Industrial Swivel With Bearing Rubber Steel

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	75mm, 100mm, 125mm, 160mm, 200mm
Item codes	G-04-09-13, G-04-09-14 +3 more
Type wheels	with support
Adjustment height	No
Type bracket	swivel with panel
Type hub	with roller bearing
Application	industrial
Swivel	Yes
Material contact part	rubber black
Disc/base	Steel



WHEEL INDUSTRIAL WITHOUT BRACKET

Wheel Industrial Without Bracket Rubber Steel

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	100mm, 125mm, 160mm, 200mm, 250mm
Item codes	G-04-09-04, G-04-09-05 +3 more
Type wheels	without supports
Type bracket	No
Type hub	with roller bearing
Application	industrial
Material contact part	rubber black
Disc/base	Steel
Bearing	roller
Pneumatic	No



WHEEL INDUSTRIAL SWIVEL WITH

Wheel Industrial Swivel With Brake With Bearing Rubber Steel

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	75mm, 100mm, 125mm, 160mm, 200mm
Item codes	G-04-09-39, G-04-09-40 +3 more
Type wheels	with support
Adjustment height	No
Type bracket	swivel with panel & front brake
Type hub	with roller bearing
Application	industrial
Swivel	Yes
Material contact part	rubber black
Disc/base	Steel



WHEEL INDUSTRIAL NON-SWIVEL WITH

Wheel Industrial Non-swivel With Bearing Rubber Cast Iron

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	100mm, 125mm, 160mm, 200mm
Item codes	G-04-09-31, G-04-09-32 +2 more
Type wheels	with support
Adjustment height	No
Thickness	50.000
Type bracket	fixed
Type hub	with roller bearing
Application	industrial
Swivel	No
Material contact part	rubber black



WHEEL INDUSTRIAL SWIVEL WITH	
Wheel industrial swivel with bearing rubber/cast iron G-04-09-18	
3 item codes — see table	
Merged card - 3 sizes/variants in one line (see Item codes below)	
Sizes	125mm, 150mm, 200mm
Item codes	G-04-09-18, G-04-09-19, G-04-09-20
Type wheels	with support
Adjustment height	No
Thickness	50.000
Type bracket	swivel with panel
Type hub	with roller bearing
Application	industrial
Swivel	Yes
Material contact part	rubber black
Disc/base	Cast iron



WHEEL INDUSTRIAL NON-SWIVEL WITH	
Wheel Industrial Non-swivel With Bearing Pu Cast Iron	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	100mm, 125mm, 160mm, 200mm
Item codes	G-04-09-35, G-04-09-36 +2 more
Type wheels	with support
Adjustment height	No
Thickness	50.000
Type bracket	fixed
Type hub	with roller bearing
Application	industrial
Swivel	No
Disc/base	Cast iron



WHEEL INDUSTRIAL SWIVEL WITH	
Wheel Industrial Swivel With Bearing Pu Cast Iron	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	100mm, 125mm, 150mm, 200mm
Item codes	G-04-09-21, G-04-09-22 +2 more
Type wheels	with support
Adjustment height	No
Thickness	50.000
Type bracket	swivel with panel
Type hub	with roller bearing
Application	industrial
Swivel	Yes
Material contact part	Polyurethane



WHEEL INDUSTRIAL SWIVEL WITH	
Wheel Industrial Swivel With Brake With Bearing Pu Cast Iron	
4 item codes — see table	
Merged card - 4 sizes/variants in one line (see Item codes below)	
Sizes	100mm, 125mm, 150mm, 200mm
Item codes	G-04-09-47, G-04-09-48 +2 more
Type wheels	with support
Adjustment height	No
Thickness	50.000
Type bracket	swivel with panel & side brake
Type hub	with roller bearing
Application	industrial
Swivel	Yes
Material contact part	Polyurethane



SECTION / 09

CLIMATE & PLUMBING EQUIPMENT

Heaters, climate control and plumbing equipment for every season and site.



ELECTRIC HEATING GUN

Electric heating gun 2 kW BGP-3

BGP-3

Model 1 of 4 in the lineup

Shape	square
Voltage	220(230)
Consumed power fan	15
Power at heating	2.000
Max area heating	25.000
Air consumption	190.000
Noise level	45
Max current	9
Heating element	ceramic
Thermostat	Yes



ELECTRIC HEATING GUN

Electric heating gun 3 kW BGP-5

BGP-5

Model 2 of 4 in the lineup

Shape	square
Voltage	220(230)
Consumed power fan	15
Power at heating	3.000
Max area heating	30.000
Air consumption	238.000
Noise level	45
Max current	13.6
Heating element	ceramic
Thermostat	Yes



ELECTRIC HEATING GUN

Electric heating gun EHC 2

EHC 2

Model 3 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	25
Power at heating	2.000
Max area heating	20.000
Air consumption	120.000
Noise level	55
Max current	10
Heating element	ceramic
Thermostat	Yes



ELECTRIC HEATING GUN

Electric heating gun EHC 3

EHC 3

Model 4 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	25
Power at heating	3.000
Max area heating	30.000
Air consumption	220.000
Noise level	55
Max current	13,6
Heating element	ceramic
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-2 C

EHR-2 C

Model 1 of 10 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	30
Power at heating	2.000
Max area heating	20.000
Air consumption	180.000
Noise level	56
Max current	8.7
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-3 C

EHR-3 C

Model 2 of 10 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	30
Power at heating	3.000
Max area heating	30.000
Air consumption	220.000
Noise level	48
Max current	13.2
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-5

EHR-5

Model 3 of 10 in the lineup

Shape	Cylindrical
Voltage	380(400)
Consumed power fan	50
Power at heating	5.000
Max area heating	45.000
Air consumption	400.000
Noise level	56
Max current	7.2
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-9

EHR-9

Model 4 of 10 in the lineup

Shape	Cylindrical
Voltage	380(400)
Consumed power fan	55
Power at heating	9.000
Max area heating	100.000
Air consumption	500.000
Noise level	55
Max current	13
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHS-9

EHS-9

Model 5 of 10 in the lineup

Shape	square
Voltage	380(400)
Consumed power fan	52
Power at heating	9.000
Max area heating	90.000
Air consumption	850.000
Noise level	55
Max current	13.2
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-15

EHR-15

Model 6 of 10 in the lineup

Shape	Cylindrical
Voltage	380(400)
Consumed power fan	145
Power at heating	15.000
Max area heating	150.000
Air consumption	1600.000
Noise level	57
Max current	21.7
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHS-15

EHS-15

Model 7 of 10 in the lineup

Shape	square
Voltage	380(400)
Consumed power fan	95
Power at heating	15.000
Max area heating	150.000
Air consumption	1700.000
Noise level	57
Max current	22.3
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHS-24

EHS-24

Model 8 of 10 in the lineup

Shape	square
Voltage	380(400)
Consumed power fan	145
Power at heating	24.000
Max area heating	250.000
Air consumption	1700.000
Noise level	59
Max current	31.8
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHR-30

EHR-30

Model 9 of 10 in the lineup

Shape	Cylindrical
Voltage	380(400)
Consumed power fan	160
Power at heating	30.000
Max area heating	270.000
Air consumption	1800.000
Noise level	61
Max current	43.3
Heating element	Tubular heating element
Thermostat	Yes



GUN HEATING ELECTRIC

Gun heating electric EHS-30

EHS-30

Model 10 of 10 in the lineup

Shape	square
Voltage	380(400)
Consumed power fan	120
Power at heating	30.000
Max area heating	310.000
Air consumption	2400.000
Noise level	59
Max current	44.5
Heating element	Tubular heating element
Thermostat	Yes



DIESEL HEATING GUN STRAIGHT

Diesel heating gun straight heating DHG 10 D2

DHG 10 D2

Model 1 of 5 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	10.000
Max area heating	100.000
Volume tank	12.000
Fuel consumption	1.000
Air consumption	450.000
Efficiency	82.000
Method heating	Straight
Diameter discharge nozzle	No



DIESEL HEATING GUN STRAIGHT

Diesel heating gun straight heating DHG 20 D2

DHG 20 D2

Model 2 of 5 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	20.000
Max area heating	200.000
Volume tank	12.000
Fuel consumption	1.900
Air consumption	550.000
Efficiency	82.000
Method heating	Straight
Diameter discharge nozzle	No



DIESEL HEATING GUN STRAIGHT

Diesel heating gun straight heating DHG 30 D2

DHG 30 D2

Model 3 of 5 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	30.000
Max area heating	300.000
Volume tank	24.000
Fuel consumption	3.000
Air consumption	752.000
Efficiency	82.000
Method heating	Straight
Diameter discharge nozzle	No



DIESEL HEATING GUN STRAIGHT

Diesel heating gun straight heating DHG 50 D2

DHG 50 D2

Model 4 of 5 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	50.000
Max area heating	500.000
Volume tank	38.000
Fuel consumption	4.700
Air consumption	750.000
Method heating	Straight
Diameter discharge nozzle	No
Grade	Semi-professional



DIESEL HEATING GUN STRAIGHT

Diesel heating gun straight heating DHG 60 D2

DHG 60 D2

Model 5 of 5 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	60.000
Max area heating	600.000
Volume tank	56.000
Fuel consumption	5.700
Air consumption	1100.000
Efficiency	82.000
Method heating	Straight
Diameter discharge nozzle	No



DIESEL HEATING GUN INDIRECT

Diesel heating gun indirect heating DHG 20 ID

DHG 20 ID

Model 1 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	20.000
Max area heating	200.000
Volume tank	24.000
Fuel consumption	1.700
Air consumption	500.000
Efficiency	80.000
Method heating	indirect
Diameter discharge nozzle	114



DIESEL HEATING GUN INDIRECT

Diesel heating gun indirect heating DHG 30 ID

DHG 30 ID

Model 2 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	30.000
Max area heating	300.000
Volume tank	50.000
Fuel consumption	3.000
Air consumption	750.000
Efficiency	80.000
Method heating	indirect
Diameter discharge nozzle	120



DIESEL HEATING GUN INDIRECT

Diesel heating gun indirect heating DHG 50 ID

DHG 50 ID

Model 3 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	50.000
Max area heating	500.000
Volume tank	69.000
Fuel consumption	4.000
Air consumption	2000.000
Efficiency	90.000
Method heating	indirect
Diameter discharge nozzle	150



DIESEL HEATING GUN INDIRECT

Diesel heating gun indirect heating DHG80ID

DHG80ID

Model 4 of 4 in the lineup

Shape	Cylindrical
Voltage	220(230)
Power at heating	80.000
Max area heating	800.000
Volume tank	69.000
Fuel consumption	6.600
Air consumption	2000.000
Efficiency	80.000
Method heating	indirect
Diameter discharge nozzle	150



GAS HEATING GUN

Gas heating gun GH10F

GH10F

Model 1 of 6 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	25
Power at heating	10.000
Max area heating	100.000
Max consumption liquefied. gas	0.730
Additional. pressure liquefied. gas	0.700
Air consumption	320.000
Fuel consumption	0.733
Type heating element	torch



GAS HEATING GUN
Gas heating gun GH15F

GH15F
Model 2 of 6 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	25
Power at heating	15.000
Max area heating	150.000
Max consumption liquefied. gas	1.090
Additional. pressure liquefied. gas	0.700
Air consumption	320.000
Fuel consumption	1.120
Colour	orange



GAS HEATING GUN
Gas heating gun GH15FD

GH15FD
Model 3 of 6 in the lineup

Voltage	220(230) V
Consumed power fan	25 W
Power at heating	15 kW
Max area heating	150 m²
Max consumption liquefied. gas	1.09 kg/h
Additional. pressure liquefied. gas	0.7 bar
Air consumption	320 m³/h
Fuel consumption	1.12 l/h
Colour	orange
Type mains plug	euro (type C)



GAS HEATING GUN
Gas heating gun GH30F

GH30F
Model 4 of 6 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	70
Power at heating	30.000
Max area heating	300.000
Max consumption liquefied. gas	2.180
Additional. pressure liquefied. gas	0.700
Air consumption	650.000
Fuel consumption	2.210
Colour	orange



GAS HEATING GUN
Gas heating gun GH30FD

GH30FD
Model 5 of 6 in the lineup

Voltage	220(230) In
Consumed power fan	80 W
Power at heating	30 kW
Max area heating	300 m²
Max consumption liquefied. gas	2.18 kg/h
Additional. pressure liquefied. gas	0.7 bar
Air consumption	650 m³/h
Fuel consumption	2.21 l/h
Colour	orange
Type mains plug	euro (type With)



GAS HEATING GUN
Gas heating gun GH50F

GH50F
Model 6 of 6 in the lineup

Shape	Cylindrical
Voltage	220(230)
Consumed power fan	70
Power at heating	50.000
Max area heating	500.000
Max consumption liquefied. gas	3.630
Additional. pressure liquefied. gas	1.500
Air consumption	650.000
Fuel consumption	3.660
Colour	orange



CONVECTOR ELECTRIC
Convector electric ECX 1000 ET

ECX 1000 ET
Model 1 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	1 kW
Type heating element	monolithic (X-shaped)
Recommended area	15 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal



CONVECTOR ELECTRIC
Convector electric ECY 1000 ET

ECY 1000 ET
Model 2 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	1 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	15 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal



CONVECTOR ELECTRIC
Convector electric ECX 1500 ET

ECX 1500 ET
Model 3 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	1.5 kW
Type heating element	monolithic (X-shaped)
Recommended area	20 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal

Labels and markings on the products shown may differ from those on units supplied to your market.



CONVECTOR ELECTRIC
Convector electric ECY 1500 ET

ECY 1500 ET
Model 4 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	1.5 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	20 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal



CONVECTOR ELECTRIC
Convector electric ECX 2000 ET

ECX 2000 ET
Model 5 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	2 kW
Type heating element	monolithic (X-shaped)
Recommended area	25 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal



CONVECTOR ELECTRIC
Convector electric ECY 2000 ET

ECY 2000 ET
Model 6 of 6 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	electronic
Max power	2 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	25 m²
Voltage	220 V
Mains plug included	Yes
Length cord	1.2 m
IP rating	IP20
Housing material	Metal



ELECTRIC CONVECTOR CHG MT
Electric convector CHG-1000MT/1 kW CHG-1MT

CHG-1000MT
Model 1 of 4 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	Mechanical
Max power	1 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	10 m²
Voltage	220 V
Mains plug included	Yes
Length cord	2 m
IP rating	IP20
Housing material	Metal



ELECTRIC CONVECTOR CHG MT

Electric convector CHG-1500MT/1,5 kW CHG-1.5MT

CHG-1500MT

Model 2 of 4 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	Mechanical
Max power	1.5 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	15 m²
Voltage	220 V
Mains plug included	Yes
Length cord	2 m
IP rating	IP20
Housing material	Metal



ELECTRIC CONVECTOR CHG MT

Electric convector CHG-2000MT/2 kW CHG-2MT

CHG-2000MT

Model 3 of 4 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	Mechanical
Max power	2 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	20 m²
Voltage	220 V
Mains plug included	Yes
Length cord	2 m
IP rating	IP20
Housing material	Metal



ELECTRIC CONVECTOR CHG MT

Electric convector CHG-2500MT/2,5 kW CHG-2.5MT

CHG-2500MT

Model 4 of 4 in the lineup

Type mounting	wall-mounted/floor
Type thermostat	Mechanical
Max power	2.5 kW
Type heating element	chisel (needle, ribbon-shaped)
Recommended area	25 m²
Voltage	220 V
Mains plug included	Yes
Length cord	2 m
IP rating	IP20
Housing material	Metal



CIRCULATION PUMP

Circulation pump GCP 25-4-180

GCP 25-4-180

Model 1 of 5 in the lineup

Series	GCP
Type	circulation
Kind	for specialized work
Design	centrifugal
Rotor	wet
Voltage	220
Power	72.000
Performance	50.000
Housing material	cast iron/aluminium
Capability adjustment	Yes

Labels and markings on the products shown may differ from those on units supplied to your market.



CIRCULATION PUMP
Circulation pump GCP-25-6-180

GCP-25-6-180
Model 3 of 5 in the lineup

Series	GCP
Type	circulation
Kind	for specialized work
Design	centrifugal
Rotor	wet
Voltage	220
Power	93.000
Performance	55.000
Housing material	Cast iron
Capability adjustment	Yes



CIRCULATION PUMP
Circulation pump GCP-32-8-180

GCP-32-8-180
Model 5 of 5 in the lineup

Series	GCP
Type	circulation
Kind	for specialized work
Design	centrifugal
Rotor	wet
Voltage	220
Power	270.000
Performance	166.000
Housing material	Cast iron
Capability adjustment	Yes



MACHINE FOR WELDING PLASTIC
Machine for welding plastic pipe GPW-1000

GPW-1000
Model 1 of 2 in the lineup

Type	soldering iron
Type welding	socket-type (bell-socket)
Voltage	220 V
Power	1000 W
Shape heater	sword-shaped
Type stand	rectangular
Type attachments	paired
Presence of attachments	Yes
Diameter attachments	20/25/32/40/50/63 mm
Diameter welding	63 mm



MACHINE FOR WELDING PLASTIC
Machine for welding plastic pipe GPW-1700

GPW-1700
Model 2 of 2 in the lineup

Type	soldering iron
Type welding	socket-type (bell-socket)
Voltage	220 V
Power	1700 W
Shape heater	sword-shaped
Type stand	Clamp
Type attachments	paired
Presence of attachments	Yes
Diameter attachments	20/25/32/40/50/63 mm
Diameter welding	63 mm



SEWAGE PUMP MIN
Sewage pump 250 W, 80 l/min, GSP-80L

GSP-80L
Model 1 of 3 in the lineup

Type	sewage pump mounting
Kind	for specialized work
Connection to toilet	No
Max lift height	5.000
Performance	80.000
Power	250.000
Max temperature liquid	50.000
Voltage	220
Protection from dry stroke	Yes
For increase pressure	No



SEWAGE PUMP MIN
Sewage pump 400 W, 100 l/min, GSP-100L

GSP-100L
Model 2 of 3 in the lineup

Type	sewage pump mounting
Kind	surface
Connection to toilet	No
Max lift height	6.000
Performance	100.000
Power	400.000
Max temperature liquid	70.000
Voltage	220
Protection from dry stroke	Yes
For increase pressure	No



SEWAGE PUMP MIN
Sewage grinder pump 600 W, 200 l/min, GSP-200L

GSP-200L
Model 3 of 3 in the lineup

Type	sewage macerator/grinder pump
Kind	for specialized work
Connection to toilet	Yes
Performance	200.000
Power	600.000
Voltage	220



MANUAL PRESSURE TEST PUMP
Manual pressure test pump 10 bar GPTP-10

GPTP-10
Standalone item in the Gigant range

Max pressure	10 bar
Type	Hand lever pump
Gauge	Built-in pressure manometer
Application	Plumbing & heating system leak testing



ELECTRIC PRESSURE TEST PUMP

Electric pressure test pump 60 bar GPTP-60-3

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GPTP-60-3, GPTP-60-6
Max pressure	60 bar
Power	250 - 400 W
Flow rate	3 - 6 L/min




PIPE CHAMFERING TOOL

Pipe chamfering tool 4-36mm GBF-1

GBF-1

Standalone item in the Gigant range

Diameter range	4 - 36 mm
Type	Handheld deburring/chamfering tool
Application	Pipe edge preparation before joining



INDUSTRIAL FAN

Industrial fan 8000 m3/h GIF-8

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GIF-4, GIF-8, GIF-12
Airflow range	3800 - 12500 m3/h
Type	Portable high-velocity floor fan
Application	Site ventilation & drying



GIGANT

SECTION / 10

ELECTRICAL & LIGHTING

Lighting, cabling and electrical equipment for the jobsite and workshop.



LAMP LED E TO

Lamp LED E14 5W 2700To C37 400Lm G-E14-5-2700K

G-E14-5-2700K

Model 1 of 4 in the lineup

Type	LED
Power (W)	5.000
Voltage	220
Socket base	E14
Color temperature	2700
Color rendering	89
Diameter	37.000
Length	105.000
Kind	with heat sink of aluminium & plastic
Type bulb	C



LAMP LED E TO

Lamp LED E14 5W 4200To C37 400Lm G-E14-5-4200K

G-E14-5-4200K

Model 2 of 4 in the lineup

Type	LED
Power (W)	5.000
Voltage	220
Socket base	E14
Color temperature	4200
Color rendering	89
Diameter	37.000
Length	112.000
Kind	FR/frosted
Type bulb	C



LAMP LED E TO

Lamp LED E14 7W 2700To C37 600Lm G-E14-7-2700K

G-E14-7-2700K

Model 3 of 4 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Range worktable voltage	220-230
Socket base	E14
Color temperature	2700
Color rendering	80
Diameter	37.000
Length	100.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E14 7W 4200To C37 600Lm G-E14-7-4200K

G-E14-7-4200K

Model 4 of 4 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Range worktable voltage	220-240
Socket base	E14
Color temperature	4200
Color rendering	89
Diameter	37.000
Length	112.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU5.3 5W 3000K MR16 380Lm G-GU5.3-5-3000K

G-GU5.3-5-3000K

Model 1 of 4 in the lineup

Type	LED
Power (W)	5.000
Voltage	220
Range worktable voltage	220-240
Socket base	GU5.3
Color temperature	3000
Color rendering	90
Diameter	50.000
Length	57.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU5.3 7W 3000K MR16 540Lm G-GU5.3-7-3000K

G-GU5.3-7-3000K

Model 3 of 4 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Range worktable voltage	170-265
Socket base	GU5.3
Color temperature	3000
Color rendering	80
Diameter	50.000
Length	48.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU5.3 7W 4200K MR16 540Lm G-GU5.3-7-4200K

G-GU5.3-7-4200K

Model 4 of 4 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Range worktable voltage	220-230
Socket base	GU5.3
Color temperature	4200
Color rendering	80
Diameter	50.000
Length	45.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU10 5W 3000K 380Lm G-GU10-5-3000K

G-GU10-5-3000K

Model 1 of 6 in the lineup

Type	LED
Power (W)	5.000
Voltage	220
Range worktable voltage	220-240
Socket base	GU10
Color temperature	3000
Color rendering	80
Diameter	50.000
Length	57.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU10 5W 4200K 380Lm G-GU10-5-4200K

G-GU10-5-4200K

Model 2 of 6 in the lineup

Type	LED
Power (W)	5.000
Voltage	220
Range worktable voltage	220-230
Socket base	GU10
Color temperature	4200
Color rendering	80
Diameter	50.000
Length	55.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU10 7W 3000K 540Lm G-GU10-7-3000K

G-GU10-7-3000K

Model 3 of 6 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Socket base	GU10
Color temperature	3000
Color rendering	80
Diameter	52.000
Length	52.000
Kind	FR/frosted
Type bulb	MR16



LAMP LED GU K

Lamp LED GU10 7W 4200K 540Lm G-GU10-7-4200K

G-GU10-7-4200K

Model 4 of 6 in the lineup

Type	LED
Power (W)	7.000
Voltage	220
Range worktable voltage	220-240
Socket base	GU10
Color temperature	4200
Color rendering	80
Diameter	50.000
Length	57.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU10 9W 3000K 720Lm G-GU10-9-3000K

G-GU10-9-3000K

Model 5 of 6 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Range worktable voltage	220-240
Socket base	GU10
Color temperature	3000
Color rendering	80
Diameter	50.000
Length	57.000
Kind	FR/frosted



LAMP LED GU K

Lamp LED GU10 9W 4200K 720Lm G-GU10-9-4200K

G-GU10-9-4200K

Model 6 of 6 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Range worktable voltage	175-265
Socket base	GU10
Color temperature	4200
Color rendering	80
Diameter	50.000
Length	57.000
Kind	FR/frosted



LAMP LED GX K

Lamp LED GX53 6W 4200K 500Lm G-GX53-6-4200K

G-GX53-6-4200K

Model 1 of 3 in the lineup

Type	LED
Power (W)	6.000
Voltage	220
Socket base	GX53
Color temperature	4200
Color rendering	80
Diameter	75.000
Length	22.000
Kind	FR/frosted
Type bulb	GX



LAMP LED GX K

Lamp LED GX53 8W 4200K 600Lm G-GX53-8-4200K

G-GX53-8-4200K

Model 2 of 3 in the lineup

Type	LED
Power (W)	8.000
Voltage	220
Range worktable voltage	220-240
Socket base	GX53
Color temperature	4200
Color rendering	80
Diameter	73.000
Length	28.000
Kind	FR/frosted



LAMP LED GX K

Lamp LED GX53 10W 4200K 800Lm G-GX53-1-4200K

G-GX53-1-4200K

Model 3 of 3 in the lineup

Type	LED
Power (W)	10.000
Voltage	220
Socket base	GX53
Color temperature	4200
Color rendering	80
Diameter	73.000
Length	26.000
Kind	FR/frosted
Type bulb	GX

Labels and markings on the products shown may differ from those on units supplied to your market.



LAMP LED E TO

Lamp LED E27 8W 2700To A60 600Lm G-E27-8-2700K

G-E27-8-2700K

Model 1 of 10 in the lineup

Type	LED
Power (W)	8.000
Voltage	220
Socket base	E27
Color temperature	2700
Color rendering	80
Diameter	60.000
Length	106.000
Kind	FR/frosted
Type bulb	A60



LAMP LED E TO

Lamp LED E27 8W 4200To A60 600Lm G-E27-8-4200K

G-E27-8-4200K

Model 2 of 10 in the lineup

Type	LED
Power (W)	8.000
Voltage	220
Range worktable voltage	150-264
Socket base	E27
Color temperature	4200
Color rendering	80
Diameter	45.000
Length	82.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E27 9W 2700To A60 850Lm G-E27-9-2700K

G-E27-9-2700K

Model 3 of 10 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Socket base	E27
Color temperature	2700
Color rendering	80
Diameter	60.000
Length	110.000
Kind	FR/frosted
Type bulb	A60



LAMP LED E TO

Lamp LED E27 9W 4200To A60 850Lm G-E27-9-4200K

G-E27-9-4200K

Model 4 of 10 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Range worktable voltage	175-250
Socket base	E27
Color temperature	4200
Color rendering	89
Diameter	60.000
Length	110.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E27 9W 6500To A60 850Lm G-E27-9-6500K

G-E27-9-6500K

Model 5 of 10 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Range worktable voltage	210-240
Socket base	E27
Color temperature	6500
Color rendering	89
Diameter	60.000
Length	110.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E27 11W 2700To A60 900Lm G-E27-11-2700K

G-E27-11-2700K

Model 6 of 10 in the lineup

Type	LED
Power (W)	11.000
Voltage	220
Socket base	E27
Color temperature	2700
Color rendering	80
Diameter	60.000
Length	110.000
Kind	FR/frosted
Type bulb	A60



LAMP LED E TO

Lamp LED E27 11W 4200To A60 900Lm G-E27-11-4200K

G-E27-11-4200K

Model 7 of 10 in the lineup

Type	LED
Power (W)	11.000
Voltage	220
Range worktable voltage	170-265
Socket base	E27
Color temperature	4200
Color rendering	80
Diameter	60.000
Length	111.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E27 12W 2700To A60 900Lm G-E27-12-2700K

G-E27-12-2700K

Model 8 of 10 in the lineup

Type	LED
Power (W)	12.000
Voltage	220
Range worktable voltage	220-230
Socket base	E27
Color temperature	2700
Color rendering	80
Diameter	60.000
Length	108.000
Kind	FR/frosted

Labels and markings on the products shown may differ from those on units supplied to your market.



LAMP LED E TO

Lamp LED E27 12W 4200To A60 1000Lm G-E27-12-4200K

G-E27-12-4200K

Model 9 of 10 in the lineup

Type	LED
Power (W)	12.000
Voltage	220
Range worktable voltage	150-275
Socket base	E27
Color temperature	4200
Color rendering	80
Diameter	60.000
Length	110.000
Kind	FR/frosted



LAMP LED E TO

Lamp LED E27 12W 6500To A60 1000Lm G-E27-12-6500K

G-E27-12-6500K

Model 10 of 10 in the lineup

Type	LED
Power (W)	12.000
Voltage	220
Socket base	E27
Color temperature	6500
Color rendering	80
Diameter	60.000
Length	112.000
Kind	FR/frosted
Type bulb	A60



LAMP LED G TO

Lamp LED G13 9W 4000To T8 700Lm G-G13-9-4000K

G-G13-9-4000K

Model 1 of 6 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Socket base	G13
Color temperature	4000
Color rendering	70
Diameter	28.500
Length	600.000
Kind	FR/frosted
Type bulb	T8



LAMP LED G TO

Lamp LED G13 9W 6500To T8 700Lm G-G13-9-6500K

G-G13-9-6500K

Model 2 of 6 in the lineup

Type	LED
Power (W)	9.000
Voltage	220
Range worktable voltage	220
Socket base	G13
Color temperature	6500
Color rendering	79
Diameter	28.500
Length	600.000
Kind	FR/frosted



LAMP LED G TO

Lamp LED G13 18W 4000To T8 1400Lm G-G13-18-4000K

G-G13-18-4000K

Model 3 of 6 in the lineup

Type	LED
Power (W)	18.000
Voltage	220
Range worktable voltage	220-240
Socket base	G13
Color temperature	4000
Color rendering	70
Diameter	28.500
Length	1200.000
Kind	FR/frosted



LAMP LED G TO

Lamp LED G13 18W 6500To T8 1400Lm G-G13-18-6500K

G-G13-18-6500K

Model 4 of 6 in the lineup

Type	LED
Power (W)	18.000
Voltage	220
Socket base	G13
Color temperature	6500
Color rendering	89
Diameter	25.000
Length	1200.000
Kind	FR/frosted
Type bulb	T8



LAMP LED G TO

Lamp LED G13 26W 4000To T8 2000Lm G-G13-26-4000K

G-G13-26-4000K

Model 5 of 6 in the lineup

Type	LED
Power (W)	26.000
Voltage	220
Socket base	G13
Color temperature	4000
Color rendering	80
Diameter	26.000
Length	1514.000
Kind	FR/frosted
Type bulb	T



LAMP LED G TO

Lamp LED G13 26W 6500To T8 2000Lm G-G13-26-6500K

G-G13-26-6500K

Model 6 of 6 in the lineup

Type	LED
Power (W)	26.000
Voltage	220
Range worktable voltage	175-265
Socket base	G13
Color temperature	6500
Color rendering	80
Diameter	26.000
Length	1514.000
Kind	FR/frosted

Labels and markings on the products shown may differ from those on units supplied to your market.



GERMICIDAL ULTRAVIOLET OZONE-FREE LAMP

Germicidal ultraviolet ozone-free lamp G-T8-15-UV

G-T8-15-UV

Model 1 of 2 in the lineup

Type	ultraviolet
Technology disinfection	ozone-free
Type bulb	T8
Kind	CL/transparent
Power (W)	15.000
Length waves	253.700
Shape	tubular
Socket base	G13
Color temperature	ultraviolet
Application	germicidal



GERMICIDAL ULTRAVIOLET OZONE-FREE LAMP

Germicidal ultraviolet ozone-free lamp G-T8-30-UV

G-T8-30-UV

Model 2 of 2 in the lineup

Type	ultraviolet
Technology disinfection	ozone-free
Type bulb	T8
Kind	CL/transparent
Power (W)	30.000
Length waves	253.700
Shape	tubular
Socket base	G13
Color temperature	ultraviolet
Application	germicidal



LINEAR FLUORESCENT LAMP

Linear fluorescent lamp G-G5-8-4000

G-G5-8-4000

Model 1 of 6 in the lineup

Type bulb	T5
Power (W)	8.000
Shape	tubular
Socket base	G5
Luminous flux	500.000
Color temperature	natural white (3300-5000 To)
Color rendering	80
Application	total lighting
Service life life	12000.000
Length	288.000



LINEAR FLUORESCENT LAMP

Linear fluorescent lamp G-G13-18-6500

G-G13-18-6500

Model 3 of 6 in the lineup

Type bulb	T8
Power (W)	18.000
Shape	tubular
Socket base	G13
Luminous flux	1050.000
Color temperature	cold white (more than 5000 To)
Color rendering	70
Application	total lighting
Service life life	13000.000
Length	590.000



LINEAR FLUORESCENT LAMP

Linear fluorescent lamp G-G13-58-6500

G-G13-58-6500

Model 6 of 6 in the lineup

Type bulb	T8
Power (W)	58.000
Shape	tubular
Socket base	G13
Luminous flux	4200.000
Color temperature	natural white (3300-5000 To)
Color rendering	70
Application	total lighting
Service life life	12000.000
Length	1500.000



PORTABLE LED LUMINAIRE LSU

Portable LED luminaire LSU-2, 5m IP20 GPE-0018

GPE-0018

Model 1 of 2 in the lineup

Power	6.000
Type lamps	LED
Socket base	No
Battery count & voltage	220V
Lamp in kit	No
Batteries	socket
IP rating	IP20
Wire	wire with plug
Type bulb	No
Color temperature	cold white (more than 5000 To)



PORTABLE LED LUMINAIRE LSU

Portable LED luminaire LSU-2, 10m IP20 GPE-0019

GPE-0019

Model 2 of 2 in the lineup

Power	6.000
Type lamps	LED
Socket base	No
Battery count & voltage	220V
Lamp in kit	No
Batteries	Mains
IP rating	IP20
Wire	wire with plug
Type bulb	No
Color temperature	cold white (more than 5000 To)



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 36W 2700Lm 6500To IP65 GL-01-06

GL-01-06

Model 1 of 2 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	36.000
Power bulbs	36.000
Socket base	no (built-in LEDs)
Type lamps	LED
Lamp in kit	Yes
Number LEDs/lamps	144
Material housing/shade/rebar	ABS-plastic/polystyrene/metal
Colour shade/rebar	white/white



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 36W 3420Lm 4000To IP65 GL-01-07

GL-01-07

Model 2 of 2 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	36.000
Power bulbs	36.000
Socket base	no (built-in LEDs)
Type lamps	LED
Lamp in kit	Yes
Number LEDs/lamps	144
Material housing/shade/rebar	ABS-plastic/polystyrene/metal
Colour shade/rebar	grey/white



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 38W 5000Lm IP65 GL-01-03

GL-01-03

Model 1 of 4 in the lineup

Type mounting	surface-mounted
Type	ceiling
Power luminaire	38.000
Power bulbs	38.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	1
Material housing/shade/rebar	ABS-plastic/steel
Colour shade/rebar	transparent/grey



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 38W 5000Lm IP65 GL-01-04

GL-01-04

Model 2 of 4 in the lineup

Type mounting	surface-mounted
Type	ceiling
Power luminaire	38.000
Power bulbs	38.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	1
Material housing/shade/rebar	ABS-plastic/metal
Colour shade/rebar	transparent/white



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 60W 7250Lm IP65 GL-01-01

GL-01-01

Model 3 of 4 in the lineup

Type mounting	surface-mounted
Type	ceiling
Power luminaire	60.000
Power bulbs	60.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	1
Material housing/shade/rebar	metal/plastic
Colour shade/rebar	transparent/grey



INDUSTRIAL LED LUMINAIRE LM

Industrial LED luminaire 74W 9500Lm IP65 GL-01-02

GL-01-02

Model 4 of 4 in the lineup

Type mounting	surface-mounted
Type	ceiling
Power luminaire	74.000
Power bulbs	74.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	1
Material housing/shade/rebar	ABS-plastic/steel
Colour shade/rebar	transparent/grey



LED UNIVERSAL PANEL MATTE

LED universal panel 36W matte 4000K 2900Lm IP40 GL-03-09

GL-03-09

Model 1 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	36.000
Mounting size	595.000
Luminous flux	2900.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40



INDUSTRIAL LED LUMINAIRE T8

Industrial LED luminaire T8x2 socket base G13 (without lamps) IP65 GL-01-05

GL-01-05

Standalone item in the Gigant range

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	80.000
Power bulbs	40.000
Socket base	G13
Type lamps	LED
Lamp in kit	No
Number LEDs/lamps	2
Material housing/shade/rebar	ABS-plastic/polystyrene
Colour shade/rebar	transparent/grey




LED UNIVERSAL PANEL MATTE

LED universal panel 36W matte 6500K 2900Lm IP40 GL-03-10

GL-03-10

Model 2 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	36.000
Mounting size	595.000
Luminous flux	2900.000
Color rendering	>80
Color temperature	cold white (more than 5000 To)
Protection from dust & moisture	IP40



LED UNIVERSAL PANEL MATTE

**LED universal panel 40W matte 4000To
3600Lm IP40 GL-03-04**

GL-03-04

Model 3 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	40.000
Mounting size	595.000
Luminous flux	3600.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40



LED UNIVERSAL PANEL MATTE

**LED universal panel 40W matte 6500To
3600Lm IP40 GL-03-03**

GL-03-03

Model 4 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	40.000
Mounting size	595.000
Luminous flux	3600.000
Color rendering	>80
Color temperature	cold white (more than 5000 To)
Protection from dust & moisture	IP40



LED UNIVERSAL PANEL MATTE

**LED universal panel 50W matte 4000To
4800Lm IP40 GL-03-02**

GL-03-02

Model 5 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	50.000
Mounting size	595.000
Luminous flux	4800.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40




LED UNIVERSAL PANEL MATTE

**LED universal panel 50W matte 6500To
4800Lm IP40 GL-03-05**

GL-03-05

Model 6 of 6 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	50.000
Mounting size	595.000
Luminous flux	4800.000
Color rendering	>80
Color temperature	cold white (more than 5000 To)
Protection from dust & moisture	IP40



LED THIN BUILT-IN PANEL

**LED thin built-in panel 36W matte 4000K
3000Lm IP40 GL-03-08**

GL-03-08

Model 1 of 2 in the lineup

Type mounting	built-in
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	36.000
Mounting size	595.000
Luminous flux	3000.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40



LED THIN BUILT-IN PANEL

**LED thin built-in panel 36W matte 6500K
3000Lm IP40 GL-03-11**

GL-03-11

Model 2 of 2 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	36.000
Mounting size	595.000
Luminous flux	3000.000
Color rendering	>80
Color temperature	cold white (more than 5000 To)
Protection from dust & moisture	IP40



LED UNIVERSAL PANEL V-BLOCK

**LED universal panel 36W V-block 4000To
3500Lm IP40 GL-03-07**

GL-03-07

Model 1 of 3 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	Square
Supply voltage	220-230
Power luminaire	36.000
Mounting size	595.000
Luminous flux	3500.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40



LED UNIVERSAL PANEL V-BLOCK

**LED universal panel 36W V-block 6500To
3500Lm IP40 GL-03-01**

GL-03-01

Model 2 of 3 in the lineup

Type mounting	built-in/surface-mounted
Type	ceiling
Shape	Square
Supply voltage	220
Power luminaire	36.000
Mounting size	595.000
Luminous flux	3500.000
Color rendering	>80
Color temperature	cold white (more than 5000 To)
Protection from dust & moisture	IP40

Labels and markings on the products shown may differ from those on units supplied to your market.



LED UNIVERSAL PANEL V-BLOCK

LED universal panel 75W V-block 4000K
7400Lm IP40 GL-03-06

GL-03-06

Model 3 of 3 in the lineup

Type mounting	built-in/surface-mounted/hanging
Type	built-in
Shape	rectangular
Supply voltage	220-230
Power luminaire	75.000
Mounting size	1200.000
Luminous flux	7400.000
Color rendering	>80
Color temperature	natural white (3300-5000 To)
Protection from dust & moisture	IP40



CLED LUMINAIRE LM TO

CLED luminaire 18W 1440Lm 4000To IP40 GL-02-07

GL-02-07

Model 1 of 6 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	18.000
Power bulbs	18.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	72
Material housing/shade/rebar	steel/polycarbonate
Colour shade/rebar	white/white




LED DRIVER

LED-driver for LED luminaire 36W, 54V, G-TSD-L4-36W

G-TSD-L4-36W

Standalone item in the Gigant range

Application	for LED source light constant voltage
Principle operation	pulse
Power	36.000
Protection from dust & moisture	IP 20
Input voltage	220
Output voltage	54
Output current	0.600
Operating temperature range	from 0 to 50
Protection from short circuit	Yes
Protection from over voltage	Yes



CLED LUMINAIRE LM TO

CLED luminaire 18W 1440Lm 6500To IP40 GL-02-05

GL-02-05

Model 2 of 6 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	18.000
Power bulbs	18.000
Socket base	no (built-in LEDs)
Type lamps	LED
Lamp in kit	Yes
Number LEDs/lamps	72
Material housing/shade/rebar	steel/polycarbonate
Colour shade/rebar	white/white



CLED LUMINAIRE LM TO
**CLED luminaire 36W 2880Lm 4000To IP40
GL-02-04**

GL-02-04
Model 3 of 6 in the lineup

Type mounting	surface-mounted
Type	wall-mounted
Power luminaire	36.000
Power bulbs	36.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	144
Material housing/shade/rebar	steel/polycarbonate
Colour shade/rebar	white/white



CLED LUMINAIRE LM TO
**CLED luminaire 36W 2880Lm 6500To IP40
GL-02-02**

GL-02-02
Model 4 of 6 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	36.000
Power bulbs	36.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	144
Material housing/shade/rebar	steel/polycarbonate
Colour shade/rebar	white/white



CLED LUMINAIRE LM TO
**CLED luminaire 55W 4950Lm 4000To IP40
GL-02-03**

GL-02-03
Model 5 of 6 in the lineup

Type mounting	surface-mounted
Type	wall-mounted/ceiling
Power luminaire	55.000
Power bulbs	55.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	180
Material housing/shade/rebar	steel/polycarbonate
Colour shade/rebar	white/white



CLED LUMINAIRE LM TO
**CLED luminaire 72W 5000Lm 6500To IP20
GL-02-01**

GL-02-01
Model 6 of 6 in the lineup

Type mounting	built-in
Type	wall-mounted/ceiling
Power luminaire	72.000
Power bulbs	72.000
Socket base	no (built-in LEDs)
Type lamps	built-in LEDs
Lamp in kit	Yes
Number LEDs/lamps	224
Material housing/shade/rebar	steel/polystyrene
Colour shade/rebar	white/white

Labels and markings on the products shown may differ from those on units supplied to your market.



CLUMINAIRE LED WALL CEILING

Cluminaire LED wall-ceiling Utilities 8W
6500To D140 round GL-04-08

GL-04-08

Model 1 of 4 in the lineup

Type mounting	surface-mounted
Power luminaire	8.000
Power bulbs	8.000
Batteries	Mains
Battery count & voltage	220V
Type lamps	built-in LEDs
Number lamps	1
Lamp in kit	Yes
Socket base	No
Type bulb	board LED



CLUMINAIRE LED WALL CEILING

Cluminaire LED wall-ceiling Utilities 15W
4000To D175 round GL-04-02

GL-04-02

Model 3 of 4 in the lineup

Type mounting	surface-mounted
Power luminaire	15.000
Power bulbs	0.000
Batteries	Mains
Battery count & voltage	220V
Type lamps	built-in LEDs
Number lamps	0
Lamp in kit	Yes
Socket base	built-in LEDs(LED)
Type bulb	board LED



CLUMINAIRE LED WALL CEILING

Cluminaire LED wall-ceiling Utilities 18W
6500To D195 round GL-04-03

GL-04-03

Model 4 of 4 in the lineup

Type mounting	surface-mounted
Power luminaire	18.000
Power bulbs	18.000
Batteries	Mains
Battery count & voltage	220V
Type lamps	built-in LEDs
Number lamps	1
Lamp in kit	Yes
Socket base	built-in LEDs(LED)
Type bulb	board LED



PROFILE ALUMINUM

Profile aluminum surface-mounted, 2m,
silver, G-WM-78

G-WM-78

Model 1 of 6 in the lineup

Type	profile
Mounting	surface-mounted
Kind	Straight
Material	Aluminium
Protection from dust & moisture	IP 20
Length	2000
Width	16
Colour	silver
Fasteners in kit	Yes
Width platform under tape	11



PROFILE ALUMINUM

Profile aluminum surface-mounted wide, 2m, silver, G-XT-438

G-XT-438

Model 2 of 6 in the lineup

Type	profile
Mounting	surface-mounted
Kind	Straight
Material	Aluminium
Protection from dust & moisture	IP 20
Length	2000
Width	23
Colour	silver
Fasteners in kit	Yes
Width platform under tape	20



PROFILE ALUMINUM

Profile aluminum surface-mounted, 2m, black, G-WM-78-1

G-WM-78-1

Model 3 of 6 in the lineup

Type	profile
Mounting	surface-mounted
Kind	Straight
Material	Aluminium
Protection from dust & moisture	IP 20
Length	2000
Width	16
Colour	Black
Fasteners in kit	Yes
Width platform under tape	11



PROFILE ALUMINUM

Profile aluminum surface-mounted, 2m, silver, G-XT-211

G-XT-211

Model 4 of 6 in the lineup

Type	profile
Mounting	surface-mounted
Kind	Straight
Material	Aluminium
Protection from dust & moisture	IP 20
Length	2000
Width	17
Colour	silver
Fasteners in kit	Yes
Width platform under tape	11



PROFILE ALUMINUM

Profile aluminum angled, 2m, silver, G-XT-58

G-XT-58

Model 5 of 6 in the lineup

Type	profile
Mounting	surface-mounted
Kind	Angled
Protection from dust & moisture	IP 20
Material	Aluminium
Width	16
Length	2000
Colour	silver
Fasteners in kit	Yes
Width platform under tape	10



PROFILE ALUMINUM

Profile aluminum built-in, 2m, silver, G-WM-79

G-WM-79

Model 6 of 6 in the lineup

Type	profile
Mounting	built-in (built-in)
Kind	Straight
Material	Aluminium
Protection from dust & moisture	IP 20
Length	2000
Width	22
Colour	silver
Fasteners in kit	Yes
Width platform under tape	11



LED FLOODLIGHT W TO

LED floodlight 10W 6400To 220V. GLS-10

GLS-10

Model 1 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	10.000
Length	88.000
Width	79.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000



LED FLOODLIGHT W TO

LED floodlight 20W 6400To 220V. GLS-20

GLS-20

Model 2 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	20.000
Length	100.000
Width	90.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Color temperature	cold white (more than 5000 To)



LED FLOODLIGHT W TO

LED floodlight 30W 6400To 220V. GLS-30

GLS-30

Model 3 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	30.000
Length	110.000
Width	125.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	0.900



LED FLOODLIGHT W TO
LED floodlight 50W 6400To 220V. GLS-50

GLS-50

Model 4 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	50.000
Length	146.000
Width	123.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000



LED FLOODLIGHT W TO
LED floodlight 100W 6400To 220V. GLS-100

GLS-100

Model 5 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LED
Power luminaire	100.000
Length	192.000
Width	231.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000



LED FLOODLIGHT W TO
LED floodlight 150W 6400To 220V. GLS-150

GLS-150

Model 6 of 6 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	150.000
Length	353.000
Width	243.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000



LED FLOODLIGHT IP W
LED floodlight IP65 50W 4000K GLS-50/40

GLS-50/40

Model 1 of 4 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	50.000
Length	186.000
Width	153.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220/240
Coefficient power	0.900

Labels and markings on the products shown may differ from those on units supplied to your market.



LED FLOODLIGHT IP W

LED floodlight IP65 100W 4000K GLS-100/40

GLS-100/40

Model 2 of 4 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	100.000
Length	242.000
Width	192.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	0.900



LED FLOODLIGHT IP W

LED floodlight IP65 200W 6400K GLS-200

GLS-200

Model 3 of 4 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	200.000
Length	337.000
Width	262.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	0.900



LED FLOODLIGHT IP W

LED floodlight IP65 300W 6400K GLS-300

GLS-300

Model 4 of 4 in the lineup

Method installation	mounting staple (lyre bracket)
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	300.000
Length	386.000
Width	306.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	0.900



MULTIFUNCTIONAL FLASHLIGHT

Multifunctional flashlight RWL-200

RWL-200

Model 1 of 2 in the lineup

Type	automotive
Source light	LED
Housing material	Plastic
Colour	black/orange
Length	165.000
Number modes operation	2
Type battery	Li-Ion
Capacity	2.000
Number batteries in kit	built-in
Batteries in kit	No



MULTIFUNCTIONAL FLASHLIGHT

Multifunctional flashlight WL-150

WL-150

Model 2 of 2 in the lineup

Type	Manual
Source light	LED
Housing material	ABS-plastic, rubber
Colour	black/orange
Length	220.000
Number modes operation	2
Type battery	No
Capacity	0.000
Number batteries in kit	No
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT

Head-mounted flashlight HL-02

HL-02

Model 1 of 9 in the lineup

Type	head-mounted
Housing material	Plastic
Colour	Black
Source light	LED
Number modes operation	3
Type battery	Li-Pol
Number batteries in kit	1
Capacity	1.2
Max time operation	16.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT

Head-mounted flashlight with zoom HL-11

HL-11

Model 2 of 9 in the lineup

Type	head-mounted
Housing material	ABS-plastic, aluminium
Colour	Black
Source light	LED
Number modes operation	4
Type battery	Li-Ion
Number batteries in kit	built-in
Capacity	1.2
Max time operation	6.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT

Head-mounted flashlight with adjustable focus HL-10

HL-10

Model 3 of 9 in the lineup

Type	head-mounted
Housing material	Aluminium
Colour	Black
Source light	LED
Number modes operation	4
Type battery	Li-Ion
Number batteries in kit	built-in
Capacity	1.2
Max time operation	5.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT
Head-mounted flashlight HL-03

HL-03
Model 4 of 9 in the lineup

Type	head-mounted
Housing material	ABS-plastic, rubber
Colour	orange
Source light	LED
Number modes operation	3
Type battery	Li-Pol
Number batteries in kit	built-in
Capacity	0.8
Max time operation	5.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT
Head-mounted flashlight IPX4 HL-05

HL-05
Model 5 of 9 in the lineup

Type	head-mounted
Housing material	ABS-plastic, rubber
Colour	Black
Source light	LED
Number modes operation	3
Type battery	Li-Ion
Number batteries in kit	1
Capacity	2
Max time operation	5.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT
Head-mounted/manual flashlight 500Lm HL-06

HL-06
Model 6 of 9 in the lineup

Type	head-mounted
Housing material	aluminum alloy
Colour	Black
Source light	LED
Number modes operation	3
Type battery	Li-Ion
Number batteries in kit	built-in
Capacity	1
Max time operation	5.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT
Head-mounted flashlight HL-04

HL-04
Model 7 of 9 in the lineup

Type	head-mounted
Housing material	ABS-plastic, rubber
Colour	orange
Source light	LED
Number modes operation	8
Type battery	Li-Pol
Number batteries in kit	built-in
Capacity	1.5
Max time operation	6.500
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT

Head-mounted flashlight 1000Lm IP54 HL-09

HL-09

Model 8 of 9 in the lineup

Type	head-mounted
Housing material	Aluminium
Colour	white
Source light	LED
Number modes operation	6
Type battery	Li-Ion
Number batteries in kit	1
Capacity	2.2
Max time operation	5.000
Batteries in kit	No



HEAD-MOUNTED FLASHLIGHT

Head-mounted flashlight IP54 HL-08

HL-08

Model 9 of 9 in the lineup

Type	head-mounted
Housing material	Aluminium
Colour	Black
Source light	LED
Number modes operation	12
Type battery	Li-Ion
Number batteries in kit	built-in
Capacity	2.2
Max time operation	5.000
Batteries in kit	No



TRIPOD WORK LIGHT

Floodlight on tripod 60W, 2*30W 6400To 220V. GTMS-60

GTMS-60

Model 1 of 3 in the lineup

Method installation	on tripod
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	60.000
Width	500.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000
Color temperature	cold white (more than 5000 To)



TRIPOD WORK LIGHT

Floodlight on tripod 100W, 2*50W 6400To 220V. GTMS-100

GTMS-100

Model 2 of 3 in the lineup

Method installation	on tripod
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	100.000
Length	600.000
Width	600.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000

Labels and markings on the products shown may differ from those on units supplied to your market.



TRIPOD WORK LIGHT

Tripod-mounted LED floodlight GTMS-140

GTMS-140

Model 3 of 3 in the lineup

Stand	Telescopic tripod
Light source	LED floodlight head
Application	Site & workshop area lighting
Power	Mains or battery



FLOODLIGHT TRIPOD

Tripod for LED floodlight 1,6m. GTS-1 GGTS-1

GGTS-1

Model 1 of 2 in the lineup

Telescopic	Yes
IP rating	65
Number floodlight	1
Max height	1600.000
Min height	650.000
Net weight	2.150
Dimensions (unpacked)	700x700x1600
Adjustment time operation after trigger	No



FLOODLIGHT TRIPOD

Tripod for 2-x LED floodlight 1,6m. GTS-2

GTS-2

Model 2 of 2 in the lineup

Telescopic	Yes
IP rating	65
Number floodlight	2
Max height	1600.000
Min height	850.000
Net weight	2.400
Dimensions (unpacked)	750x750x1600
Adjustment time operation after trigger	No



PORTABLE LED FLOODLIGHT

LED portable floodlight IP65 30W 6400K GPLF-30

GPLF-30

Model 1 of 2 in the lineup

Method installation	floor
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	30.000
Length	200.000
Width	45.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	70.000



PORTABLE LED FLOODLIGHT
**LED portable floodlight IP65 50W 6400K
GPLF-50**

GPLF-50
Model 2 of 2 in the lineup

Method installation	floor/on tripod/wall-mounted
Housing material	Aluminium
Type lamps	LEDs
Power luminaire	50.000
Length	236.000
Width	167.000
Batteries	Mains
Battery count & voltage	220V
Range worktable voltage	220-240
Coefficient power	0.900



HANDHELD WORK LIGHT
Handheld rechargeable work light GWL-500

GWL-500
Model 2 of 2 in the lineup

Power	Built-in rechargeable battery
Body	Impact-resistant, hanging hook
Application	Inspection & task lighting



HANDHELD WORK LIGHT
Working flashlight-floodlight GWL-300

GWL-300
Model 1 of 2 in the lineup

Type	manual floodlight
Source light	LED
Housing material	ABS-plastic
Colour	black/orange
Length	137.000
Number modes operation	3
Type battery	No
Capacity	0.000
Number batteries in kit	No
Batteries in kit	No



MANUAL FLASHLIGHT
Manual flashlight 70Lm IP44 GHL-70

GHL-70
Model 1 of 4 in the lineup

Type	Manual
Housing material	Aluminium
Colour	Black
Length	90.000
Number modes operation	1
Type battery	No
Capacity	0
Number batteries in kit	No
Max time operation	7.000
Batteries	AAA (R03; LR03; FR03)/16340 (CR123A; CR123)/18650 (168A)



MANUAL FLASHLIGHT
Manual flashlight GH1-150

GH1-150
Model 2 of 4 in the lineup

Type	Manual
Housing material	Aluminium
Colour	Black
Length	130.000
Number modes operation	5
Type battery	Li-Ion
Capacity	2.000
Number batteries in kit	1
Max time operation	3.000
Batteries	18650(168A)



MANUAL FLASHLIGHT
Manual flashlight 500Lm IPX4 GH1-500

GH1-500
Model 3 of 4 in the lineup

Type	Manual
Housing material	Aluminium
Colour	Black
Length	147.000
Number modes operation	5
Type battery	Li-Ion
Capacity	2.200
Number batteries in kit	built-in
Max time operation	7.000
Batteries	18650(168A)



MANUAL FLASHLIGHT
Manual flashlight 2000Lm IPX4 pro GH1-2000

GH1-2000
Model 4 of 4 in the lineup

Type	Manual
Housing material	anodized aluminium
Colour	black/orange
Length	240.000
Number modes operation	4
Type battery	Li-Ion
Capacity	4.000
Number batteries in kit	1
Max time operation	7.000
Batteries	21700



FLASHLIGHT-FLOODLIGHT
Flashlight-floodlight 19xLED RSL-200

RSL-200
Model 1 of 6 in the lineup

Type	manual floodlight
Housing material	ABS-plastic
Colour	orange
Length	200.000
Number modes operation	1
Type battery	Li-Ion
Capacity	2.000
Number batteries in kit	1
Max time operation	10.000
Batteries	18650(168A)



FLASHLIGHT-FLOODLIGHT
Flashlight-floodlight 37xLED RSL-300

RSL-300
Model 2 of 6 in the lineup

Type	manual floodlight
Housing material	ABS-plastic, rubber
Colour	orange
Length	250.000
Number modes operation	2
Type battery	Li-Ion
Capacity	2.000
Number batteries in kit	1
Max time operation	6.000
Batteries	18650(168A)



FLASHLIGHT-FLOODLIGHT
Manual floodlight RSL-350

RSL-350
Model 3 of 6 in the lineup

Type	manual floodlight
Housing material	Plastic
Colour	Black
Length	225.000
Number modes operation	1
Type battery	acid
Capacity	7.500
Number batteries in kit	built-in
Max time operation	7.000
Batteries	built-in battery



FLASHLIGHT-FLOODLIGHT
Automotive flashlight RSL-400

RSL-400
Model 4 of 6 in the lineup

Type	automotive
Source light	LED
Housing material	Plastic
Colour	black/orange
Length	410.000
Number modes operation	2
Type battery	Li-Ion
Capacity	2.000
Number batteries in kit	built-in
Batteries in kit	No



FLASHLIGHT-FLOODLIGHT
Flashlight-floodlight 400Lm IPX4 RSL-350F

RSL-350F
Model 5 of 6 in the lineup

Type	manual floodlight
Housing material	ABS-plastic, rubber
Colour	black/orange
Length	190.000
Number modes operation	8
Type battery	Li-Ion
Capacity	4.800
Number batteries in kit	4
Max time operation	6.000
Batteries	18650



FLASHLIGHT-FLOODLIGHT

Working flashlight RSL-500

RSL-500

Model 6 of 6 in the lineup

Type	flashlight-powerbank
Source light	LED
Housing material	Plastic
Colour	Black/yellow
Length	112.000
Number modes operation	3
Type battery	Li-Ion
Capacity	4.000
Number batteries in kit	built-in
Batteries in kit	No



CAMPING FLASHLIGHT

LED flashlight LF-01

LF-01

Standalone item in the Gigant range

Type	camping
Source light	LED
Housing material	Plastic
Colour	Black
Length	86.000
Number modes operation	1
Type battery	No
Capacity	0.000
Number batteries in kit	No
Batteries in kit	No



TWEEZERS STRAIGHT

Tweezers straight 120 mm GTT-120

GTT-120

Model 1 of 4 in the lineup

Application	for jewelry & precision work
Length	120.000
Material	medical steel
Jaw material	medical steel
Shape tweezers	Straight
Jaw shape	flat
Ribbed jaws	No
Type tip	sharp
Insulated (VDE) coating	No
Antistatic coating	No



TWEEZERS STRAIGHT

Tweezers straight 125 mm GST-125

GST-125

Model 2 of 4 in the lineup

Application	electronics
Length	125.000
Material	Stainless steel
Jaw material	Stainless steel
Shape tweezers	Straight
Jaw shape	flat
Ribbed jaws	Yes
Type tip	blunt
Insulated (VDE) coating	No
Antistatic coating	No



TWEEZERS STRAIGHT

Tweezers straight 140 mm GST-140

GST-140

Model 3 of 4 in the lineup

Application	electronics
Length	140.000
Material	medical steel
Jaw material	medical steel
Shape tweezers	Straight
Jaw shape	flat
Ribbed jaws	Yes
Type tip	blunt
Insulated (VDE) coating	No
Antistatic coating	No



TWEEZERS STRAIGHT

Tweezers straight 160 mm GST-160

GST-160

Model 4 of 4 in the lineup

Application	electronics
Length	160.000
Material	medical steel
Jaw material	medical steel
Shape tweezers	Straight
Jaw shape	flat
Ribbed jaws	Yes
Type tip	blunt
Insulated (VDE) coating	No
Antistatic coating	No



TWEEZERS CURVED

Tweezers curved 125 mm GCT-125

GCT-125

Model 1 of 2 in the lineup

Application	electronics
Length	125.000
Material	medical steel
Jaw material	medical steel
Shape tweezers	curved
Jaw shape	flat
Ribbed jaws	No
Type tip	blunt
Insulated (VDE) coating	No
Antistatic coating	No



TWEEZERS CURVED

Tweezers curved 160 mm GCT-160

GCT-160

Model 2 of 2 in the lineup

Application	electronics
Length	160.000
Material	medical steel
Jaw material	medical steel
Shape tweezers	curved
Jaw shape	flat
Ribbed jaws	No
Type tip	blunt
Insulated (VDE) coating	No
Antistatic coating	No



TOOL FOR REMOVING INSULATION

Pliers for removing insulation 0,6-2,6 GEST-05

GEST-05

Model 1 of 4 in the lineup

Type	mechanical(manual)
Application	for removing insulation & cutting wires
Replaceable blades	No
Wire cross-section	0.6-2.6
Handle covers	Two-component
Blade	Yes
Max cable diameter	2.600
Min cable diameter	0.600
Max wire cross-section	2.600
Min wire cross-section	0.600



TOOL FOR REMOVING INSULATION

Tool for removing insulation GST-1

GST-1

Model 2 of 4 in the lineup

Type	Automatic
Application	For stripping insulation
Replaceable blades	No
Wire cross-section	0.2-6
Handle covers	Plastic
Blade	Yes
Max cable diameter	4.000
Min cable diameter	0.200
Max wire cross-section	6.000
Min wire cross-section	0.200



TOOL FOR REMOVING INSULATION

Tool for removing insulation 200mm GEP 01

GEP 01

Model 3 of 4 in the lineup

Type	crimping pliers (universal tool)
Application	For stripping insulation and cleaning flat and round cable
Replaceable blades	No
Wire cross-section	0.5-6
Handle covers	Rubber
Blade	Yes
Max cable diameter	5.000
Min cable diameter	0.800
Max wire cross-section	6.000
Min wire cross-section	0.500



TOOL FOR REMOVING INSULATION

Tool for removing insulation GST-2

GST-2

Model 4 of 4 in the lineup

Type	mechanical(manual)
Application	For stripping insulation
Replaceable blades	No
Wire cross-section	3-12
Handle covers	Plastic
Blade	Yes
Max cable diameter	3.000
Min cable diameter	0.500
Max wire cross-section	12.000
Min wire cross-section	3.000



ELECTRICIAN'S KNIFE

Electrician's knife, curved blade GMK-2

GMK-2

Model 1 of 2 in the lineup

Blade	Yes
Cutting depth adjustment	No
Cutting diameter adjustment	No
Min cable diameter	1.000
Max cable diameter	500.000
Handle covers	Plastic
Electrically insulated (VDE)	No
For coaxial cable	No
Max wire cross-section	1.000
Min wire cross-section	500.000



ELECTRICIAN'S KNIFE

Electrician's knife, straight blade GMK-1

GMK-1

Model 2 of 2 in the lineup

Blade	Yes
Cutting depth adjustment	No
Cutting diameter adjustment	No
Handle covers	thermally modified wood
Electrically insulated (VDE)	No
For coaxial cable	No
Replaceable blades	No
Type blade	Straight
Overall length	200.000
Blade length	70.000



CABLE SCISSORS

Cable scissors of stainless steel 180mm GC-180

GC-180

Standalone item in the Gigant range

Length	180.000
Cable	aluminium, copper
Gear-type mechanism	No
Insulated (VDE) coating	No
Max cable diameter	12.000
With return spring	Yes
Grade	Professional
Dimensions (unpacked)	180x50x15
Net weight	0.210



DIELECTRIC CABLE CUTTER

Dielectric cable cutter 160 mm GICCP-160

GICCP-160

Model 1 of 2 in the lineup

Length	160.000
Cable	aluminium, copper
Gear-type mechanism	No
Insulated (VDE) coating	Yes
Max cable diameter	12.000
With return spring	No
Grade	Professional
Dimensions (unpacked)	230x65
Net weight	0.207



DIELECTRIC CABLE CUTTER
Dielectric cable cutter 250 mm GICCP-250

GICCP-250
Model 2 of 2 in the lineup

Length	250.000
Cable	aluminium, copper
Gear-type mechanism	No
Insulated (VDE) coating	Yes
Max cable diameter	16.000
With return spring	No
Grade	Professional
Dimensions (unpackaged)	250x70
Net weight	0.480



SET ELECTRICIAN'S
Set electrician's ELS14

ELS14
Model 1 of 3 in the lineup

Screwdriver	Yes
Combination pliers	Yes
Adjustable wrench	No
Side cutters	Yes
Cutting pliers	No
Tape measure	No
Voltage tester	Yes
Case	No
Dielectric tool	Yes
Soldering iron	No



SET ELECTRICIAN'S
Set electrician's ELS15

ELS15
Model 2 of 3 in the lineup

Screwdriver	Yes
Combination pliers	Yes
Voltage tester	Yes
Dielectric tool	Yes
Cable stripper	Yes
Pieces	15
Case	Bag



SET ELECTRICIAN'S
Set electrician's ELS18

ELS18
Model 3 of 3 in the lineup

Screwdriver	Yes
Combination pliers	Yes
Adjustable wrench	No
Side cutters	Yes
Cutting pliers	No
Tape measure	No
Voltage tester	No
Case	Yes
Dielectric tool	Yes
Soldering iron	No



SET ELECTRICIAN'S
Tool set 19pc GT-19

GT-19
Standalone item in the Gigant range

Screwdriver	Yes
Combination pliers	Yes
Long-nose pliers	Yes
Soldering iron	Yes
Knife	Yes
Pieces	19
Case	Tool tray/case



SET ELECTRICIAN'S
Set electrician's ELS27

ELS27
Standalone item in the Gigant range

Screwdriver	Yes
Adjustable wrench	Yes
Side cutters	Yes
Soldering iron	Yes
Voltage tester	Yes
Pieces	27
Case	Bag



BLADE DIELECTRIC
Blade dielectric GDK-1

GDK-1
Model 1 of 3 in the lineup

Blade	Yes
Cutting depth adjustment	No
Cutting diameter adjustment	No
Min cable diameter	0.000
Max cable diameter	100.000
Handle covers	Two-component
Electrically insulated (VDE)	Yes
For coaxial cable	No
Max wire cross-section	0.000
Min wire cross-section	100.000



BLADE DIELECTRIC
Blade dielectric GDK-2

GDK-2
Model 2 of 3 in the lineup

Blade	Yes
Cutting depth adjustment	No
Cutting diameter adjustment	No
Min cable diameter	0.000
Max cable diameter	100.000
Handle covers	Two-component
Electrically insulated (VDE)	Yes
For coaxial cable	No
Max wire cross-section	0.000
Min wire cross-section	100.000



BLADE DIELECTRIC
Blade dielectric GDK-3

GDK-3

Model 3 of 3 in the lineup

Blade	Yes
Cutting depth adjustment	No
Cutting diameter adjustment	No
Min cable diameter	0.000
Max cable diameter	100.000
Handle covers	Two-component
Electrically insulated (VDE)	Yes
For coaxial cable	No
Max wire cross-section	100.000
Min wire cross-section	0.000



PRESS PLIERS FOR CRIMP
Crimping pliers square for crimp terminal GECT-02

GECT-02

Model 1 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	0.25-6
Min insulated terminal cross-section	0.25
Max insulated terminal cross-section	6
Uninsulated (Al) terminal wire range	0.25-6



PRESS PLIERS FOR CRIMP
Crimping pliers hexagonal for crimp terminal GECT-03

GECT-03

Model 2 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	0.25-6
Min insulated terminal cross-section	0.25
Max insulated terminal cross-section	6
Uninsulated (Al) terminal wire range	0.25-6



PRESS PLIERS FOR CRIMP
Crimping pliers for crimp terminal 0,5 - 6 mm² GECT-01

GECT-01

Model 3 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	No
Uninsulated (Al) terminal wire range	No
Bare terminal cross-section (Cu)	No
Ferrule terminal cross-section	0.5-6



PRESS PLIERS FOR CRIMP

Crimping pliers for crimp terminal GECT-04

GECT-04

Model 4 of 8 in the lineup

Type	tool crimping
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	1.5-16
Min insulated terminal cross-section	1.5
Max insulated terminal cross-section	16
Uninsulated (Al) terminal wire range	1.5-16



PRESS PLIERS FOR CRIMP

Crimping pliers for crimp terminal GECT-05

GECT-05

Model 5 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	No
Uninsulated (Al) terminal wire range	No
Bare terminal cross-section (Cu)	No
Ferrule terminal cross-section	6-16



PRESS PLIERS FOR CRIMP

Crimping pliers square 4-16 mm2 GECT-08

GECT-08

Model 6 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	4-16
Min insulated terminal cross-section	4
Max insulated terminal cross-section	16
Uninsulated (Al) terminal wire range	No



PRESS PLIERS FOR CRIMP

Crimping pliers for crimp terminal GECT-07

GECT-07

Model 7 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	5.5-25
Min insulated terminal cross-section	5.5
Max insulated terminal cross-section	25
Uninsulated (Al) terminal wire range	5.5-25

Labels and markings on the products shown may differ from those on units supplied to your market.



PRESS PLIERS FOR CRIMP
Crimping pliers for crimp terminal 10 - 35 mm² GECT-06

GECT-06

Model 8 of 8 in the lineup

Type	for ferrule terminal
Cross-section wire for removing insulation	No
Min cross-section wire for removing insulation	No
Max cross-section wire for removing insulation	No
Removal insulation	No
Pipe threader	No
Insulated terminal cross-section	No
Uninsulated (Al) terminal wire range	No
Bare terminal cross-section (Cu)	No
Ferrule terminal cross-section	10-35



CRIMPING TOOL
RJ45/RJ11 crimping tool GCCT-1

GCCT-1

Standalone item in the Gigant range

Connectors	RJ45, RJ11/RJ12
Function	Crimp, strip, cut
Application	Network & telephone cable termination



OUTLET & RCD TESTER
Socket outlet & RCD tester GSOT-1

GSOT-1

Model 1 of 2 in the lineup

Function	Wiring fault & RCD trip test
Display	LED indicator codes
Application	Outlet safety verification



OUTLET & RCD TESTER
Tester sockets & RCD GSOT-2

GSOT-2

Model 2 of 2 in the lineup

Variable voltage, contact method	250.000
Variable voltage, contactless method	250.000
Voltage	0-250
Grade	Household
Battery size	not required
Housing material	Plastic
Net weight	0.072
Dimensions (unpacked)	64x68x68



SOLDERING IRON STATION WITH
**Soldering iron station with heat gun 500W
GSS-868D**

GSS-868D
Model 1 of 3 in the lineup

Type	soldering iron station
Kind	digital
Type power	electric
Power	500.000
Shape tip	cone
Power soldering iron	50
Power heat gun	450
Voltage	220(230)
Time heating	0.500
Min temperature heating	100.000



SOLDERING IRON STATION WITH
**Soldering iron station with heat gun 600W
GSS-968**

GSS-968
Model 2 of 3 in the lineup

Type	combination
Kind	digital
Type power	electric
Power	600.000
Shape tip	cone
Material tip	Copper
Power soldering iron	50
Power heat gun	550
Voltage	220(230)
Time heating	0.100



SOLDERING IRON STATION WITH
**Soldering iron station with heat gun 650W
CGS-979D**

CGS-979D
Model 3 of 3 in the lineup

Type	combination
Kind	digital
Type power	electric
Power	650.000
Shape tip	cone
Material tip	Copper
Power soldering iron	72
Power heat gun	600
Voltage	220(230)
Time heating	0.120



SOLDERING IRON STATION
Soldering iron station 50W GSS-936A

GSS-936A
Standalone item in the Gigant range

Type	soldering iron station
Kind	analog
Type power	electric
Power	50.000
Shape tip	cone
Air blower type	No
Power soldering iron	50
Power heat gun	No
Voltage	220(230)
Time heating	3.000

Labels and markings on the products shown may differ from those on units supplied to your market.



SOLDERING IRON ELECTRIC WEDGE

Soldering iron electric, wedge, 200W, wooden handle GES-06

GES-06

Model 1 of 2 in the lineup

Type	soldering iron
Power	200.000
Temperature control	No
Temperature heating	520
Power supply	Mains-powered
Voltage	220
Time heating	10.000
Material tip	Copper
Protective coating copper tip	No
Type heating element	nichrome, sealed in ceramic



SOLDERING IRON ELECTRIC WEDGE

Soldering iron electric, wedge, 300W, wooden handle GES-05

GES-05

Model 2 of 2 in the lineup

Type	soldering iron
Power	300.000
Temperature control	No
Temperature heating	from 500 to 540
Power supply	Mains-powered
Voltage	220
Time heating	8.000
Material tip	Copper
Protective coating copper tip	No
Type heating element	nichrome, sealed in ceramic



TORCH GAS WITH PIEZO

Torch gas with piezo ignition G-9005D

G-9005D

Model 1 of 3 in the lineup

Temperature flame	1300.000
Connection	collet
Type	torch
Type flame	arrow-shaped
Shape cylinder	narrow
Gas	butane, isobutane, propane
Material torch	copper, steel, plastic
Piezo ignition	Yes
Regulator level flame	Yes
Fuel consumption	80.000



TORCH GAS WITH PIEZO

Torch gas with piezo ignition 360 G-8807D

G-8807D

Model 2 of 3 in the lineup

Temperature flame	1300.000
Connection	collet
Type	torch
Type flame	arrow-shaped
Shape cylinder	narrow
Gas	butane, isobutane, propane
Material torch	ABS plastic, metal
Piezo ignition	Yes
Regulator level flame	Yes
Fuel consumption	80.000



TORCH GAS WITH PIEZO

Torch gas with piezo ignition 360 G-8823D

G-8823D

Model 3 of 3 in the lineup

Temperature flame	1300.000
Connection	collet
Type	torch
Type flame	arrow-shaped
Shape cylinder	narrow
Gas	butane, isobutane, propane
Material torch	copper, steel, plastic
Piezo ignition	Yes
Regulator level flame	Yes
Fuel consumption	80.000



GAS TORCH ALL-METAL

Torch gas all-metal G-7013D

G-7013D

Standalone item in the Gigant range

Temperature flame	1300.000
Connection	collet
Type	torch
Type flame	arrow-shaped
Shape cylinder	narrow
Gas	butane, isobutane, propane
Material torch	steel, brass, aluminium
Piezo ignition	No
Regulator level flame	Yes
Fuel consumption	100.000



PORTABLE GAS TORCH WITH PIEZO

Portable gas torch with piezo ignition G-GF-905

G-GF-905

Standalone item in the Gigant range

Temperature flame	1300.000
Connection	for lighters
Type	torch
Type flame	wedge-shaped
Shape cylinder	narrow
Gas	butane
Material torch	ABS-plastic, metal
Piezo ignition	Yes
Regulator level flame	Yes
Fuel consumption	120.000



HYDRAULIC MANUAL PRESS

Hydraulic manual press HMPJ-70

HMPJ-70

Model 1 of 6 in the lineup

Uninsulated (Al) terminal wire range	4-70
Min uninsulated (Al) terminal wire size	4.000
Max uninsulated (Al) terminal wire size	70.000
Cross-section uninsulated. terminal (Cu)	4-70
Min bare terminal cross-section (Cu)	4.000
Max bare terminal cross-section (Cu)	70.000
Number batteries in kit	No
Max working force	4.500
Number dies in kit	9
Safety valve	Yes



HYDRAULIC MANUAL PRESS

Hydraulic manual press HMPJ-70c

HMPJ-70c

Model 2 of 6 in the lineup

Uninsulated (Al) terminal wire range	4-70
Min uninsulated (Al) terminal wire size	4.000
Max uninsulated (Al) terminal wire size	70.000
Cross-section uninsulated. terminal (Cu)	4-70
Min bare terminal cross-section (Cu)	4.000
Max bare terminal cross-section (Cu)	70.000
Number batteries in kit	No
Max working force	4.500
Number dies in kit	9
Safety valve	Yes



HYDRAULIC MANUAL PRESS

Press hydraulic manual HMPJ-120

HMPJ-120

Model 3 of 6 in the lineup

Uninsulated (Al) terminal wire range	10-120
Min uninsulated (Al) terminal wire size	10.000
Max uninsulated (Al) terminal wire size	120.000
Cross-section uninsulated. terminal (Cu)	10-120
Min bare terminal cross-section (Cu)	10.000
Max bare terminal cross-section (Cu)	120.000
Number batteries in kit	No
Max working force	6.600
Number dies in kit	8
Safety valve	Yes



HYDRAULIC MANUAL PRESS

Press hydraulic manual HMPJ-240

HMPJ-240

Model 4 of 6 in the lineup

Uninsulated (Al) terminal wire range	16-240
Min uninsulated (Al) terminal wire size	16.000
Max uninsulated (Al) terminal wire size	240.000
Cross-section uninsulated. terminal (Cu)	16-240
Min bare terminal cross-section (Cu)	16.000
Max bare terminal cross-section (Cu)	240.000
Number batteries in kit	No
Max working force	7.500
Number dies in kit	10
Safety valve	Yes



HYDRAULIC MANUAL PRESS

Hydraulic manual press HMPJ-300

HMPJ-300

Model 5 of 6 in the lineup

Uninsulated (Al) terminal wire range	10-300
Min uninsulated (Al) terminal wire size	10.000
Max uninsulated (Al) terminal wire size	300.000
Cross-section uninsulated. terminal (Cu)	10-300
Min bare terminal cross-section (Cu)	10.000
Max bare terminal cross-section (Cu)	300.000
Number batteries in kit	No
Max working force	7.800
Number dies in kit	12
Safety valve	Yes



HYDRAULIC MANUAL PRESS

Press hydraulic manual HMPJ-300c

HMPJ-300c

Model 6 of 6 in the lineup

Uninsulated (Al) terminal wire range	10-300
Min uninsulated (Al) terminal wire size	10.000
Max uninsulated (Al) terminal wire size	300.000
Cross-section uninsulated. terminal (Cu)	10-300
Min bare terminal cross-section (Cu)	10.000
Max bare terminal cross-section (Cu)	300.000
Number batteries in kit	No
Max working force	7.800
Number dies in kit	10
Safety valve	Yes



BATTERY ALKALINE AAA LR

Battery Alkaline AAA/LR03 blister pack 4 pcs. GBA-3A-4

GBA-3A-4

Model 1 of 3 in the lineup

Size	AAA/pinky (compact) (R03;LR03;FR03)
Element	alkaline/alkaline(LR)
Pack quantity	4.000
Voltage	1.5
Other name	AAA-size AAA
Temperature operation	from -20 to +50
Packaging	Blister pack



BATTERY ALKALINE AAA LR

Battery Alkaline AAA/LR03 blister pack 12 pcs. GBA-3A-12

GBA-3A-12

Model 2 of 3 in the lineup

Size	AAA/pinky (compact) (R03;LR03;FR03)
Element	alkaline/alkaline(LR)
Pack quantity	12.000
Voltage	1.5
Other name	AAA-size AAA
Temperature operation	from -20 to +50
Packaging	Blister pack



BATTERY ALKALINE AAA LR

Battery Alkaline AAA/LR03 blister pack 18 pcs. GBA-3A-18

GBA-3A-18

Model 3 of 3 in the lineup

Size	AAA/pinky (compact) (R03;LR03;FR03)
Element	alkaline/alkaline(LR)
Pack quantity	18.000
Voltage	1.5
Other name	AAA-size AAA
Temperature operation	from -20 to +50
Packaging	Blister pack



BATTERY ALKALINE AA LR

Battery Alkaline AA/LR6 blister pack 4 pcs.
GBA-2A-4

GBA-2A-4

Model 1 of 3 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Element	alkaline/alkaline(LR)
Pack quantity	4.000
Voltage	1.5
Other name	AA-size AA
Temperature operation	from -20 to +50
Packaging	Blister pack



BATTERY ALKALINE AA LR

Battery Alkaline AA/LR6 blister pack 12 pcs.
GBA-2A-12

GBA-2A-12

Model 2 of 3 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Element	alkaline/alkaline(LR)
Pack quantity	12.000
Voltage	1.5
Other name	AA-size AA
Temperature operation	from -20 to +50
Packaging	Blister pack



BATTERY ALKALINE AA LR

Battery Alkaline AA/LR6 blister pack 18 pcs.
GBA-2A-18

GBA-2A-18

Model 3 of 3 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Element	alkaline/alkaline(LR)
Pack quantity	18.000
Voltage	1.5
Other name	AA-size AA
Temperature operation	from -20 to +50
Packaging	Blister pack



LITHIUM BATTERY LITHIUM CR

Lithium Battery Lithium Cr

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	2025 2 pcs, 2032 2 pcs +4 more
Item codes	GLBC-2025-2, GLBC-2032-2 +4 more
Element	lithium(FR)
Voltage	3
Other name	tablet / cylinder
Temperature operation	from -18 to +50
Packaging	Blister pack



BATTERIES SIZE AA CAPACITY

batteries size AA, capacity 2600 mAh - 2pcs.
G-AA2600-2

G-AA2600-2

Model 1 of 4 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Capacity battery	2600.000
Type battery	Ni-Mh
Voltage	1.2
Force current discharge	7.800
With protective controller	No
Connector power	No
With flaps	No
Max number cycles recharge	500
Pack quantity	2



BATTERIES SIZE AA CAPACITY

batteries size AA, capacity 2600 mAh - 4pcs.
G-AA2600-4

G-AA2600-4

Model 2 of 4 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Capacity battery	2600.000
Type battery	Ni-Mh
Voltage	1.2
Force current discharge	7.800
With protective controller	No
Connector power	No
With flaps	No
Max number cycles recharge	500
Pack quantity	4



BATTERIES SIZE AA CAPACITY

batteries size AA, capacity 2600 mAh - 6pcs.
G-AA2600-6

G-AA2600-6

Model 3 of 4 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Capacity battery	2600.000
Type battery	Ni-Mh
Voltage	1.2
Force current discharge	7.800
With protective controller	No
Connector power	No
With flaps	No
Max number cycles recharge	500
Pack quantity	6



BATTERIES SIZE AA CAPACITY

batteries size AA, capacity 2600 mAh - 12pcs.
G-AA2600-12

G-AA2600-12

Model 4 of 4 in the lineup

Size	AA/finger-type(R6;LR6;FR6)
Capacity battery	2600.000
Type battery	Ni-Mh
Voltage	1.2
Force current discharge	7.800
With protective controller	No
Connector power	No
With flaps	No
Max number cycles recharge	500
Pack quantity	12



ALKALINE BATTERY

Alkaline battery D/LR20 GBA-D-2

9 item codes — see table

Merged card - 9 models in one line (see item codes below)

Item codes	GBA-D-2, GBA-C-2, GBA-9V-1 +2 more
Sizes	AA, AAA, C, D, 9V Krona
Type	Alkaline, 1.5V / 9V
Pack sizes	1 - 18 pcs per blister



RECHARGEABLE BATTERY

Rechargeable AAA battery 1000mAh G-AAA1000-4

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	G-AAA1000-2, G-AAA1000-4, G-AAA1000-8
Capacity	1000 mAh
Voltage	1.2 V
Pack sizes	2, 4 or 8 pcs



BATTERY ALKALINE LR44

Alkaline battery Alkaline A76/LR44 2 pcs. GABC-44-2

GABC-44-2

Model 1 of 2 in the lineup

Size	LR44(LR1154;V13GA;AG13;G13;RW82)
Element	alkaline/alkaline(LR)
Pack quantity	2.000
Voltage	1.5
Other name	tablet
Temperature operation	from -18 to +50
Packaging	Blister pack



BATTERY ALKALINE LR44

Alkaline battery Alkaline A76/LR44 10 pcs. GABC-44-10

GABC-44-10

Model 2 of 2 in the lineup

Size	LR44(LR1154;V13GA;AG13;G13;RW82)
Element	alkaline/alkaline(LR)
Pack quantity	10.000
Voltage	1.5
Other name	tablet
Temperature operation	from -18 to +50
Packaging	Blister pack



BUCKLE STAINLESS STEEL

Buckle stainless steel 20mm, 100 pcs. 123927

123927

Standalone item in the Gigant range

Type	buckle
Thickness material	1.400
Material	Stainless steel
With tooth	Yes
Quantity	100
Size	20 mm
Thickness joined tape	3.500
Width joined tape	20.000
Net weight	1.100
Dimensions (unpackaged)	42x24x12



CLIPS STAINLESS STEEL

Clips stainless steel 20mm, 100 pcs. 123928

123928

Standalone item in the Gigant range

Type	clip
Thickness material	0.650
Material	Stainless steel
With tooth	No
Quantity	100
Size	20x3
Thickness joined tape	3.000
Width joined tape	20.000
Net weight	0.520
Dimensions (unpackaged)	22x23.5x13.5



LED STRIP LIGHT

LED strip light 24V 5m IP65 waterproof 3000K G-HS24V-10W-300K

G-HS24V-10W-300K

Model 1 of 4 in the lineup

Belt length	5.000
Belt width	16.000
Self-adhesive	Yes
Colour underlay	white
Colour	warm white
Color temperature	3000
Type LED	SMD 2535
Number LEDs	120.000
Luminous flux on 1 meter	900.000
Consumed power on 1 meter	10.000



LED STRIP LIGHT

LED strip light 24V 5m IP20 4000K G-HT24V-10W-4000K

G-HT24V-10W-4000K

Model 2 of 4 in the lineup

Belt length	5.000
Belt width	8.000
Self-adhesive	Yes
Colour underlay	white
Colour	daylight white
Color temperature	4000
Type LED	SMD 2835
Number LEDs	120.000
Luminous flux on 1 meter	1200.000
Consumed power on 1 meter	10.500

Labels and markings on the products shown may differ from those on units supplied to your market.




LED STRIP LIGHT

LED strip light 12V 5m IP20 6500K G-HW12V-10W-6500K

G-HW12V-10W-6500K

Model 3 of 4 in the lineup

Belt length	5.000
Belt width	10.000
Self-adhesive	Yes
Colour underlay	white
Colour	cold white
Color temperature	6500
Type LED	SMD 2835
Number LEDs	120.000
Luminous flux on 1 meter	1400.000
Consumed power on 1 meter	14.400



LED STRIP LIGHT

LED strip light 24V 5m IP20 6500K G-HT24V-12W-6500K

G-HT24V-12W-6500K

Model 4 of 4 in the lineup

Belt length	5.000
Belt width	10.000
Self-adhesive	Yes
Colour underlay	white
Colour	cold white
Color temperature	6500
Type LED	SMD 5050
Number LEDs	60.000
Luminous flux on 1 meter	1200.000
Consumed power on 1 meter	14.400



TELESCOPIC CABLE SHEARS

Telescopic sector cable shears GRCC-65

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GRCC-36, GRCC-65, GRCC-95
Cutting capacity range	36 - 95 mm²
Handle	Telescopic, ratchet action
Application	Copper/aluminum cable cutting

GIGANT

GIGANT



Камень



Бетон



Кирпич

Диск алмазный сегментный

230 x 2 x 22,2 мм

G-1037

SECTION / 11

CONSUMABLES & FASTENERS

Fixings, blades, discs and consumables that keep every job moving.



DRILL FOR METAL HSS
Drill For Metal Hss

8 item codes — see table

Merged card - 8 sizes/variants in one line (see Item codes below)

Sizes	3x61 2 pcs, 3,5x70, 4x75, 5x86 +4 more
Item codes	DBM 11017, DBM 11018, DBM 11019 +5 more
Type	Twist (spiral)
Step drill diameter range	No
Shank type	Cylindrical
Material worked	Metal
Accuracy class	A1
Drill bit material	HSS
Carbide	No
Drill left-hand rotation	No



DRILL FOR METAL F
Drill For Metal F Hss G

9 item codes — see table

Merged card - 9 sizes/variants in one line (see Item codes below)

Sizes	4mm 2pcs, 5mm, 6mm, 7mm, 8mm +4 more
Item codes	DBM 11125, DBM 11126, DBM 11127 +6 more
Type	Twist (spiral)
Step drill diameter range	No
Shank type	Cylindrical
Material worked	Metal
Accuracy class	In
Drill bit material	HSS-G
Carbide	No
Drill left-hand rotation	No



DRILL GLASS TILE CYLINDRICAL
Drill Glass Tile Cylindrical Shank

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	4mm, 5mm, 6mm, 8mm, 10mm, 12mm
Item codes	G-11180, GDC 11081, GDC 11082 +3 more
Type	spear-point
Number of points (facets)	2
Shank type	Cylindrical
Material worked	glass/tile
Carbide	No
GOST	No
DIN	No
ISO	No



DRILL GLASS TILE HEXAGONAL
Drill Glass Tile Hexagonal Shank

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	5mm, 6mm, 8mm, 10mm, 12mm
Item codes	GDH 11085, DBG 11089, GDH 11090 +2 more
Type	spear-point
Number of points (facets)	4
Shank type	hexagonal (1/4HEX - E)
Material worked	glass/tile
Carbide	No
Pack quantity	1
GOST	No
DIN	No



REINFORCED AUGER SDS PLUS

Reinforced Auger SDS PLUS

26 item codes — see table

Merged card - 26 sizes/variants in one line (see Item codes below)

Sizes	5x110, 5x160, 6x110, 6x160 +15 more
Item codes	GRD 11047, GRD 11048, GRD 11001 +16 more
Shank type	SDS-plus
Quantity	1.000
Material worked	concrete, brick, unit
Number of points (facets)	2
GOST	No
Packaging	plastic hanging strap



REINFORCED AUGER SET

Set reinforced augers SDS-plus 17pcs. G-11076

2 item codes — see table

Merged card - 2 sizes/variants in one line (see item codes below)

Item codes	G-11076, G-11011
Contents	17pcs (drill bits & chisel) / 8pcs (dri...
Shank type	SDS-plus



AUGER SDS

Auger SDS

24 item codes — see table

Merged card - 24 sizes/variants in one line (see Item codes below)

Sizes	10,0x360mm, 10,0x600mm +17 more
Item codes	gpt-801, gpt-802, gpt-803 +16 more



SDS MAX AUGER

SDS MAX Auger

20 item codes — see table

Merged card - 20 sizes/variants in one line (see Item codes below)

Sizes	10x400, 12x340, 12x540, 14x340 +15 more
Item codes	GRD 11003, GRD 11005, GRD 2100 +16 more
Shank type	SDS-Max
Quantity	1.000
Number of points (facets)	4
Material worked	concrete, brick, unit
GOST	No
Packaging	plastic hanging strap



AUGER SDS MAX

Auger SDS MAX

40 item codes — see table

Merged card - 40 sizes/variants in one line (see Item codes below)

Sizes	12x300, 12x400, 12x600, 14x300 +15 more
Item codes	gnt-823, gnt-824, gnt-825 +16 more



AUGER XD FOR CONCRETE

Auger Xd For Concrete SDS MAX

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	4 25x1360 1500 mm, 4 52x1000 mm +3 more
Item codes	GRD 25420, GRD 52420, GRD 18420 +2 more



AUGER 2XD FOR CONCRETE SDS-PLUS

Auger 2XD for concrete (10x1000mm; SDS-plus) GRD 10129

2 item codes — see table

Merged card - 2 sizes/variants in one line (see item codes below)

Sizes	10x1000mm, 16x1150/1200mm
Item codes	GRD 10129, GRD 16129
Shank type	SDS-plus
Material worked	concrete



AUGER BREAKOUT SDS-MAX

Auger breakout (65x990mm; SDS-max) GRD 65028

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Sizes	65x990mm, 55x1000mm, 55x600mm
Item codes	GRD 65028, GRD 55128, GRD 55028
Shank type	SDS-Max
Material worked	concrete
Grade	Heavy-duty/demolition



CORE BIT CARBIDE SDS

Core Bit Carbide SDS PLUS

10 item codes — see table

Merged card - 10 sizes/variants in one line (see Item codes below)

Sizes	35mm, 40mm, 50mm, 68mm, 72mm +5 more
Item codes	GRD 11056, GRD 11057, GRD 11058 +7 more
Shank type	SDS-plus
Cut type	dry (with Coolant & without)
Overall length	180
Collapsible	Yes
Shank	Yes
Centring drill	Yes
Bore diameter	M22
Cutting element type	brazed tip carbide



CORE BIT DIAMOND FOR

Core Bit Diamond For Glass & Ceramics

12 item codes — see table

Merged card - 12 sizes/variants in one line (see Item codes below)

Sizes	20mm, 25mm, 30mm, 32mm, 35mm +7 more
Item codes	DBG 11067, DBG 11068, DBG 11069 +9 more
Holder in kit	Yes
Number core bits	1
For wood	No
For metal	No
For ceramics	Yes
For glass	Yes
For plastic	No
For stainless steel	No



CORE BIT BIMETAL

Core Bit Bimetal

10 item codes — see table

Merged card - 10 sizes/variants in one line (see Item codes below)

Sizes	22mm, 25mm, 27mm, 28mm, 36mm +5 more
Item codes	G-11057, G-11058, G-11059 +7 more
Max depth drilling	38.000
Number core bits	1
For wood	No
For metal	Yes



CORE BIT RING

Core Bit Ring

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	20 mm, 25 mm, 30 mm, 35 mm +3 more
Item codes	G-11304, G-11305, G-11306 +4 more
Connection core bits	M16
Max depth drilling	8.450
Centring drill in kit	Yes
Holder in kit	Yes
Number core bits	1
For wood	No
For metal	Yes
For ceramics	No



CORE BIT SET

Set core bits for wood (19-127mm), 15 pieces
G-29554

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Item codes	G-29554, G-11078, G-11301
Contents	15pcs wood / 8pcs wood / 7pcs ceramics
Application	for wood, drywall, PVC, ceramics
Case	Yes



FORSTNER WOOD DRILL BIT

Forstner wood drill bit 16x77mm GT-069

16 item codes — see table

Merged card - 16 models in one line (see item codes below)

Item codes	GT-068, GT-069, GT-071 and more
Diameter range	16 - 60 mm
Type	Forstner / auger / spade / dowel
Application	Flat-bottom wood boring



STEP DRILL BIT

Step drill bit 4-32mm HSS-TiN GT-158

14 item codes — see table

Merged card - 14 models in one line (see item codes below)

Item codes	GT-158, GSD 11052, GSD 11056 and more
Diameter range	4 - 32 mm
Material	HSS / HSS-TiN coated
Application	Sheet metal & thin material boring



TAPERED COUNTERSINK

Tapered countersink 10.4-20.5mm GZ-105005

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GZ-105005, GZ-125606, GZ-166008 +2 more
Diameter range	10.4 - 20.5 mm
Thread size range	M3 - M10
Shank	Cylindrical
Point angle	90°
Material worked	Wood, metal
Countersink material	HSS (R6M5)



DRILL BIT SET

Set drill bits 99pcs G-11088

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Item codes	G-11088, DBM 11025, G-11120
Contents	99pcs metal / 25pcs metal / 18pcs metal...
Drill bit material	HSS / Tool steel
Packaging kind	Case



SPECIALTY WOOD DRILL BIT

Drill for wood confirmat 4.5mm GT-066

7 item codes — see table

Merged card - 7 sizes/variants in one line (see item codes below)

Sizes	4,5mm, 5mm, 2,38mm, 3,17mm +3 more
Item codes	GT-066, GT-067, GT-062, GT-063 +3 more
Types	Confirmat / pilot w. countersink / adju...
Material worked	Wood




PLANE BLADE

Blade for plane (2 pcs; 110x29mm) GRK-110020

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Sizes	110x29mm, 82x1,1mm, 82x29mm
Item codes	GRK-110020, GRK-820201, GRK-820202
Pack quantity	2 pcs
Type blade	HSS



DIAMOND CUTTING DISC

Diamond cutting disc concrete/brick/granite 125mm G-10351

17 item codes — see table

Merged card - 17 models in one line (see item codes below)

Item codes	G-10351, G-10357 and more
Diameter range	125 - 400 mm
Rim type	Segmented, turbo
Application	Concrete, brick, granite - wet/dry



DIAMOND GRINDING CUP WHEEL

Diamond grinding cup wheel 115-230mm G-10011

7 item codes — see table

Merged card - 7 models in one line (see item codes below)

Item codes	G-10011, G-1009, G-1008 and more
Diameter range	115 - 230 mm
Type	Double-row, Turbo
Diamond grit range	120/160 - 400/500
Bore	22.2 mm
Processing type	Rough grinding, concrete



DIAMOND SEGMENTED DISC

Disc diamond segmented for asphalt 350x25,4mm G-10359

4 item codes — see table

Merged card - 4 sizes/variants in one line (see item codes below)

Sizes	350mm asphalt, 400mm asphalt +2 more
Item codes	G-10359, G-10361, G-10360, G-10362
Bore diameter	25.4 mm
Segmented	Yes
Application	Asphalt / concrete cutting



MINI ABRASIVE CUT-OFF WHEEL

Mini abrasive cut-off wheel 23mm GCRW23-020

11 item codes — see table

Merged card - 11 models in one line (see item codes below)

Item codes	GCRW23-020, GCRW23-036 and more
Diameter	22 - 32 mm
Arbor	3.2 mm
Application	Rotary tool/die grinder fine cutting



SANDING FLAP DISC

Sanding flap disc 125mm P60 G-11036

4 item codes — see table

Merged card - 4 models in one line (see item codes below)

Item codes	G-11035, G-11036, G-11037, G-11038
Diameter	125 mm
Grit range	P40 - P100
Application	Angle grinder metal/weld finishing



WIRE BRUSH CUP/WHEEL

Wire wheel brush 100mm G-11041

23 item codes — see table

Merged card - 23 models in one line (see item codes below)

Item codes	G-11041, G-11042, G-11043 and more
Diameter range	50 - 100 mm
Shaft	6 mm shaft or M14 thread
Type	Wheel/cup, crimped steel wire



LARGE-FORMAT SAW BLADE

Blade saw for aerated concrete 305x50x1,5mm G-110723

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Sizes	305mm, 455mm, 400mm 60T
Item codes	G-110723, G-110725, G-110917
Blade material	Carbide
Application	Aerated concrete / stone / wood +1 more



RECIPROCATING SAW BLADE

Reciprocating saw blade for wood G-11082012

15 item codes — see table

Merged card - 15 models in one line (see item codes below)

Item codes	G-11082010, G-11082011 +1 more
Material	BIM / HCS
Length range	150 - 300 mm
Application	Wood, metal, universal cutting



JIGSAW BLADE

Universal jigsaw blade set G-11081

11 item codes — see table

Merged card - 11 models in one line (see item codes below)

Item codes	G-11051, G-11081, G-11101 and more
Shank	T-shank
Material	Wood, metal, laminate profiles
Format	Single blades & multi-piece sets



CIRCULAR SAW BLADE TCT
TCT circular saw blade for metal 355x25.4mm G-110925

14 item codes — see table
Merged card - 14 models in one line (see item codes below)

Item codes	G-110924, G-110925, G-110934 and more
Diameter range	255 - 355 mm
Teeth	Carbide-tipped, 72-80T
Application	Metal, aluminum, laminate, wood



SAW BLADE FOR WOOD/ALUMINIUM
Saw blade for wood/aluminium 125-216mm G-11093

7 item codes — see table
Merged card - 7 models in one line (see item codes below)

Item codes	G-11093, G-110911, G-0520 and more
Diameter range	125 - 216 mm
Bore diameter range	20 - 30 mm
Number of teeth range	24 - 100
Material worked	Wood, aluminium
Max speed range	7000 - 12200 rpm



SDS CHISEL
SDS-Max flat chisel 25x300mm GRD 2110

16 item codes — see table
Merged card - 16 models in one line (see item codes below)

Item codes	GRD 2108, GRD 2110, GRD 2111 and more
Shank	SDS-plus / SDS-Max
Head types	Flat, pointed, bushing tool
Application	Demolition hammer chiselling



SCREWDRIVER BIT
Screwdriver bit PH2 G-1045

19 item codes — see table
Merged card - 19 models in one line (see item codes below)

Item codes	G-1045, GBS 11029, GBS 11167 and more
Material	S2 steel
Tip types	PH, PZ, slotted, hex, combo
Format	Single & multi-packs, 25-150mm



IMPACT SOCKET SET

Impact socket set 1/2" DR G-11326

23 item codes — see table

Merged card - 23 models in one line (see item codes below)

Item codes	G-11323 ... G-11331 and more
Drive size	1/2" & 3/4" DR
Hex range	10 - 50 mm
Type	Impact & non-impact, in case



ROTARY TOOL ACCESSORY SET

Set reamer carbide, 5 pcs, GCCS-5

6 item codes — see table

Merged card - 6 sizes/variants in one line (see item codes below)

Item codes	GCCS-5, GCSG20, GCSG30, GNMG100 +2 more
Contents	Reamer / burr sets +1 more
Pack quantity	5 - 238 pcs
Processed materials	Metal, wood, plastic



CUTTER SLOT STRAIGHT

Cutter slot straight D6mm H16mm shank 8mm GC-0048

22 item codes — see table

Merged card - 22 sizes/variants in one line (see item codes below)

Sizes	D6mm H16mm, D6mm H20mm +20 more
Item codes	GC-0048, GC-0049, GC-0050 +19 more
Type	slot straight
Kind	end
Shank diameter	8/12mm
Bearing	No



CUTTER SLOT FILLET D

Cutter Slot Fillet D H R Shank

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	6.4 13mm 3.2mm 8mm +5 more
Item codes	GC-0035, GC-0036, GC-0037 +3 more
Type	slot fillet
Kind	end
Internal diameter	No
Shank diameter	8
Bearing	No
With interchangeable blades	No



CUTTER SLOT FILLET V

Cutter Slot Fillet V -shaped D Shank

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	6.3mm 90 8mm, 9.5mm 90 8mm +3 more
Item codes	GC-0042, GC-0043, GC-0044 +2 more
Type	slot fillet
Kind	end
Internal diameter	No
Bearing	No
With interchangeable blades	No



CUTTER SLOT T-SHAPED

Cutter slot T-shaped D12.7mm shank 8mm GC-0046

2 item codes — see table

Merged card - 2 sizes/variants in one line (see item codes below)

Sizes	D12.7mm, D9.5mm
Item codes	GC-0046, GC-0047
Type	structural T-shaped slot
Kind	end
Shank diameter	8mm
Bearing	No



CUTTER EDGE STRAIGHT D

Cutter Edge Straight D H Shank

10 item codes — see table

Merged card - 10 sizes/variants in one line (see Item codes below)

Sizes	9.5 25mm 8mm, 12.7 25mm 8mm +8 more
Item codes	GC-0014, GC-0015, GC-0016 +7 more
Type	edge
Kind	end
Internal diameter	No
With interchangeable blades	No



CUTTER EDGE MOLDING D

Cutter Edge Molding D H R Shank

12 item codes — see table

Merged card - 12 sizes/variants in one line (see Item codes below)

Sizes	17.5 8mm 2.4mm 8mm +11 more
Item codes	GC-0001, GC-0002, GC-0003 +9 more
Type	edge
Kind	end
Internal diameter	No
Shank diameter	8
Bearing	lower
With interchangeable blades	No



CUTTER EDGE SEAMING D

Cutter Edge Seaming D H Shank

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	25.4 13mm 8mm, 31.8 13mm 8mm +4 more
Item codes	GC-0024, GC-0025, GC-0026 +3 more
Type	edge
Kind	end
Internal diameter	No
Shank diameter	8
Bearing	lower
With interchangeable blades	No



CUTTER SLOT DOVETAIL TAIL

Cutter slot "dovetail tail" D9.5 H10mm shank
8mm GC-0031

4 item codes — see table

Merged card - 4 sizes/variants in one line (see item codes below)

Sizes	D9.5 H10mm, D15.8 H22mm +2 more
Item codes	GC-0031, GC-0032, GC-0033, GC-0034
Type	dovetail tail
Kind	end
Shank diameter	8/12mm
Bearing	No



SPECIALTY ROUTER CUTTER

Cutter edge tapered D30.2 H13mm GC-0013

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Item codes	GC-0013, GC-0030, GC-0070
Types	edge tapered, finger-joint +1 more
Kind	end
Shank diameter	8/12mm



ROUTER CUTTER SET

Set cutters for panelling, 3 pcs, shank 12mm
GC-0071

5 item codes — see table

Merged card - 5 sizes/variants in one line (see item codes below)

Item codes	GC-0071, GC-0072, GC-0073 +2 more
Contents	Paneling / hinge-joint / framing / tong...
Shank diameter	8/12mm



ELECTRODES TUNGSTEN WL DIAM

Electrodes Tungsten Wl Diam Blue AC DC Packaging

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	20 175 1,6 mm 10 pcs +4 more
Item codes	G-X-604, G-X-602, G-X-601 +2 more
Length	175.000
Grade	WL20
Current (mode welding)	AC/DC
Colour	blue
Pack quantity	10
Net weight	0.150



ELECTRODES TUNGSTEN WY DIAM

Electrodes Tungsten Wy Diam Dark Blue DC Packaging

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	20 175 1,6 mm 10 pcs +4 more
Item codes	TE-WY-X-1,6, TE-WY-X-2,0 +3 more
Length	175.000
Grade	WY20
Current (mode welding)	DC
Colour	dark blue
Pack quantity	10
Net weight	0.150



ELECTRODES TUNGSTEN WP DIAM

Electrodes Tungsten Wp Diam Green AC Packaging

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	175 1,6 mm 10 pcs +5 more
Item codes	TE-WP-X-1,6, TE-WP-X-2,0 +4 more
Length	175.000
Grade	WP
Current (mode welding)	AC
Colour	Green
Pack quantity	10
Net weight	0.150



TORCH MIG AK METERS

Torch Mig Ak Meters

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	15 3 m, 15 4 m, 24 3 m, 24 4 m +3 more
Item codes	GG-153GS, GG-154GS, GG-243GS +4 more
Type cooling	Air-cooled
Type connector	EURO



WIRE STAINLESS STEEL ER

Wire stainless steel ER-308LSi 0,8mm 5 kg
GRFS-81

GRFS-81

Model 1 of 2 in the lineup

Equivalents	ER 308 LSi; G 19 9 LSi
Material	Stainless steel
Grade for AWS	ER-316LSi
Euro spool	D200
Grade for IN ISO	G 19 12 3 LSi
Grade for GOST	Lead-free-04x19N11M3
Welding mode	with gas
Diameter	0.8 mm
Net weight	5 kg



WIRE STAINLESS STEEL ER

Wire stainless steel ER-308LSi 1,0mm 5 kg
GRFS-82

GRFS-82

Model 2 of 2 in the lineup

Equivalents	ER 308 LSi; G 19 9 LSi
Material	Stainless steel
Grade for AWS	ER-308LSi
Euro spool	D200
Grade for IN ISO	G 19 9 LSi
Grade for GOST	Lead-free-04x19N9
Welding mode	with gas
Diameter	1.0 mm
Net weight	5 kg



WIRE COPPER-PLATED ER S

Wire copper-plated ER-70S-6

10 item codes — see table

Merged card - 10 sizes/variants in one line (see item codes below)

Sizes	0,6mm 1kg, 0,6mm 5kg, 0,8mm 1kg +7 more
Item codes	GCH-080601, GCH-080605 +8 more
Material	copper-plated
Grade for AWS	ER70S-6
Welding mode	with gas
Euro spool	D100 - D300




WELDING BLANKET

Welding blanket (100x100 cm) WB-11GS

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Sizes	100x100cm, 200x100cm, 200x180cm
Item codes	WB-11GS, WB-21GS, WB-22GS
Heat resistance	1250°C
Application	Welding spatter protection



PAPER BAG FOR VACUUM

Paper dust bag for vacuum cleaners GGF-01

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GGF-01, GGF-02, GMIS-01, GMIS-02 +1 more
Material	Paper, multi-layer
Fits	20-60L Gigant vacuum cleaners
Type	Dust collection bag



CLOTH FILTER FOR VACUUM

Reusable cloth filter for vacuum cleaners GF-01

5 item codes — see table

Merged card - 5 models in one line (see item codes below)

Item codes	GF-01, GF-02, GSIP-01, GSIP-02, GSIP-03
Material	Washable fabric
Fits	20-60L Gigant vacuum cleaners
Type	Reusable dust filter



SPONGE & HEPA FILTER

Sponge filter for vacuum cleaners SIPP-01

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	SIPP-01, SIPP-02, SIPP-03 +3 more
Material	Foam sponge or HEPA-grade
Fits	Gigant wet & dry vacuum cleaners
Type	Pre-filter / fine HEPA filter



RIVETS BLIND (PULL)

Rivets Blind (Pull)

16 item codes — see table

Merged card - 16 sizes/variants in one line (see Item codes below)

Sizes	3,2x6, 3,2x8, 3,2x8 1000pcs +13 more
Item codes	123901, 123903, 123911, 123907 +12 more
Rivet type	Blind (pull)
Material sleeve	Aluminium/Stainless steel
Shaft material	Steel/Stainless steel
Colour RAL	No
Type rim	standard



THREADED RIVETS WITH SERRATION

Threaded Rivets With Serration Standard Rim Zinc

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	6 500 pcs, 8 250 pcs, 10 150 pcs
Item codes	123913, 123914, 123915
Rivet type	threaded
Pack type	pcs.
Material sleeve	Steel
With rim	Yes
Type rim	standard



NAILS FOR CONCRETE STANDARD

Nails For Concrete Standard Without Gas Cylinder

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	2,7x17 mm 1000pcs +6 more
Item codes	GGN-2717-S, GGN-2719-S +5 more
Accessory type	gas nails
Packaging	1000
Cross-section/diameter	2.7 mm
Material	Steel
Coating	zinc
Application	for concrete, metal, brick
DIN	No



NAILS FOR CONCRETE REINFORCED

Nails For Concrete Reinforced Without Gas Cylinder

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	3,05x15 mm 1000pcs +5 more
Item codes	GGN-30515-P, GGN-30517-P +4 more
Accessory type	gas nails
Packaging	1000
Cross-section/diameter	3.05 mm
Material	Steel
Coating	zinc
Application	for concrete, metal, brick
DIN	No



NAILS FOR CONCRETE REINFORCED

Nails For Concrete Reinforced Galvanic Without Gas Cylinder

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	3,05x17 mm 1000pcs +3 more
Item codes	GGN-30517-PG, GGN-30519-PG +2 more
Accessory type	gas nails
Packaging	1000
Cross-section/diameter	3.05 mm
Material	Steel
Coating	galvanic
Application	for concrete, metal, brick
DIN	No

Labels and markings on the products shown may differ from those on units supplied to your market.



RACK-TYPE NAIL FOR WOOD

Rack-type Nail For Wood Ribbed

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	2,8x50 6000pcs, 2,8x70 4500pcs +5 more
Item codes	GGR-50-28RZ/6000, GGR-70-28RZ +5 more
Accessory type	rack-type nails
Pack type	pcs.
Material	Steel
Rod	ribbed
GOST	No
DIN	No



RACK-TYPE NAIL FOR WOOD

Rack-type Nail For Wood Ribbed Galvanic

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	2,87x50 3000pcs, 2,87x63 3000pcs +2 more
Item codes	GGR-50-28RH, GGR-63-28RH +2 more
Accessory type	rack-type nails
Nail type	D34/SN34
Pack type	pcs.
Material	Steel
Coating	galvanic
Angle tilt	34
Rod	ribbed
GOST	No




RACK-TYPE NAIL FOR WOOD SMOOTH

Rack-type nail for wood, smooth, GGR-90-3SZ

2 item codes — see table

Merged card - 2 sizes/variants in one line (see item codes below)

Sizes	3,05x90 2000pcs, 3,1x90 3000pcs
Item codes	GGR-90-3SZ, GGR-90-31SZ
Accessory type	rack-type nails
Material	Steel
Rod	smooth
Pack type	pcs.



STAPLES GA FOR PNEUMATIC

Staples Ga For Pneumatic Stapler Pack

14 item codes — see table

Merged card - 14 sizes/variants in one line (see Item codes below)

Sizes	20 6 mm 5000 pcs +13 more
Item codes	GSPS-14, GSPS-9, GSPS-4 +11 more
DIN	No
GOST	No
Leg	standard
For electric cable	No



CHASPS FOR FURNITURE STAPLER

Chasps For Furniture Stapler Type Pack

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	53 4x0,7 1000 pcs +5 more
Item codes	GSMS-10, GSMS-9, GSMS-8, GSMS-7 +2 more
DIN	No
GOST	No
Packaging	1000.000
Type (classification manufacturer)	53
Staple type	53/A
Shape	thin
Width	11.2-11.4 (7/16 inch)
Leg	standard



CHAIN WELDED LONG-LINK DIN

Chain Welded Long-link Din M

5 item codes — see table

Merged card - 5 sizes/variants in one line (see Item codes below)

Sizes	763 3 50m, 763 4 50m, 763 5 30m +2 more
Item codes	123919, 123922, 123920, 123916, 123923
Application	load-lifting
DIN	763
GOST	No
Galvanised chain	Yes
Stainless steel steel	No
Glazed chain	No
Colour	Steel
Class strength G80	No



CHAIN WELDED SHORT-LINK DIN

Chain Welded Short-link Din M

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	766 5 30m, 766 6 18m, 766 8 15m +1 more
Item codes	123917, 123924, 123918, 123921
Application	load-lifting
DIN	766
GOST	No
Galvanised chain	Yes
Stainless steel steel	No
Glazed chain	No
Colour	Steel
Class strength G80	No



STEEL CABLE PVC BRAID

Steel Cable Pvc Braid

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	2mm 200m, 3mm 200m, 4mm 100m +3 more
Item codes	GSC-011, GSC-009, GSC-005 +3 more
On reel	Yes
Material	High-carbon brass-coated wire
In PVC insulation	Yes
Colour	Yellow/Grey

Labels and markings on the products shown may differ from those on units supplied to your market.



STEEL CABLE DIN GALVANISED

Steel Cable Din Galvanised

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	3055 2mm 200m, 3055 3mm 200m +4 more
Item codes	GSC-008, GSC-007, GSC-012 +3 more
On reel	Yes
Material	Steel
Coating	zinc
In PVC insulation	No
Colour	Grey
DIN	3055
GOST	No



CHEMICAL ANCHOR

Chemical anchor professional 360ml CHA2182

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	CHA2182, CHA2183
Type	Two-component injection mortar +1 more
Cartridge capacity	360 ml
Min pull-out force (concrete B25)	10 kN
Mixing nozzle included	Yes



BRACKET FOR TV INCLINED

Bracket For Tv Inclined

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	17 42, 32 65, 42 85
Item codes	G-TVB-T-1, G-TVB-T-2, G-TVB-T-3
Inclined	Yes
Swivel	No
Angle swivel	No
Mounting type	wall-mounted
Support mounting VESA 50x50	No
Support mounting VESA 75x75	Yes
Support mounting VESA 100x100	Yes
Support mounting VESA 200x100	Yes



BRACKET FOR TV FIXED

Bracket For Tv Fixed

2 item codes — see table

Merged card - 2 sizes/variants in one line (see Item codes below)

Sizes	14 42, 42 85
Item codes	G-TVB-F-1, G-TVB-F-2
Colour	Black
Inclined	No
Angle tilt	No
Swivel	No
Angle swivel	No
Mounting type	wall-mounted
Support mounting VESA 50x50	No
Support mounting VESA 75x75	Yes



BRACKET FOR TV TILT

Bracket For Tv Tilt Swivel

2 item codes — see table

Merged card - 2 sizes/variants in one line (see Item codes below)

Sizes	17 42, 40 75
Item codes	G-TVB-TF-1, G-TVB-TF-2
Colour	Black
Inclined	Yes
Swivel	Yes
Mounting type	wall-mounted
Support mounting VESA 50x50	No
Support mounting VESA 75x75	No
Support mounting VESA 100x100	Yes
Support mounting VESA 200x100	Yes



BRACKET FOR TV STAND-MOUNT

Bracket stand for TV 40-70 G-TVSB-1

2 item codes — see table

Merged card - 2 sizes/variants in one line (see item codes below)

Sizes	40-70", 50-85"
Item codes	G-TVSB-1, G-TVSB-2
Mounting type	floor
Telescopic	Yes
Adjustment height	Yes
Max weight equipment	45 - 65 kg
Colour	Black



WALL-MOUNTED LOCK WITH WRENCH

Wall-mounted Lock With Wrench

12 item codes — see table

Merged card - 12 sizes/variants in one line (see Item codes below)

Sizes	7.500, 7.500, 8.000, 9.000 +8 more
Item codes	GPLK-47, GPLK-47L, GPLK-50 +9 more
Type lock	wall-mounted
Number wrenches	3
Outdoor	Yes
Under one wrench	No
Decorative	No
Fire-resistant	No
Grade	Household



WALL-MOUNTED LOCK COMBINATION

Wall-mounted Lock Combination

2 item codes — see table

Merged card - 2 sizes/variants in one line (see Item codes below)

Sizes	6.000, 10.000
Item codes	GPLC-44, GPLC-94
Type lock	wall-mounted
Type mechanism security	combination
Class safety	1
Type wrench	combination
Number wrenches	No
Housing type	open
Shape templates	Half-round
Under one wrench	No



SELF-ADHESIVE SEAL D BLACK

Self-adhesive Seal D Black

3 item codes — see table

Merged card - 3 sizes/variants in one line (see Item codes below)

Sizes	40 14x12 mm, 50 12x10 mm, 100 9x7,4 mm
Item codes	GSAI-14-12, GSAI-12-10, GSAI-9-7
Type	seal
Application	for windows & doors
Type profile	D
Material	Rubber
Colour	Black
Adhesives layer	Yes



GAS CARTRIDGE FOR NAIL GUN

Gas cartridge for nail gun 165mm GGB-1500

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GGB-1500, GGB-1300
Capacity	80 ml
Max impacts range	1300 - 1500
Operating temperature	0 to +50°C



DETACHABLE CONNECTION RAPID MALE

Detachable Connection Rapid Male

6 item codes — see table

Merged card - 6 sizes/variants in one line (see Item codes below)

Sizes	6 mm, 3 8, 10 mm, 1 2, 1 4, 1 4
Item codes	G-PN14004, G-PN14001, G-PN14088 +3 more
Material	Steel
Connector	rapid (EURO)
Rapid (EURO)	male
Rapid (DEU)	No
Rapid (USA)	No
Rapid (SMC)	No
Rapid (ISO 6150 B)	No



DETACHABLE CONNECTION RAPID FEMALE

Detachable Connection Rapid Female

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	6mm, 8mm, 3 8, 10mm, 1 4, 1 2, 1 4
Item codes	G-PN14070, G-PN14075, G-PN14002 +4 more
Material	Steel
Connector	rapid (EURO)
Rapid (EURO)	female
Rapid (DEU)	No
Rapid (USA)	No
Rapid (SMC)	No
Rapid (ISO 6150 B)	No



RADIATOR INSTALLATION KIT

Radiator installation kit 7pcs 1/2" GMK-12

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GMK-12, GMK-34
Thread size	1/2" & 3/4"
Kit contents	7 pcs - plugs, nuts +2 more
Color	White



ANGLE GRINDER DUST GUARD

Dust guard for angle grinder, vertical, 125mm GKC-V1250

3 item codes — see table

Merged card - 3 models in one line (see item codes below)

Item codes	GKC-H1250, GKC-V1250, GKC-V1255
Orientation	Horizontal / vertical
Disc size	125 mm
Application	Grinding



MORTAR MIXING PADDLE

Mixing paddle for construction mortar 120mm M14 G-11092

6 item codes — see table

Merged card - 6 models in one line (see item codes below)

Item codes	G-11092, G-110931, G-110941 +1 more
Paddle diameter	80 - 140 mm
Shank	M14 or SDS+
Application	Mixing paint, mortar +1 more



WIPING CLOTH

Non-woven wiping material roll 38x30cm GPWR-38

2 item codes — see table

Merged card - 2 models in one line (see item codes below)

Item codes	GPWR-36, GPWR-38
Type	Non-woven wipes / 2-ply paper rolls
Application	Workshop wiping & degreasing
Format	Roll, various sheet sizes



SET ATTACHMENTS FOR MULTI-TOOL

Set Attachments For Multi-tool Pcs

7 item codes — see table

Merged card - 7 sizes/variants in one line (see Item codes below)

Sizes	4, 5, 6, 8, 9, 10, 15
Item codes	G-10662, G-10663, G-10664 +4 more
Material worked	Universal
Application	cut/grinding/stripping
Type connection attachments	OIS



ATTACHMENT FOR MULTI-TOOL BLADE

Attachment for Multi-tool blade G-10669

4 item codes — see table

Merged card - 4 sizes/variants in one line (see item codes below)

Item codes	G-10669, G-10670, G-10671, G-10672
Material worked	Ceramic / Wood / Metal
Application	cut / cut-off
Blade material	DiA / HCS / BiM
Type connection attachments	OIS/OQIS



SQUARE MAGNETIC POINTER LBS

Square magnetic pointer 25LBS G-0514

3 item codes — see table

Merged card - 3 sizes/variants in one line (see item codes below)

Sizes	25LBS, 50LBS, 75LBS
Item codes	G-0514, G-0513, G-0512
Max force range	11 - 34 kg
Angle settings	45°, 90°, 135°
Capability shutoff	No



AIR FILTER FOR PETROL

Air Filter For Petrol Lawnmower

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	0.120, 0.180, 0.180, 0.300
Item codes	SKL-14, SKL04-14, SKL05-14, SKL0203-14
Shape	rectangular
Design	frame-type
Filtering material	foam
Type	filter air



SPARK PLUG IGNITION

Spark Plug Ignition

4 item codes — see table

Merged card - 4 sizes/variants in one line (see Item codes below)

Sizes	8, 8, 8, 9.5
Item codes	GTSL-02-04, GTSL-05-03 +2 more
Type	L7T
Stroke cycle engine	2T
Size hex (mm)	19
Resistor (R)	No
Seal	washer

0 +3 more	262	BDSJ 100/152CI	130	CHS-0,5-3	174	DP1725	118	G-04-09-26	184
0 +4 more	262	BDSJ 100/152E	130	CHS-0,5-6	174	DPJ-550	119	G-04-09-27 +3 more	184
3 +2 more	103	BDSJ 150/228	131	CHS-1-3	174	DV 75	118	G-04-09-31	185
5	92	BGI40	15	CHS-1-6	174	DV 100	118	G-04-09-32 +2 more	185
6	262	BGI40KIT	16	CHS-1-9	175	DV 125	119	G-04-09-35	186
12-006	152	BGI40WIN	16	CHS-1-12	175	DV 150	119	G-04-09-36 +2 more	186
12-007	152	BGP-3	188	CHS-2-3	175	ECX 1000 ET	195	G-04-09-39	185
12-008	152	BGP-5	188	CHS-2-6	175	ECX 1500 ET	195	G-04-09-40 +3 more	185
12-009	152	BP-01	108	CHS-5-9	176	ECX 2000 ET	196	G-04-09-47	186
12-010	152	BPM-3 +7 more	74	CLP 125	43	ECY 1000 ET	195	G-04-09-48 +2 more	186
12-015	152	BSJ-350	127	CLP 150	43	ECY 1500 ET	196	G-0512	272
12-016	152	BSJ-370	128	CLP-300	43	ECY 2000 ET	196	G-0513	272
50	17	BSJ-550	128	CV-165	131	EDM-180	137	G-0514	272
380	136	BSJ-1100	128	CV-180	131	EDM-205B	137	G-0520 and more	258
6000	266	BV 150	121	DBG 11067	253	EDM-230B	137	G-1008 and more	256
123901	264	BVP50-L152	132	DBG 11068	253	EDM-255BC	138	G-1009	256
123903	264	BVP60-L200	133	DBG 11069 +9 more	253	EHC 2	188	G-1045	258
123907 +12 more	264	BVP80-L200	133	DBG 11089	250	EHC 3	188	G-1149	11
123911	264	BVP80T-H160	134	DBM 11017	250	EHR-2 C	189	G-1150	11
123913	265	BVP80T-L200	133	DBM 11018	250	EHR-3 C	189	G-1151	11
123914	265	BVP90-L200	133	DBM 11019 +5 more	250	EHR-5	189	G-1152	11
123915	265	BVP95T-H160	134	DBM 11025	255	EHR-9	189	G-1153	11
123916	267	BVP95T-L200	134	DBM 11125	250	EHR-15	190	G-7013D	241
123917	267	BVT75-H160	136	DBM 11126	250	EHR-30	191	G-8807D	240
123918	267	BVT75-L168	136	DBM 11127 +6 more	250	EHS-9	190	G-8823D	241
123919	267	BW-01	85	DC700	131	EHS-15	190	G-9005D	240
123920	267	BWK-11	85	DCT750	131	EHS-24	190	G-10011	256
123921	267	CACH-01	158	DCT1500	132	EHS-30	191	G-10351	255
123922	267	CACH-02	159	DCT2200/380	132	ELS14	234	G-10357 and more	255
123923	267	CACH-04	162	DCT2200/380CF	132	ELS15	53	G-10359	256
123924	267	CACH-05	162	DG27000	18	ELS18	234	G-10360	256
123927	247	CACH-06	161	DHG80ID	193	ELS27	54	G-10361	256
123928	247	CACH-07	161	DHG 10 D2	191	ET-600	134	G-10362	256
AHT10-1	165	CACH-08	162	DHG 20 D2	191	EVT90-2.2	136	G-10662	272
AHT20-1	165	CACH-09	164	DHG 20 ID	192	FB-25	66	G-10663	272
AHT27-1	165	CACH-10	159	DHG 30 D2	192	FB-38	66	G-10664 +4 more	272
AHT36-1	165	CACH-11	159	DHG 30 ID	193	FB-50	66	G-10669	272
AHT600-1	165	CACH-12	159	DHG 50 D2	192	FB-63 +2 more	66	G-10670	272
AVS-01	71	CC-01	105	DHG 50 ID	193	G-04-09-04	185	G-10671	272
AVS-03	71	CC-02	105	DHG 60 D2	192	G-04-09-05 +3 more	185	G-10672	272
AVS-04	71	CG-KW-520	146	DP750V	116	G-04-09-13	185	G-11011	251
AVS-05 +2 more	71	CHA2182	268	DP800V	116	G-04-09-14 +3 more	185	G-11035	256
BCL-50	10	CHA2183	268	DP813	117	G-04-09-18	186	G-11036	256
BCL-100	11	CHG-1000MT	196	DP1016	117	G-04-09-19	186	G-11037	256
BCV-50/200	10	CHG-1500MT	197	DP1016F	117	G-04-09-20	186	G-11038	256
BCW-100/670	11	CHG-2000MT	197	DP1016FV	117	G-04-09-21	186		
BDSJ 25/125	130	CHG-2500MT	197	DP1316F	118	G-04-09-22 +2 more	186		

G-11041	257	G-AA2600-12	245	G-HT24V-10W-4000K	247	GAS 38	78	GBVER-02	148
G-11042	257	G-AAA1000-2	246	G-HT24V-12W-6500K	248	GAS 77	78	GBVER-03	149
G-11043 and more	257	G-AAA1000-4	246	G-HW12V-10W-6500K	248	GAS 88	81	GBW-1	73
G-11046	75	G-AAA1000-8	246	G-JP-8	126	GAS 94	81	GBW-3	73
G-11046L	75	G-BV-100	120	G-JP-10	126	GAS 101	80	GBW-4	73
G-11051	257	G-BV-125	121	G-PG85250	12	GAS 108	78	GBW-10	73
G-11057	253	G-BV-200	121	G-PN14001	270	GAS 143	81	GC-0001	260
G-11058	253	G-CRA6	179	G-PN14002 +4 more	270	GAS 151	80	GC-0002	260
G-11059 +7 more	253	G-CRA8	179	G-PN14004	270	GAS 216	80	GC-0003 +9 more	260
G-11076	251	G-CRA12	179	G-PN14070	270	GATS-50230	28	GC-10	92
G-11078	254	G-E14-5-2700K	202	G-PN14075	270	GB-3	73	GC-0013	261
G-11081	257	G-E14-5-4200K	202	G-PN14088 +3 more	270	GB-4	73	GC-0014	260
G-11088	255	G-E14-7-2700K	202	G-T8-15-UV	210	GB-5	73	GC-0015	260
G-11092	271	G-E14-7-4200K	202	G-T8-30-UV	210	GB-6 +2 more	73	GC-0016 +7 more	260
G-11093	258	G-E27-8-2700K	206	G-TSD-L4-36W	216	GBA-2A-4	244	GC-20	93
G-11101 and more	257	G-E27-8-4200K	206	G-TVB-F-1	268	GBA-2A-12	244	GC-0024	261
G-11120	255	G-E27-9-2700K	206	G-TVB-F-2	268	GBA-2A-18	244	GC-0025	261
G-11139	75	G-E27-9-4200K	206	G-TVB-T-1	268	GBA-3A-4	243	GC-0026 +3 more	261
G-11180	250	G-E27-9-6500K	207	G-TVB-T-2	268	GBA-3A-12	243	GC-0030	261
G-11301	254	G-E27-11-2700K	207	G-TVB-T-3	268	GBA-3A-18	243	GC-0031	261
G-11304	253	G-E27-11-4200K	207	G-TVB-TF-1	269	GBA-9V-1 +2 more	246	GC-0032	261
G-11305	253	G-E27-12-2700K	207	G-TVB-TF-2	269	GBA-C-2	246	GC-0033	261
G-11306 +4 more	253	G-E27-12-4200K	208	G-TVSB-1	269	GBA-D-2	246	GC-0034	261
G-11322	75	G-E27-12-6500K	208	G-TVSB-2	269	GBBB3	75	GC-0035	259
G-11323 ... G-11331 and more	259	G-G5-8-4000	210	G-WM-78	218	GBC-450	69	GC-0036	259
G-11324 +1 more	75	G-G13-9-4000K	208	G-WM-78-1	219	GBC-600	69	GC-0037 +3 more	259
G-11333	75	G-G13-9-6500K	208	G-WM-79	220	GBC-750	69	GC-0042	260
G-11334	75	G-G13-18-4000K	209	G-X-601	35	GBF-1	200	GC-0043	260
G-11444 +2 more	75	G-G13-18-6500	210	G-X-601 +2 more	262	GBNY3	75	GC-0044 +2 more	260
G-29554	254	G-G13-18-6500K	209	G-X-602	35	GBS 11029	258	GC-0046	260
G-110501	35	G-G13-26-4000K	209	G-X-604	262	GBS 11167 and more	258	GC-0047	260
G-110502	35	G-G13-26-6500K	209	G-X-604 +22 more	35	GBS-6	65	GC-0048	259
G-110503 +1 more	35	G-G13-58-6500	211	G-XT-58	219	GBS-10	65	GC-0049	259
G-110723	257	G-GF-905	241	G-XT-211	219	GBS-12	51	GC-0050 +19 more	259
G-110725	257	G-GU5.3-5-3000K	203	G-XT-438	219	GBSA-11	57	GC-0070	261
G-110911	258	G-GU5.3-7-3000K	203	GABC-44-2	246	GBSD-1	55	GC-0071	261
G-110917	257	G-GU5.3-7-4200K	203	GABC-44-10	246	GBSD-2	54	GC-0072	261
G-110924	258	G-GU10-5-3000K	203	GAC3010-02	18	GBSD-3	55	GC-0073 +2 more	261
G-110925	258	G-GU10-5-4200K	204	GAC4010-04 +2 more	18	GBSD-4	55	GC-135R	105
G-110931	271	G-GU10-7-3000K	204	GAC-30	19	GBSD-5	56	GC-180	233
G-110934 and more	258	G-GU10-7-4200K	204	GAC-60	19	GBSD-6	56	GCA-50	19
G-110941 +1 more	271	G-GU10-9-3000K	204	GAPC-1	74	GBSD-7	57	GCA-85	19
G-11082010	257	G-GU10-9-4200K	205	GAR-4-130	46	GBSD-13	57	GCA-165	20
G-11082011 +1 more	257	G-GX53-1-4200K	205	GAR-6-130	46	GBSIS-6	55	GCB-16	68
G-AA2600-2	245	G-GX53-6-4200K	205	GAS19	53	GBSS-10	56	GCB-22	68
G-AA2600-4	245	G-GX53-8-4200K	205	GAS20	81	GBSS-112	58		
G-AA2600-6	245	G-HS24V-10W-300K	247	GAS 11	51	GBVER-01	148		

GCB-25	68	GDH 11085	250	GFS-60	67	GGR-50-28RH	266	GKC-H1250	271
GCB-32	68	GDH 11090 +2 more	250	GFS-80	67	GGR-50-28RZ	266	GKC-V1250	271
GCC-1	46	GDK-1	235	GFS-100	67	GGR-63-28RH +2 more	266	GKC-V1255	271
GCC-01	184	GDK-2	235	GFS-120	67	GGR-70-28RZ +5 more	266	GKD-1	84
GCC-2	46	GDK-3	236	GFS-200-2	64	GGR-90-3SZ	266	GKHC-22	62
GCC-02	184	GDM-3	46	GG-50	73	GGR-90-31SZ	266	GKHI-9	60
GCC-03	184	GDP-1	47	GG-60	73	GGRA-0,5	106	GKHIS-6	85
GCCS-5	259	GDR-3	89	GG-120	103	GGs-1	48	GKKR-10	61
GCCT-1	238	GDR-10	90	GG-153GS	34	GGs-14	45	GKLN-10	61
GCD-3012	124	GDS PH060	70	GG-154GS	262	GGs-20	45	GKPL-160	84
GCD-3013 +16 more	124	GDS PH2100	70	GG-155GS	34	GGs-979D	239	GKPL-180	84
GCD-5012	124	GDS PH3150	70	GG-243GS +2 more	34	GGTS-1	226	GKPP-11	86
GCG-1	73	GDS SL 2575	67	GG-243GS +4 more	262	GH10F	193	GKRC-22	62
GCG-2 +2 more	73	GDS SL 3500 +3 more	67	GG-400	103	GH15F	194	GKSH-10	60
GCH-080601	263	GDSD-27450	138	GG-500	103	GH15FD	194	GKSH-10 +2 more	85
GCH-080605 +8 more	263	GDSD-32450 +13 more	138	GGB-1300	270	GH30F	194	GL-01-01	212
GCP4	76	GEC-1	95	GGB-1500	270	GH30FD	194	GL-01-02	213
GCP 25-4-180	197	GEC-2	95	GGC-75	69	GH50F	195	GL-01-03	212
GCP 160	70	GECT-01	236	GGC-100	69	GHKS-9	59	GL-01-04	212
GCP 180	70	GECT-02	236	GGC-150 +2 more	69	GHL-70	227	GL-01-05	213
GCP 200	70	GECT-03	236	GGD-001	150	GHL-150	228	GL-01-06	211
GCP-2	98	GECT-04	237	GGD-002	150	GHL-500	228	GL-01-07	212
GCP-4	98	GECT-05	237	GGD-003	151	GHL-2000	228	GL-02-01	217
GCP-25-6-180	198	GECT-06	238	GGD-004	151	GHOD-8	109	GL-02-02	217
GCP-32-8-180	198	GECT-07	237	GGF-01	182	GHP-10	110	GL-02-03	217
GCRW23-020	256	GECT-08	237	GGF-02	182	GHP-20	110	GL-02-04	217
GCRW23-036 and more	256	GEHT-1	111	GGL-950	23	GHR-6	72	GL-02-05	216
GCRWS 8	58	GEP 01	232	GGL-1100	23	GHR-10	72	GL-02-07	216
GCSG20	259	GES-05	240	GGL-2900	24	GHR-12	72	GL-03-01	215
GCSG30	259	GES-06	240	GGL-3300	24	GHR-48 +2 more	72	GL-03-02	214
GCT-125	231	GES-125	123	GGL-3300E	24	GHW-0,9	97	GL-03-03	214
GCT-160	231	GES-150	123	GGL-5500	24	GHW-0,45	97	GL-03-04	214
GCUT-50	32	GES-200	123	GGL-5500ES	25	GICCP-160	233	GL-03-05	214
GCUT-100	32	GEST-05	232	GGL-6500E	25	GICCP-250	234	GL-03-06	216
GCWS-12	83	GEW-20	96	GGL-7000ES	25	GICP-160	70	GL-03-07	215
GCWSMH 8	58	GEW-21	97	GGL-7000ES-3	27	GICP-180	70	GL-03-08	215
GD-01	167	GEW-22	97	GGL-8000E-3	27	GICP-200	70	GL-03-09	213
GDAS-94	79	GEW-23	95	GGL-8000ES	25	GIF-4	200	GL-03-10	213
GDAS-218	78	GEW-24	96	GGL-8000S	26	GIF-8	200	GL-03-11	215
GDC 11081	250	GEW-25	96	GGN-2717-S	265	GIF-12	200	GL-04-02	218
GDC 11082 +3 more	250	GEW-26	96	GGN-2719-S +5 more	265	GIFH-0,9	99	GL-04-03	218
GDCP 160	69	GF-01	182	GGN-30515-P	265	GIFH-0,45	98	GL-04-08	218
GDCP 180	69	GF-02	182	GGN-30517-P +4 more	265	GIFH-1,8	99	GLBC-2025-2	244
GDCP-125	69	GFP-01	163	GGN-30517-PG	265	GIRA-12	106	GLBC-2032-2 +4 more	244
GDGL-5500	26	GFP-03	162	GGN-30519-PG +2 more	265	GIRNP-160 +1 more	72	GLHB 9	59
GDGL-7000-3E	26	GFP-04	163	GGP-20	164	GJLH-5	90		
GDGL-7000E	26	GFS-40	67	GGP-21	164	GJLH-20	91		

GLNP 160	72	GNJ-42	50	GPES-200	122	gpt-802	251	grf-126	100
GLNP 180	72	GNJ-102	50	GPF-1	73	gpt-803 +16 more	251	grf-127	100
GLO-24	48	GNJ-168	51	GPF-2	73	GPTP-10	199	grf-130	103
GLO-32	48	GNJ-208	51	GPGW-01	39	GPTP-60-3	200	grf-131	103
GLS-10	220	GNMG100 +2 more	259	GPGW-02	39	GPTP-60-6	200	grf-132 +4 more	103
GLS-20	220	GNP-450	68	GPGW-03 +4 more	39	GPU-1	166	GRF-139	108
GLS-30	220	GNP-600	68	GPGW-06	38	GPU-2	166	GRF-141	108
GLS-50	221	GNP-900	68	GPGW-10	38	GPW-1000	198	GRF-147	107
GLS-50/40	221	GNP-1200	68	GPGW-11 +2 more	38	GPW-1700	198	GRF-148	107
GLS-100	221	GNT-60	44	GPGW-40-1	42	GPWR-36	271	GRF-150	108
GLS-100/40	222	GNT-80	44	GPGW-60-1	42	GPWR-38	271	GRF-152	107
GLS-150	221	GNT-100	44	GPGW-60-3 +2 more	42	GPWS-1	47	GRF-153	107
GLS-200	222	gnt-823	252	GPHS-8	62	GR-03	167	GRFS-81	263
GLS-300	222	gnt-824	252	GPIDG-20	109	GR-04	167	GRFS-82	263
GLU-1	166	gnt-825 +16 more	252	GPIDGB-20	109	GRCC-36	248	GRFS-83	35
GLU-02	154	GP-1	74	GPIGK-01	27	GRCC-65	248	GRFS-84	35
GLU-04	155	GP-2	74	GPIGK-02	27	GRCC-95	248	GRJ-175	92
GLU-05	155	GP-10	160	GPIGL-800	22	GRD 2100 +16 more	251	GRJR-2	92
GLU-06	155	GP-11	160	GPIGL-10000	22	GRD 2108	258	GRK-110020	255
GLU-07	156	GP-14	161	GPIGL-2000	22	GRD 2110	258	GRK-820201	255
GLU-09	155	GP-15	160	GPIGL-30000	22	GRD 2111 and more	258	GRK-820202	255
GMAT-1	111	GP-16	161	GPIGL-3800E	23	GRD 10129	252	GRM-1	47
GMI-01	181	GP-17	160	GPIGL-3800EO	23	GRD 11001 +16 more	251	GRM-2	47
GMI-02	181	GP-18	163	GPLC-44	269	GRD 11003	251	GRP-1	74
GMI-03	181	GP-19	163	GPLC-94	269	GRD 11005	251	GRP-2	74
GMIS-01	264	GP-BV-100	119	GPLF-30	226	GRD 11047	251	GRP-3	74
GMIS-01 +2 more	182	GP-BV-125	120	GPLF-50	227	GRD 11048	251	GRW8	102
GMIS-02 +1 more	264	GP-BV-150	120	GPLK-47	269	GRD 11056	253	GRW10	102
GMJLH-5	90	GP-BV-200	120	GPLK-47L	269	GRD 11057	253	GRW12	102
GMJLH-10	90	GPB-12	124	GPLK-50 +9 more	269	GRD 11058 +7 more	253	GRW13	102
GMK-1	233	GPBS-15	69	GPOF-3	104	GRD 16129	252	GRW17 +3 more	102
GMK-2	233	GPBS-15-1	67	GPRA-15	68	GRD 18420 +2 more	252	GS PH075 +9 more	66
GMK-12	271	GPBS-20	69	GPRA-20	68	GRD 25420	252	GS PH0100	66
GMK-34	271	GPBS-20-1	67	GPRA-25	68	GRD 52420	252	GS PH0150	66
GMR 150	44	GPBS-25	69	GPRA-30	68	GRD 55028	252	GS SL375	66
GMR 500	45	GPBS-25-1	67	GPS 84	80	GRD 55128	252	GS SL3100	66
GMR 1000	45	GPBS-30	67	GPS 97	79	GRD 65028	252	GS SL5100 +6 more	66
GMSB-150	123	GPCD-12	93	GPS 147	79	GRF-85GS	34	GS-01	166
GMT 316	38	GPCD-24	93	GPS 219	79	grf-113	92	GS-02	166
GMT 319	38	GPD-150	66	GPS-VC-20	179	grf-114	92	GS-03	166
GMT 519 +2 more	38	GPD-200	66	GPS-VC-25	180	grf-115 +2 more	92	GS-04	166
GMTP-1	103	GPD-300 +3 more	66	GPS-VC-30	180	grf-118	61	GS-05	166
GNH450	72	GPE-0018	211	GPS-VC-40	180	grf-119	62	GS-07	166
GNJ-16	68	GPE-0019	211	GPS-VC-50	180	grf-121	60	GSAF-01	143
GNJ-20	68	GPES-125	122	GPS-VC-60	181	grf-122	60	GSAF-02	143
GNJ-24	68	GPES-150	122	GPST-1	64	grf-123	61		
GNJ-30	68	GPES-150/200	122	gpt-801	251	grf-124	100		

GSAF-03	144	GSH-03	170	GST9	59	GT-1000L	135	GWL-500	227
GSAF-04	151	GSi-6	54	GST-1	232	GTG-32	104	GWM250	42
GSAF-05	151	GSIP-01	264	GST-2	232	GTI-1	47	GWM400	42
GSAF-06	141	GSIP-01 +2 more	182	GST-125	230	GTK-9	59	GWM600	42
GSAF-07	141	GSIP-02	264	GST-140	231	GTKG-01	28	GWM800 +2 more	42
GSAF-08	141	GSIP-03	264	GST-160	231	GTLC-6	105	GWM-160	28
GSAF-09	141	GSJ-2T	87	GSTA-20	39	GTM-1	103	GWM-160AS	29
GSAF-10	142	GSJI-3T	88	GSTA-50	40	GTMR-2	103	GWM-190	28
GSAF-11	142	GSJL-2T	87	GSTA-100	40	GTMS-60	225	GWM-190AS	29
GSAF-12	142	GSJL-3T	88	GSTT 64	64	GTMS-100	225	GWM-220	29
GSAF-13	143	GSJR-2,5T	88	GSVER-01	156	GTMS-140	226	GWM-220AS	30
GSAF-14	142	GSK-01	158	GSVER-03	157	GTOP-01	145	GWM-250	29
GSAF-15	143	GSK-02	158	GSVER-04	156	GTOP-02	146	GWM-250AS	30
GSAF-16	147	GSK-03	158	GSVER-05	156	GTQM-2	103	GWM-315A	30
GSAF-17	147	GSK-04	158	GSWK-6/180	8	GTQM-3	103	GWP50	164
GSAF-18	147	GSK-05	158	GSWK-8/750	8	GTRK-131	75	GWP80	164
GSAI-9-7	270	GSM-38	109	GSWK-9/1400	9	GTRW-12	102	GWPT-350	105
GSAI-12-10	270	GSM-76	110	GSWK-25/1400	9	GTRW-14	102	GX-01	170
GSAI-14-12	270	GSM-106	109	GSWK-50/1400	9	GTS-2	226	GX-02	170
GSB-4	86	GSMI-200	42	GSWK-50/2800	9	GTSL-02	140	GX-03	170
GSB-2240x10x0.5-4	128	GSMI-300	43	GSWK-100/440	10	GTSL-02-04	273	GX-04	170
GSB-2240x12.5x0.5-4	129	GSMP-2	41	GSWK-120/4200	10	GTSL-03	140	GX-05	170
GSB-2560x12.5x0.5-6	129	GSMP-3	40	GT-18	50	GTSL-04	140	GZ-105005	254
GSBR-1/4	53	GSMP-4	40	GT-19	53	GTSL-05	140	GZ-125606	254
GSC-4	74	GSMS-7 +2 more	267	GT-23	50	GTSL-05-03 +2 more	273	GZ-166008 +2 more	254
GSC-005 +3 more	267	GSMS-8	267	GT-062	255	GTSL-06	146	HBJ-2	91
GSC-007	268	GSMS-9	267	GT-063 +3 more	255	GTT-120	230	HBJ-10	91
GSC-008	268	GSMS-10	267	GT-066	255	GTTS-5	104	HBJ-32	91
GSC-009	267	GSOT-1	238	GT-067	255	GTTS-7	104	HBJ-50s	92
GSC-011	267	GSOT-2	238	GT-068	254	GTVER-01	158	HBR01	17
GSC-012 +3 more	268	GSP-80L	199	GT-069	254	GTVER-02	157	HDS-2	106
GSC-20	93	GSP-100L	199	GT-071 and more	254	GVER-01	166	HDS-6	106
GSC-30	94	GSP-200L	199	GT-082GS	33	GVER-05	167	HHT300	65
GSC-630	94	GSPS-4 +11 more	266	GT-083GS	33	GVER-07	167	HHT300-1	65
GSC-800	94	GSPS-9	266	GT-098GS	36	GVER-08 +2 more	167	HHT400 +9 more	65
GSD 11052	254	GSPS-14	266	GT-099GS	34	GVER-22	166	HL-02	223
GSD 11056 and more	254	GSRW-11/14	52	GT-106GS	34	GVER-26	183	HL-03	224
GSD-10	94	GSRW-11/38	52	GT-107GS	34	GVER-27	183	HL-04	224
GSD-17	95	GSRW-12/12	52	GT-111GS	35	GVER-28	183	HL-05	224
GSD-25	95	GSRW-12/14	52	GT-115GS	33	GVPM-20	98	HL-06	224
GSE-5	85	GSS 6	54	GT-116GS	33	GW400	41	HL-08	225
GSEC-8	85	GSS 11	57	GT-117GS	33	GW525	39	HL-09	225
GSFC-200	72	GSS 14	58	GT-118GS	33	GW800	41	HL-10	223
GSFC-500	72	GSS-4-1	74	GT-119GS	33	GW1000	41	HL-11	223
GSFC-1000 +1 more	72	GSS-868D	239	GT-158	254	GW1025	39	HLSST-52	170
GSH-01	170	GSS-936A	239	GT-600L	135	GWK 621-632	70		
GSH-02	170	GSS-968	239	GT-1000H	135	GWL-300	227		

HLS5T-52S	170	MIG-250	31	PW 600L	13	SKL-101	145	TFS-125-12	173
HMPJ-70	241	MINI GOS-160	30	PW 720	13	SKL-102 +2 more	145	TFS-250-12	173
HMPJ-70c	242	MINI GOS-180	31	PW 880	14	SKL-103	145	TFS-500-12	173
HMPJ-120	242	MOP3	15	PW 880RKS	14	SKY-50	164	TFS-600-12	173
HMPJ-240	242	MOP4	15	PW 1280	14	SKY-53	146	TIG-200	32
HMPJ-300	242	MV-75	121	RH450-1	71	SKY-54	147	TKP-4	71
HMPJ-300c	243	MVER2-30	184	RH680-1	71	SL400	42	TKP-5	71
HPY-150	179	MVER3-30	184	RH900-1 +2 more	71	SL600	42	TKP-6	71
HTJ-2G	87	MVER-26	183	RH 1008	11	SL800	42	TKP-7 +3 more	71
HTJ-3SH	88	NC15	17	RH 1012	11	SL1000	42	TPJ-305-2000	124
HY-120	179	NG50	17	RH 2008	11	SL1200	42	TPJ-320-1600	125
IT140/10	18	OG125P	14	RH 2012	11	SLH15-1	67	TPJ-320-1800HH	125
JHPT2000	176	OG150P	15	RP4500	17	SLH20	67	TPJ-330-1800	125
JHPT2000-1150-PO	177	OSG-400	108	RSL-200	228	SLH20-1	67	TPJ-330-2000	125
JHPT2000-1150-W	178	P70	17	RSL-300	229	SLH30	67	TPM-155-1800	126
JHPT2500	176	PB-75	101	RSL-350	229	SLH30-1	67	TRA8335	89
JHPT2500-800-PO	177	PB-150	101	RSL-350F	229	SP 160	12	TRA8605	89
JHPT2500-1500-PO	177	PB-200	101	RSL-400	229	SP 178	12	TRJ7310-5T	89
JHPT2500-1800-PO	177	PBC-42	71	RSL-500	230	SP 180	12	TSJ-210-1200 +2 more	127
JHPT2500-2000-PO	178	PBC-65	71	RWL-200	222	SP-7-560MS	152	TSJ-1500	127
JHPT3000	176	PBS-12	86	SED 21	65	SP-7-610ES	153	TW-2	99
JHPT3000-1150-PO	178	PC-100	32	SF-35H	137	SP-7-610MS	153	TW-3	100
JHPT3000-1150-W	178	PC-300	32	SF-140FA	137	SP-8-710ES	153	TW-4	99
LAS 24/1500	7	PD550	16	SF-B1,88	115	SP-11-710ES	153	TW-5	102
LAS 24/1500K	7	PJ-01	110	SF-B2,44	115	SP-1500-280ES	154	TW-6	101
LAS 50/1800	7	PLM-01	145	SF-B3	116	SP-2000-580ES	154	V2200/50	8
LAS 50/1800K	7	PLM-02	144	SF-B3,66	116	SP-2300-460ES	154	V2200/100	8
LF-01	230	PLM-03	144	SGI5	17	SPR500	13	WB-11GS	263
LT-01 1x9	167	PLM-04	144	SGMI-01	182	SPT5	18	WB-21GS	263
LT-01 1x10	168	PLM-05	145	SGMI-02	182	SSJ-90	129	WB-22GS	263
LT-01 1x11	168	PR68	16	SGMI-03	182	STD20	63	WBC 90-1	169
LT-01 1x13	168	PSD-1500	130	SHT310	56	STD32	63	WBC 170-1	169
LT-01 1x14	168	PSM125	18	SIPP-01	182	STD034	63	WBC 200-1	169
LT-01 1x15	169	PSS-01	86	SIPP-02	182	STD040	63	WBC 320-1	170
LU-01	150	PTC-600	113	SIPP-03	182	STD110	64	WL-150	223
LU-02	150	PTC-600L	114	SIPP-03 +3 more	264	T83502	87	WLJ-1000	126
LU-03	149	PTC-800	113	SJ-1	92	TCS-720	114	WLT-460	126
LU-05	149	PTC-800L	114	SJ-2	92	TCS-920	115	WLT-460VS	127
LU-06	149	PTC-900	113	SKL02-34	157	TCS-1200	115	WLT-1100A	127
MBS-115	124	PTC-1000L	114	SKL04-14	272	TE-WP-X-1	262	WOX-01	171
MBS-125	124	PTC-1200	113	SKL05-14	272	TE-WP-X-2	262	WOX-02	171
MF170A	129	PV-800	135	SKL05-34	157	TE-WY-X-1	262	WOX-03	171
MF171A	129	PV-900	136	SKL18-26	148	TE-WY-X-2	262	WPL-1000	164
MHPJ-16	124	PV-1500	136	SKL0203-14	272	TENT-07 +7 more	171	WY-770	105
MIG-1705C	31	PVJ-800	136	SKL1617-26	148	TENT-09	171	WY-1050	105
MIG-200S	31	PW 600	13	SKL-14	272	TENT-10	171		

GIGANT

GIGANT — YOUR PARTNER FOR TASKS OF ANY SCALE

JIANGSU SKYLINE INDUSTRIAL CO., LTD.

Development District, Danyang City, Jiangsu Province, China

skyline-tools.com

+0086-511-86225266

info@skyline-tools.com